

## Product datasheet for **RG238295**

### NF-kB p65 (RELA) (NM\_001243985) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	NF-kB p65 (RELA) (NM_001243985) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	RELA
Synonyms:	CMCU; NFKB3; p65
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG238295 representing NM_001243985. Blue=ORF Red=Cloning site Green=Tag(s)

```
GCTCGTTTAGTGAACCGTCAGAATTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGACGAACTGTTCCCCCTCATCTTCCCGGCAGAGCCAGCCAGGCCTCTGGCCCTATGTGGAGATC
ATTGAGCAGCCCAAGCAGCGGGGCATGCGCTTCCGCTACAAGTGCAGGGGCGCTCCGCGGCAGCATC
CCAGGCGAGAGGAGCACAGATACCACCAAGACCCACCCACCATCAAGATCAATGGCTACACAGGACCA
GGGACAGTGCATCTCCCTGGTCACCAAGGACCCTCCTACCGGCTCACCCACGAGCTTGTAGGA
AAGGACTGCCGGATGGCTTCTATGAGGCTGAGCTCTGCCGGACCGCTGCATCCACAGTTCCAGAAC
CTGGGAATCCAGTGTGTGAAGAAGCGGGACCTGGAGCAGGCTATCAGTCAGCGCATCCAGACCAACAAC
AACCCCTTCCAAGTTCTATAGAAGAGCAGCGTGGGGACTACGACCTGAATGCTGTGCGGCTCTGCTTC
CAGGTGACAGTGCGGGACCCATCAGGCAGGCCCTCCGCCTGCCGCTGTCTTTCTATCCCATCTTT
GACAATCGTGCCCAACACTGCCGAGCTCAAGATCTGCCGAGTGAACCGAAACTCTGGCAGCTGCCTC
GGTGGGATGAGATCTTCTACTGTGTGACAAGGTGCAGAAAGAGGACATTGAGGTGATTTTACGGGA
CCAGGCTGGGAGGCCGAGGCTCCTTTTCGAAGCTGATGTGCACCGACAAGTGGCCATTGTGTTCCGG
ACCCCTCCCTACGCAGACCCAGCCTGCAGGCTCCTGTGCGTGTCTCCATGCAGCTGCGGCGCCTTCC
GACCGGGAGCTCAGTGAGCCATGGAATCCAGTACCTGCCAGATACAGACGATCGTCACCGATTGAG
GAGAAACGTAAAAGGACATATGAGACCTTCAAGAGCATCATGAAGAAGAGTCTTTCCAGCGGACCCACC
GACCCCGGCCTCCACCTCGACGATTGCTGTGCCTTCCGCGAGCTCAGCTTCTGTCCCAAGCCAGCA
CCCCAGCCCTATCCCTTACGTCATCCCTGAGCACCATCAACTATGATGAGTTTCCACCATGGTGTTT
CCTTCTGGGCAGATCAGCCAGGCCTCGGCCTTGGCCCCGGCCCTCCCAAGTCTGCCAGGCTCCA
GCCCTGCCCTGCTCCAGCCATGGTATCAGCTCTGGCCAGAGGCCCGACCCAGCTCCTGCTCCA
CTGGGGGCCCCGGGCTCCCAATGGCCTCCTTTCAGGAGATGAAGACTTCTCCTCCATTGCGGACATG
GACTTCTCAGCCCTGCTGAGTCAGATCAGCTCC
ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTAAAC
```



[View online >](#)



Protein Sequence: >Peptide sequence encoded by RG238295  
 Blue=ORF Red=Cloning site Green=Tag(s)


MDELFPILFPAEPAQASGPYVEIIEQPKQRGMFRYKCEGRSAGSIPGERSTDTTKHTPTIKINGYTG  
 GTVRISLVTKDPHRPHPHVVGKDCRDGFYEELCPDRCIHSFQNLGIQCVKKRDLEQAISQRIQTNN  
 NPFQVPIEEQRGDYDLNAVRLCFQVTVRDPVSGRPLRPPVLSHPVIFDNRAPNTAELKICRVNRNSGCL  
 GGDEIFLLCDKVQKEDIIEVYFTGPGWEARGSFQADVHRQVAIVFRTPPYADPSLQAPVVRVSMQLRRPS  
 DRELSEPMFQYLPDTPDRHRIEKRKRTYETFKSIMKKSPPSGPTDPRPPPRRIAVPSRSSASVPKPA  
 PQPYPFTSSLSTINYDEFPTMVFPSGQISQASALAPAPPVLPQAPAPAPAPAMVSALAQRPDPAPAP  
 LGAPGLPNGLLSGDEDFSSIADMDFSALLSQISS  
**TRTRPLEMESDESGLPAMEIECRITGTLNGVEFELVGGEGTPEQGRMTNKMSTKGALTFSPYLLSHV**  
 MGYGFYHFGTYPSGYENPFLHAINNGGYNTRIEKYEDGGVLHVSFSYRYEAGRVIGDFKVMGTGFPED  
 SVIFTDKIIRSNATVEHLHPMGDNDLDGSFTRTFLRDGGYSSVVDSHMHFKSAIHPSILQNGGPMFA  
 FRRVEEDHSNTELGIVEYQHAFKTPDADAGEERV

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shutting:



**Plasmid Map:**


**ACCN:** NM\_001243985

**ORF Size:** 1344 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**RefSeq:** [NM\\_001243985.1](#), [NP\\_001230914.1](#)

**RefSeq Size:** 2286 bp

**RefSeq ORF:** 1347 bp

**Locus ID:** 5970

**Cytogenetics:** 11q13.1

**Protein Families:** Druggable Genome, Transcription Factors

**Protein Pathways:** Acute myeloid leukemia, Adipocytokine signaling pathway, Apoptosis, B cell receptor signaling pathway, Chemokine signaling pathway, Chronic myeloid leukemia, Cytosolic DNA-sensing pathway, Epithelial cell signaling in Helicobacter pylori infection, MAPK signaling pathway, Neurotrophin signaling pathway, NOD-like receptor signaling pathway, Pancreatic cancer, Pathways in cancer, Prostate cancer, RIG-I-like receptor signaling pathway, Small cell lung cancer, T cell receptor signaling pathway, Toll-like receptor signaling pathway

**MW:** 50 kDa

**Gene Summary:** NF-kappa-B is a ubiquitous transcription factor involved in several biological processes. It is held in the cytoplasm in an inactive state by specific inhibitors. Upon degradation of the inhibitor, NF-kappa-B moves to the nucleus and activates transcription of specific genes. NF-kappa-B is composed of NFKB1 or NFKB2 bound to either REL, RELA, or RELB. The most abundant form of NF-kappa-B is NFKB1 complexed with the product of this gene, RELA. Four transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Sep 2011]