

## Product datasheet for **RG239742**

### NFATC4 (NM\_001288802) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	NFATC4 (NM_001288802) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	NFATC4
Synonyms:	NF-AT3; NF-ATC4; NFAT3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**ORF Nucleotide Sequence:**

>RG239742 representing NM\_001288802.  
 Blue=ORF Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCACGATCGCC
ATGCCTCGCTTCAATCTCCTCCATCTTCCAGGTCCAACCTGCTTTTGTCTTGTGGCTCAGAAGAACTG
GACTCAGAGGATGCCCGCCATGCTGCCGTCTGGCCTTGGGAGAGCCCCCTCCCTATGGCGCTGCACCT
ATCGGTATTCGCCGACCTCCACCCCTCGGCCTGGCATGCATTGCCACCGCCGCGACCAGCCCCCTCA
CCTGGCACCTGGGAGAGCCAGCCCGCCAGGTGGTGGGCTGGGAGGACCAGGAGGGGTGCTGGGGGT
GCTGGGGTGGCCGTGTTCTCGAGTGTCCAGCATCCGCATCACCTCCATCTCTCCACGCCGGAGCCG
CCAGCAGCGCTGGAGGACAACCTGATGCCTGGGGGACGGCTCTCTAGAGATTACCCCCACCAGAA
GGCTTTGGGGGTACAGAGAAGCAGGGGGCAGGGTGGGGGGCCTTCTCAGCCAAAGCCCTGGCAGC
AGCAGCCTGTCTCGTGGAGCTTCTTCTCCGATGCCTCTGACGAGGCAGCCCTGTATGCAGCCTGCGAC
GAGGTGGAGTCTGAGCTAAATGAGGCGGCCTCCCGCTTTGGCTGGGCTCCCCGCTGCCCTGCCCCGG
GCCTCCCTCGGCCATGGACCCCGAAGATCCCTGGAGCCTGTATGGTCCAAGCCCGGAGCGCGAGGG
CCAGAGGATAGCTGGCTACTCCTCAGTGTCTCTGGGCCACCCAGCCTCCCGCGGCCTGCCTCTCCA
TGTGGCAAGCGCGCTATTCCAGCTCGGAACCCCATCTTCAGCCTCCCCAGCTCTGTCCCGCCGTGGC
AGCCTGGGGGAAGAGGGGTCTGAGCCACCTCCACCACCCCATTCGCTCTGGCCCGGACCCGGGCTCC
CCTGGTCCCTTTGACTATGTGGGGGCCACCAGCTGAGAGCATCCCTCAGAAGACACGGCGGACTTCC
AGCGAGCAGGCAGTGGCTCTGCCTCGGTCTGAGGAGCCTGCCTCATGCAATGGGAAGTGCCTTTGGGA
GCAGAGGAGTCTGTGGCTCCTCCAGGAGTTCCCGGAAGGAGGTGGTGGCATGGACTACCTGGCAGTG
CCCTCCCCTCGCTTGGTCCAAGGCCCGATTGGGGACACAGCCCTATCTTCAGGACCTCTGCCCTA
CCCCACTGGACTGGCCTCTGCCAGCCAAATGAGCAGCTGGAGCTGAGGATCGAGCTACAGCCTAGA
GCCACACCGGGCCACTATGAGACAGAAGGCAGCCGTGGAGCTGTCAAAGCTGCCCTGGCGGTAC
CCCGTAGTCAAGCTCCTAGGCTACAGTGAAGCCACTGACCCTACAGATGTTTATCGGCACTGCAGAT
GAAAGGAACCTGCGGCCTCATGCCTTCTATCAGGTGCACCGTATCACAGGCAAGTGGTGGCCACGGCC
AGCTATGAAGCCGTAGTCAAGTGGCACCAGGTGTTGGAGTACTCTGTGCCTGAGAACAACATGGCG
GCCAACATTGACTGCGCGGAATCTGAAGCTTCGGAATTCAGACATTGAGCTTCGGAAGGGTGAGACG
GACATCGGGCGAAAAACACACGTGTACGGCTGGTGTCCGGGTACACGTGCCCCAGGGCGGGGAAG
GTCGTCTCAGTACAGGCAGCATCGGTGCCATCGAGTGTCCAGCGCTCAGCCAGGAGTGCCTCCAG
GTGGAGGCTACAGCCCCAGTGCCTGTCTGTGAGAGGAGGCGAGGAACTGGTACTGACTGGCTCCAAC
TTCTGCCAGACTCCAAGGTGGTGTTCATTGAGAGGGGTCTGATGGGAAGCTGCAATGGGAGGAGGAG
GCCACAGTGAACCGACTGCAGAGCAACGAGGTGACGCTGACCCTGACTGTCCCGAGTACAGCAACAAG
AGGGTTTTCCCGCCAGTCCAGGTCTACTTTTATGTCTCCAATGGGCGGAGGAAACGCAGTCTACCCAG
AGTTTCAGGTTTCTGCCTGTGATCTGCAAAGAGGAGCCCTACCGGACTCATCTCTGCGGGTTTCCCT
TCAGCATCGGCAACCCCTTTGGCACTGACATGGACTTCTCACCACCCAGGCCCCCTACCCCTCCTAT
CCCCATGAAGACCCTGCTTGCAGAACTCCTTACCTATCAGAAGGCTTCGGCTATGGCATGCCCTCTG
TACCCAGACGGGGCCCCACCATCTACAGACCGGGCCTGCGGATGTTCCCTGAGACTAGGGGTACC
ACAGTTGTGCCAACCACCTGCAGTTTCTTCTCCCGCCCTTCCCTAGTGACCCGTATGGAGGG
CGGGGCTCCTCTTCTCCCTGGGCTGCCATTCTCTCGCCAGCCCTTTCGGCCGCTCCTCTTCTCT
GCATCCCCACCGCTTGAAGGCCCTTCCCTTCCAGAGTGTGATGTCATCCCTACCTGCTGAGGGATAC
AATAAGGTAGGGCCAGGCTATGGCCCTGGGAGGGGGCTCCGGAGCAGGAGAAATCCAGGGGTGGCTAC
AGCAGCGGCTTCCGAGACAGTGTCCCTATCCAGGGTATCACGCTGGAGGAAGGTGGGTGTGGACTGG
GGCTGTGAGTGTGAGTGTGCAAGAGATTGCTCTGCATGTTTGC
ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAAAC
  
```

**Protein Sequence:** >Peptide sequence encoded by RG239742  
 Blue=ORF Red=Cloning site Green=Tag(s)


```

MPASISSIFPGPTLLSCGSEELDSEDAPPCCRLALGEPPIYGAAPIGIPRPPPPRGMHSPPRPAPS
PGTWESQPARSVRLGGPGGGAGGAGGRVLECPISIRITSIPTPEPPAALEDNPDWDGSDYPPPE
GFGGYREAGGQGGGAFFSPSPGSSLSWSFFSDASDEAALYAACDEVESELNEAASRFGLGSPLSPR
ASPRPWTPEDPWSLYGSPGGRGPEDSWLLLAPGPTPASPRPASPCGKRRYSSSGTPSSASPALSRRG
SLGEEGSEPPPPPLPLARDPGSPGPFDYVGAPPAESIPQKTRRTSSEQAVALPRSEEPASCNGKLPLG
AEESVAPPGSRKEVAGMDYLAVPSPLAWSKARIGGHSPIFRTSALPLDWPLPSQYEQLELRIEVQPR
AHHRAHYETEGSRGAVKAAPGGHPVVKLLGYSEKPLTLQMFIGTADERNLRPHAFYQVHRITGKMVATA
SYEAVVSGTKVLEMTLLPENMAANIDCAGILKLRNSDIELRKGETDIGRKNTRVRLVFRVHVPQGGGK
VVSQAASVPIECSQSAQELPQVEAYSPSACSVRGGEELVLTGSNFLPDSKVVFIERGPDKLQWEEE
ATVNRLQSNVTLTLTVPEYSNKRVS RPVQVYFVYVSNRRKRSP TQSFRLPVICKEEPLPDSLRGFP
SASATPFGTDMDFSPRRPPYSPHEDPACETPYLSEFGYGMPLYPQTGPPPSYRPLRMFPETRGT
TGCAQPPAVSFLPRFPSPDYGGGSSFSGLLFPSPAPFRPPPLPASPPLEGPFPSSQSDVHPLPAEGY
NKVGPYGPGEAPEQEKSRGGYSSGFRDSVPIQGITLEEGCGTGGCECECVQEI ALHVC
TRTRPLEMESDESGLPAMEIECRITGTLNGVEFELVGGGEGTPEQGRMTNKMSTKGALTFSPYLLSHV
MGYGFYHFGTYPSTYENPFLHAINNGGYNTRIEKYEDGGVLHVSFSYRYEAGRVIGDFKVMGTGFPEP
SVIFTDKIIRSNATVEHLHPMGDNDLDGSFTRTFSLRDGGYSSVVDSHMHFKSAIHPSILQNGGPMFA
FRRVEEDHSNTELGIVEYQHAFKTPDADAGEERV
  
```


**Restriction Sites:** Sgfl-MluI

Cloning Scheme:

Cloning sites used for ORF Shutting:



Plasmid Map:



ACCN:

NM\_001288802

<b>ORF Size:</b>	2667 bp
<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>RefSeq:</b>	<a href="#">NM_001288802.2</a>
<b>RefSeq Size:</b>	5538 bp
<b>RefSeq ORF:</b>	2670 bp
<b>Locus ID:</b>	4776
<b>UniProt ID:</b>	<a href="#">Q14934</a>
<b>Cytogenetics:</b>	14q12
<b>Protein Families:</b>	Druggable Genome, Transcription Factors
<b>Protein Pathways:</b>	Axon guidance, B cell receptor signaling pathway, MAPK signaling pathway, Natural killer cell mediated cytotoxicity, T cell receptor signaling pathway, VEGF signaling pathway, Wnt signaling pathway
<b>MW:</b>	94.4 kDa
<b>Gene Summary:</b>	This gene encodes a member of the nuclear factor of activated T cells (NFAT) protein family. The encoded protein is part of a DNA-binding transcription complex. This complex consists of at least two components: a preexisting cytosolic component that translocates to the nucleus upon T cell receptor stimulation and an inducible nuclear component. NFAT proteins are activated by the calmodulin-dependent phosphatase, calcineurin. The encoded protein plays a role in the inducible expression of cytokine genes in T cells, especially in the induction of interleukin-2 and interleukin-4. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jan 2014]