

Product datasheet for **RN205303**

Morf4I2 (NM_001007714) Rat Untagged Clone

Product data:

Product Type: Expression Plasmids
Product Name: Morf4I2 (NM_001007714) Rat Untagged Clone
Tag: Tag Free
Symbol: Morf4I2
Synonyms: LRRG00119
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
Fully Sequenced ORF: >RN205303 representing NM_001007714
 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGAGTCCAGAAAGCAGGCTTCTCAAACCTCGTGGACAACAATCTGCTGAAGAAGACAACTTAAGAAAC
 CCACTCGCAGCAATATGCAGAGAAGTAAGATGAGAGGAGCTGCCTCAGGAAAGAAGTCAGCTGGTTCGCA
 GCCGAAGAATCTTGATCCAGCCCTCCAGGAAGATGGGGAGGTCGCTCTGCTGAGAACCCCTTCTGGT
 TCTGTGCCGAAGACAAGGAAGAACAAGCAGAAGACTCCTGGCAACGGAGACGGTGGCAGTACCAGTGAAG
 TCCCCAGCCTCCTCGGAAGAAAAGGGCACGGGCTGACCCCACTGTGGAGAGCGAGGAAGCATTCAAGAG
 TAGGATGGAGGTGAAGGTGAAGATCCCTGAAGAATTTAAACCATGGCTGGTGAAGATTGGGACTTGGTT
 ACTAGGCAGAAGCAGCTGTTCCAGCTCCCTGCTAAGAAGAATGTAGATGCCATTCTTGAGGAGTATGCCA
 ATTGCAAGAAGTCACAGGGAAATGTTGATAATAAGGAGTATGCCGTTAATGAGGTTGTGGGAGGGATAAA
 AGAGTATTTCAATGTGATGCTGGCACTCAGCTGCTGTACAAGTTGAGAGGCCTCAGTATGCTGAGATT
 CTGCTGGCTCACCTGATGCGCCAATGTCGCAGATCTATGGGGGCCACACCTGCTGAGATTATTTGTGA
 GAATTGGGGCAATGTTGGCCTATACGCCCTTGATGAGAAAAGCCTGGCACTGTTGCTGGGCTATCTGCA
 TGATTTCTTAAGTATCTGGCAAAGAATTCTGCCTCTCTGTTTACTGCCAGTGATTACAAAGTGGCTTCT
 GCTGACTATCATCGCAAAGCCCTGTGA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: SgfI-MluI
ACCN: NM_001007714
Insert Size: 867 bp



[View online »](#)

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001007714.1, NP_001007715.1</u>
RefSeq Size:	1846 bp
RefSeq ORF:	867 bp
Locus ID:	317413
UniProt ID:	<u>Q6QI89</u>
Cytogenetics:	Xq32
Gene Summary:	Component of the NuA4 histone acetyltransferase complex which is involved in transcriptional activation of select genes principally by acetylation of nucleosomal histone H4 and H2A. This modification may both alter nucleosome - DNA interactions and promote interaction of the modified histones with other proteins which positively regulate transcription. This complex may be required for the activation of transcriptional programs associated with oncogene and proto-oncogene mediated growth induction, tumor suppressor mediated growth arrest and replicative senescence, apoptosis, and DNA repair. The NuA4 complex ATPase and helicase activities seem to be, at least in part, contributed by the association of RUVBL1 and RUVBL2 with EP400. NuA4 may also play a direct role in DNA repair when directly recruited to sites of DNA damage. Also component of the MSIN3A complex which acts to repress transcription by deacetylation of nucleosomal histones (By similarity).[UniProtKB/Swiss-Prot Function]