

AGCCAGCCAGCATCTCAGGATGGAATGCCTAGGATCATGTCTAAAAGAGGAAAATGGAAGATGTTTGTTT
 GAGCCACCAGTCCAGAATCTACCAGCCGAAGTTCTAGTAAAACCTGGACGAGAAATCCAGAAAATGGAGA
 AACTGCAATTGGTGCTGAAGATTCTGAAAAATAAATGAAAATTCAGACAAAGAAGCAGAAGTAGAAGAG
 TCTTCTGAGAAAAATAAAGTCCAGATAGCACCCAAAGTGGAGGAAGAGCAGGACCTCAAATTTAGATTG
 GAGAACTGGCAAAATACCTGACAAGTAAATTTGAATTCCTAGGGATTACAGACAGTCCATCTCCAACCT
 CCACATGCTGCTCTTACAGACCGAGACTCGGATTGCAGACTGGCGGAAGGGGCTCTCAATGGAAATTAT
 CTAAAACGAAAACCTCAGGATGCTGCAGAACAGCTAAACAGTATGAAATAAACGCCACTCCTAAAGGCT
 GGTCTTGCCTGGGACAGGGATCATAGACGGTATTTCTATGTAACGAACAGTCGGGCGAGTCTCAGTG
 GGAATTCAGATGGTGAGGAGGAGGAAGAAAGCAAGCACAGGAAGTTAGAGATGAGAGTCTTCTTAAG
 CTGACCGAGAAAGACAAAACCTGCACTGATTCAAACCTCTGCAGAACTCTGAGAAATCCACAGTTCTC
 TTTGTAAGAATCCTTTTCTGGTCAAGTTTCTTCATCACTCATGCCACTTACTCCATTCTGGACCTCCT
 CCAGTCAAATGTACCTGTGCTTCAACCTCCATTACCTCTGGAATGCCACCACCTCCACCTCCACCCCCA
 GAATCTCCCCCTCCACCACCTCCACCTCCTCCTCCGCTCCGCGTTGGAAGATGGTGAGATTGAGGAGG
 TAGAAATGGAGGATGAGGGAAGTGAAGGAGCCTCCTGCCCTGGAACAGAGGAGGACACTCCTTTGAAACC
 TTCAACACAGACCACAGTTGTAACAGCCAGAATGTTTTGTTTACGCAGTTGAGTTGATTCTACTGCC
 TCTAGTCTCCATCCACGAAAGCAGTAAAGAGAAAGGCTCCAGAAATTAGTACTGCAGTAGTTGAGAGGT
 CAGCTACTATCGGTAGTTCTCCAGTTCTCTATAGTCAGTCAGCTATAGCTGCAGGTACCAAGCAGTGGG
 GATGGCACACCAAGCAGTATCAGTTAGCCATGCAGCAGCAGGGATGGGTATCCGACCAGAGGGATGAGC
 CTGCAGTCAAATTACCTTGGACTAGCAGCAGCGCTGCAATTCGAGCTATGCCGAATGTTCTGTCCCAA
 TCGGAGTGACCACTCCATCGCTGCAGCCAGCTCAGGCACGAGGAAGTGTGGCAGCGCTGCTGTTGTAGA
 GCCACCTCCTCCTCCACCTCCTCCACCCACATCCACTCCGCTCCACCCCAAGAGCTCCCAAAGGGCCG
 CCGCCAGAGAAGACGAGAAAAGGGAAGAGAGAGAAGGCAAGAAAAGTAAACCAAAATGCCATCTTTGG
 TAAAGAAATGGCAGAGTATCCAGCGGGAGTTAGATGAAGAAGATAATTCAAGTTCAGCGAAGAGGACCG
 GGAATCGACTGCACAGAAGCGAATTGAGGAATGGAAACAGCAGCAGCTGGTGAGTGGCCTGGCAGAAAGA
 AATGCTAATTTGAAGCCCTTCTGAGGATTGGCGAGCAAGGCTGAAGAGAAGGAAAATGGCTCCCAACA
 CCTAG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites:	Sgfl-MluI
ACCN:	NM_001013159
Insert Size:	3225 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001013159.2, NP_001013177.2</u>

RefSeq Size:	4090 bp
RefSeq ORF:	3225 bp
Locus ID:	311183
Cytogenetics:	3q24