

## Product datasheet for **RN208546**

### Pip4p2 (NM\_001024900) Rat Untagged Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** Pip4p2 (NM\_001024900) Rat Untagged Clone  
**Tag:** Tag Free  
**Symbol:** Pip4p2  
**Synonyms:** RGD1306225; Tmem55a  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**Cell Selection:** Neomycin  
**Fully Sequenced ORF:** >RN208546 representing NM\_001024900  
Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGGATCGCC**

ATGGCTGCTGACGGGGTGGACGAACGTTTCGCTCTGCTGTCAGCATCCCATTTCGGCAATGTCACCTCCCA  
CAGCCCCGCGTACTTGAAGAAAGCAGCCCAAGAGCTGAACTCCCACCTCCGTATACAGCCATCGCCAG  
TCCAGGAACAAGCGGTATCCCGTCATCAACTGTCGCGTGTGCCAATCGCTCATCAACCTGGATGGTAAA  
CTTCACCAGCATGTGGTTAAGTGACAGTTTGAATGAAGCTACGCCAATCAAAACCCCCCGACAGGGA  
AGAAATATGTTAGATGCCCTTGAATTGTCTCCTCATTGTAAGGACACATCTCGGCCAATAGGATGTCC  
TAGACCCAAGTTCGACGCATAATCAACCTTGGCCCCATAATGCTCATTCTGAAGAGCAACCGGCTCAA  
CCTGCGCTGCCAGTCCAGCCGGAAGGTACAAGGGTAGTGTGCGGGCACTGCGGGAACACGTTCTGTGGA  
TGGAAGTGAAGTTCAACTCTGGCAAAATGCCACACTGCAAAAAATCTCCTCGGTGGGTAGCGCCCT  
TCCCGGAGACGCTGCTGTGCATACGTCACCATCGGAATGATATGTATTTTCATTGGAGTTGGGTTAACT  
GTTGGCACACAAGATTTTCAAGGCGATTTATGCAACTTATGTCTTGGGCAATTGCTATCTGTTAG  
GTTTGATTTGCCTTATCCGAGCTTGTACTGGGTGCAATCAGAGTCAGTTATCCAGAGCACGGTTTTGC  
TTAA

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA

**Restriction Sites:** SgfI-MluI  
**ACCN:** NM\_001024900  
**Insert Size:** 774 bp



[View online »](#)

<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001024900.1</a> , <a href="#">NP_001020071.1</a>
<b>RefSeq Size:</b>	2255 bp
<b>RefSeq ORF:</b>	774 bp
<b>Locus ID:</b>	362490
<b>UniProt ID:</b>	<a href="#">Q4V888</a>
<b>Cytogenetics:</b>	5q13
<b>Gene Summary:</b>	Catalyzes the hydrolysis of phosphatidylinositol-4,5-bisphosphate (PtdIns-4,5-P2) to phosphatidylinositol-4-phosphate (PtdIns-4-P) (By similarity). Does not hydrolyze phosphatidylinositol 3,4,5-trisphosphate, phosphatidylinositol 3,4-bisphosphate, inositol 3,5-bisphosphate, inositol 3,4-bisphosphate, phosphatidylinositol 5-monophosphate, phosphatidylinositol 4-monophosphate and phosphatidylinositol 3-monophosphate (By similarity). Negatively regulates the phagocytosis of large particles by reducing phagosomal phosphatidylinositol 4,5-bisphosphate accumulation during cup formation (By similarity). [UniProtKB/Swiss-Prot Function]