

Product datasheet for **RN211529**

Irf2bpl (NM_001012470) Rat Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Irf2bpl (NM_001012470) Rat Untagged Clone
Tag:	Tag Free
Symbol:	Irf2bpl
Synonyms:	Eap1; Pqcp; RGD1310994
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001012470.1 , NP_001012488.1
RefSeq Size:	2352 bp
RefSeq ORF:	2352 bp
Locus ID:	314329
UniProt ID:	Q5EIC4
Cytogenetics:	6q31
Gene Summary:	Probable E3 ubiquitin protein ligase involved in the proteasome-mediated ubiquitin-dependent degradation of target proteins. Through the degradation of CTNNB1, functions downstream of FOXF2 to negatively regulate the Wnt signaling pathway. Probably plays a role in the development of the central nervous system and in neuronal maintenance (By similarity). Also acts as a transcriptional regulator of genes controlling female reproductive function. May play a role in gene transcription by transactivating GNRH1 promoter and repressing PENK promoter.[UniProtKB/Swiss-Prot Function]