

## **Product datasheet for RN215983**

## Agxt (NM\_001270659) Rat Untagged Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** Agxt (NM\_001270659) Rat Untagged Clone

Tag: Tag Free
Symbol: Agxt

Synonyms: AGT; Spat; SPT

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >RN215983 representing NM\_001270659

Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

GTGA

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: Sgfl-Mlul

**ACCN:** NM\_001270659

**Insert Size:** 564 bp



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

## Agxt (NM\_001270659) Rat Untagged Clone - RN215983

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

**OTI Annotation:** Clone contains native stop codon, and expresses the complete ORF without any c-terminal

tag.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001270659.1</u>, <u>NP 001257588.1</u>

 RefSeq Size:
 957 bp

 RefSeq ORF:
 564 bp

 Locus ID:
 24792

 Cytogenetics:
 9q36

**Gene Summary:** This gene encodes alanine-glyoxylate aminotransferase, which catalyzes the interconversion

of L-alanine and glyoxylate to pyruvate and glycine. Two alternatively spliced transcript variants encoding distinct isoforms have been found for this gene. The longer transcript variant includes an upstream translation start codon and a downstream translation start codon. The upstream start codon initiates the translation of the mitochondrial enzyme precursor while the downstream start codon initiates the translation of the peroxisomal

enzyme (see PMID:2332438). [provided by RefSeq, Feb 2013]

Transcript Variant: This variant (2) has multiple differences, compared to variant 1. The resulting isoform (2) is much shorter and has a distinct N-terminus, compared to isoform 1.

The cellular location of isoform 2 is not determined.