

Product datasheet for RR200322L4V

Epn2 (NM_021852) Rat Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles Product Name: Epn2 (NM 021852) Rat Tagged ORF Clone Lentiviral Particle Symbol: Epn2 Mammalian Cell Puromycin Selection: Vector: pLenti-C-mGFP-P2A-Puro (PS100093) mGFP Tag: ACCN: NM_021852 **ORF** Size: 1749 bp The ORF insert of this clone is exactly the same as(RR200322). **ORF** Nucleotide Sequence: **OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info This clone was engineered to express the complete ORF with an expression tag. Expression **OTI** Annotation: varies depending on the nature of the gene. **RefSeq:** NM 021852.3, NP 068624.2 **RefSeq Size:** 4053 bp **RefSeq ORF:** 1752 bp Locus ID: 60443 Cytogenetics: 10q22



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Gene Summary:The protein encoded by this gene is a member of the epsin protein family. Epsin proteins are
endocytic adaptors that function in the formation of clatherin-coated vesicles. Epsins contain
a highly conserved N-terminal homology domain that binds phosphatidylinositol 4,5-
bisphosphate in the plasma membrane, two or three ubiquitin interacting motifs, two
clathrin-binding motifs, a cluster of aspartate-proline-tryptophan/phenylalanine repeats, and
two or three asparagine-proline-phenylalanine tripeptide repeats at the C-terminus. In
mouse, simultaneous knockout of this gene and its paralog results in embryonic arrest due to
disruption of Notch signaling, suggesting a role as a specialized endocytic adaptor. Alternative
splicing results in multiple transcript variants. [provided by RefSeq, Mar 2015]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US