

Product datasheet for **RR200379**

Grik1 (NM_001111114) Rat Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Grik1 (NM_001111114) Rat Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Grik1
Synonyms:	GluK1; GluR5
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

ORF Nucleotide Sequence:

>RR200379 representing NM_001111114
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGGAGCGCAGCACAGTCTTATCCAACCCGGGCTCTGGACCAGGGACACCAGCTGGACACTCTCTATT
 TCCTGTGCTACATCCTCCCTCAGACCTCCCTCAAGTGCTCAGGATCGGAGGGATTTTTGAAACTGTGGA
 AAATGAACCTGTTAATGTTGAAGAATTAGCTTTCAAGTTGTCAGTACCAGTATTAACCGAAACCGAACC
 TTGATGCCAATACCACATTAACCTATGACATCCAGAGAATTAATCTTTTTGATAGTTTTGAAGCCTCCC
 GAAGAGCATGCGACCAGCTGGCTCTCGGGGTGGCCGACTCTTCGGCCCTTCCCACAGCTCTCCGTGAG
 TGCTGTACAGTCTATTTGCAATGCTCTGGAAGTCCACACATTACAGACTCGTGGAAACACCCTTCCGTG
 GACAGCAGAGACCTATTTATATCAACCTCTACCCGGACTATGCGGCTATCAGCAGGGCGGTCTGGATT
 TGGTCTCTATTACAACGGAAAACAGTGACGGTGGTGTATGAAGACAGCACAGGTCTAATTCGTCTGCA
 AGAGCTCATCAAAGCTCCCTCCAGATACAACATTAATAAATCAAATCCGCCAGCTTCCCCCTGCGAATAAA
 GACGCCAAACCTCTGCTCAAGGAGATGAAGAAAAGCAAAGAGTTCTATGTGATATTTGATTGTTCCGACG
 AAACAGCTGCGGAAATCTTAAGCAGATTTTGTTCATGGGCATGATGACTGAATATTACTACTTCTT
 CACAACCTGGACTTGTTTGCTTTAGATCTGGAACCTATAGGTACAGCGGTGTAATATGACTGGATTT
 CGGTTGCTGAATATTGACAACCTCACGTGTATCCATCATTGAGAAGTGGTCCATGGAGAGGTTGCAGG
 CCCCAGCCAGACCCGAGACTGGTCTTCTGGATGGCATGATGACAACTGAAGCAGCGCTGATGTACGATGC
 TGTGTACATGGTAGCCATTGCGTCCCACCGTGCCTCTCAGCTGACCGTCAGCTCCCTGCAGTGCCATCGA
 CATAAGCCATGGCGCTTGGACCCAGATTTATGAACCTCATCAAAGAGGCTCGGTGGGACGGCTTGACTG
 GGCGGATCACCTTCAATAAGACCGATGGCTTGGAAAAGGATTTGACCTGGACATTATCAGTCTCAAAGA
 GGAAGGAACTGAAAAGATTGGGATTTGGAACTCCAACAGTGGGCTGAACATGACGGATGGCAACAGAGAC
 AGGTCCAACAATATCACGGACTCGTGGCTAACCGCACACTCATTGTCAACCACTATTCTGGAAGGCCCT
 ACGTGTGTACAGGAAATCCGATAAGCCCTTGTATGGAACGACAGGTTTGAAGGATATTGCCTGGATCT
 GCTGAAAGAACTGTCCAATATCTGGGTTTTCTTACGATGTTAAACTGGTTCCTGATGGCAAATATGGA
 GCACAGAATGACAAAGGGGAATGGAATGGGATGGTAAAAGAACTCATCGACCACAGAGCTGACCTGGCAG
 TGGCCCTCTCACCATCACATACGTACGGGAGAAAGTCAATGACTTCTCCAAGCCCTTCATGACCCTGGG
 CATTAGCATCCTTACCAGGAGCCCAATGGAACCAACCCGGGTGTCTTCTCTTCTCAACCCCTATCT
 CCGGACATTTGGATGTACGTGCTGCTCGCTGCCTAGGAGTCAGTTGTGTACTGTTGTGATTGCGAGGT
 TCACACCTACGAGTGGTATAACCCCAACCCATGCAACCCGACTCAGAGCTGGTGGAAAACAATTCAC
 TTTGCTAAATAGTTTCTGGTTGGAGTTGGAGCTCTCATGCAGCAAGGATCAGAGCTGATGCCAAAGGCT
 CTATCGACCAGAAATAGTTGGAGGAATATGGTGGTTTTTACCCTAATCATATTTTCATCCTACACGGCCA
 ACCTGGCTGCCTTCTTGACGGTAGAAAAGATGGAATCCCCATCGATTCCGCAGACGATCTGGCCAAACA
 AACCAAGATAGAATATGGGGCAGTCAGAGATGGCTCGACGATGACCTTCTCAAGAAATCAAAGATCTCC
 ACCTATGAGAAAATGTGGGCTTTCATGAGCAGTAGACAGCAGAGCGCACTGGTTAAAAACAGTGACGAGG
 GGATCAAAGGGTGTCCACCACCGACTACGCACTGCTGATGGAGTCCACCAGCATTGAGTATGTGACGCA
 GAGGAACCTGCAACCTCACTCAGATCGGGGCTCATAGACTCAAAGGCTATGGAGTGGGGACGCCTATC
 GGCTCCCCTTACCAGGATAAAATTACGATTGCCATTCTTCAACTGCAAGAAGAAGGAAGCTTCATATGA
 TGAAGAGAAGTGGTGGAGGGGAATGGCTGCCCTGAAGAAGACAGTAAGGAAGCCAGTGTCTGGGAGT
 GGAAAATATCGGCGGCATCTTATTGTTCTGGCTGCAGGACTCGTCTTCTGTGTTGTAGCCATTGGA
 GAATTTTTATACAAATCACGGAAGAACAATGACGTTGAGCAGTGTCTCTCTTCAATGCCATCATGGAAG
 AGCTGGGAATATCCCTCAAGAATCAGAAAAAATTAAGAAAAAGTCAAGAACTAAGGGCAAATCTTCTT
 CACAAGTATCCTTACTTGTACCAGAGACGAACCTCAGAGAAAAGAGACAGTGGCG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RR200379 representing NM_001111114
 Red=Cloning site Green=Tags(s)

MERSTVLIQPGLWTRDTSWTL LYFLCYILPQTSPQVLRIGGIFETVENEPVNVEELAFKFAVTSINRRT
 LMPNTTLYDIQRINLFDSEARRACDQLALGVAALFGPSHSSSVSAVQSI CNALEVPHIQTRWKHPSV
 DSRDLFYINLYPDYAAISRVL DLVLYNWKTVT VVYEDSTGLIRLQELIKAPSRYNIKIKIRQLPPANK
 DAKPLLKEMKKSKEFYVIFDCSHETA AEILKQILFMGMMTEYHYFFTTLDLFDLDEL YRYSGVNMTGF
 RLLNIDNPHVSSII EKWSMERLQAPRPETGLLDGMMTTEAALMYDAVYMVAIASHRASQLTVSSLQCHR
 HKPWRLGPRFMNLIKEARWDGLTGRITFNKTDGLRKDFDLDIISLKEEGTEKIGIWNSSNGLNMTDGNRD
 RSNNITDSLARNRTLIVTTILEEPPYMYRKSDKPLYGNDRFEGYCLDLLKELSNILGFLYDVKLVDPGKYG
 AQNDKGEWNGMVKELIDHRADLAVAPLTITYVREKVIDFSKPFMTLGISILYRKPNGTNPGVFSFLNPLS
 PDIWMYVLLACLGVSCVLFVIARFTPYEYWNPHPCNPDSVVENNFTLLNSFWFGVGMALMQGSELMPKA
 LSTRIVGGIWWFFTLIISSYANLAAFLTVERMESPIDSAADLAKQTKIEYGAVRDGSTMFFKSKIS
 TYEKMWAFMSSRQQSALVKNSDEGIQRLTTDYALLMESTSIEYVTQRNCNLQIGGLIDSKGYGVGTPI
 GSPYRDKITIAILQLQEEGKLHMMKEKWWRGNGCPEEDSKEASALGVENIGGIFIVLAAGLVLSVFVAIG
 EFLYKSRKNNDVEQCLSFNAIMEELGISLKNQKLLKKSRTKGSFSTSILTCHQRRTQRKETVA


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

Sgfl-MluI

Cloning Scheme:



Plasmid Map:


ACCN: NM_001111114

ORF Size: 2715 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001111114.1](#), [NP_001104584.1](#)

RefSeq Size: 3199 bp

RefSeq ORF: 2718 bp

Locus ID: 29559

UniProt ID: [P22756](#)

Cytogenetics: 11q11

MW: 102.8 kDa

Gene Summary: Glutamate receptors are the predominant excitatory neurotransmitter receptors in the mammalian brain and are activated in a variety of normal neurophysiologic processes. This gene product belongs to the kainate family of glutamate receptors, which are composed of four subunits and function as ligand-activated ion channels. The subunit encoded by this gene is subject to RNA editing (CAG->CGG; Q->R) within the second transmembrane domain, which is thought to alter the properties of ion flow. Alternative splicing, resulting in transcript variants encoding different isoforms, has been noted for this gene. [provided by RefSeq, Jul 2008]