

Product datasheet for RR200387L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Hap1 (NM_024133) Rat Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Hap1 (NM_024133) Rat Tagged ORF Clone Lentiviral Particle

Symbol: Hap'

Synonyms: HAP1-A; HAP1-B

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM 024133

ORF Size: 1797 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RR200387).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 024133.3

 RefSeq Size:
 3691 bp

 RefSeq ORF:
 1800 bp

 Locus ID:
 29430

 UniProt ID:
 P54256

 Cytogenetics:
 10q31







Gene Summary:

Huntington's disease (HD), a neurodegenerative disorder characterized by loss of striatal neurons, is caused by an expansion of a polyglutamine tract in the HD protein huntingtin. This gene encodes a protein that is homologous to the human huntingtin-associated protein 1. The human protein interacts with huntingtin, with two cytoskeletal proteins (dynactin and pericentriolar autoantigen protein 1), and with a hepatocyte growth factor-regulated tyrosine kinase substrate. The interactions with cytoskeletal proteins and a kinase substrate suggest a role for this protein in vesicular trafficking or organelle transport. Two transcripts encoding different isoforms have been identified. [provided by RefSeq, Jul 2008]