

# **Product datasheet for RR200401**

## Crem (NM\_017334) Rat Tagged ORF Clone

## **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** Crem (NM\_017334) Rat Tagged ORF Clone

Tag: Myc-DDK

Symbol: Crem

Synonyms: Icer

**Vector:** pCMV6-Entry (PS100001)

E. coli Selection: Kanamycin (25 ug/mL)

Cell Selection: Neomycin

ORF Nucleotide >RR200401 representing NM\_017334

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

AGACATTTGCTCTCCCAAAACAGAT

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RR200401 representing NM\_017334

Red=Cloning site Green=Tags(s)

MQKPNMAVTGDETDEETDLAPSHMAAATGDMPTYQIRAPTTALPQGVVMAASPGSLHSPQQLAEEATRKR

ELRLMKNREAAKECRRRKKEYVKCLESRVAVLEVQNKKLIEELETLKDICSPKTD

**TRTRPL**EQKLISEEDLAANDILDYKDDDDK**V** 

**Restriction Sites:** Sgfl-Mlul



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




#### **Cloning Scheme:**





<sup>\*</sup> The last codon before the Stop codon of the ORF

### Plasmid Map:



**ACCN:** NM\_017334

ORF Size: 375 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

## Crem (NM\_017334) Rat Tagged ORF Clone - RR200401

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 017334.2, NP 059030.2</u>

 RefSeq Size:
 3005 bp

 RefSeq ORF:
 378 bp

 Locus ID:
 25620

 Cytogenetics:
 17q12.1

 MW:
 14 kDa

**Gene Summary:** Transcriptional regulator that binds the cAMP response element (CRE), a sequence present in

many viral and cellular promoters. Isoforms are either transcriptional activators or

repressors. Isoform Delta is an activator. Plays a role in spermatogenesis and is involved in spermatid maturation. Binding of isoform Tau (activator) to CRE is increased by CREB3L4. The CREM isoform Tau-CREB3L4 heterodimer functions through CRE and may recruit HIRA to CRE

to regulate histone exchange (By similarity).[UniProtKB/Swiss-Prot Function]