

Product datasheet for RR200772L4

Dclk1 (NM_053343) Rat Tagged Lenti ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Dclk1 (NM_053343) Rat Tagged Lenti ORF Clone
Tag:	mGFP
Symbol:	Dclk1
Synonyms:	Ania4; Cpg16; Dcamkl1
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RR200772).
Restriction Sites:	SgfI-MluI
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF.

ACCN:	NM_053343
ORF Size:	1299 bp



[View online »](#)

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_053343.3 , NP_445795.1
RefSeq Size:	6903 bp
RefSeq ORF:	1302 bp
Locus ID:	83825
UniProt ID:	O08875
Cytogenetics:	2q26
Gene Summary:	This gene encodes a member of the protein kinase superfamily and the doublecortin family. The typical protein encoded by this gene contains two N-terminal doublecortin domains, which bind microtubules and regulate microtubule polymerization, a C-terminal serine/threonine protein kinase domain, which shows substantial homology to Ca ²⁺ /calmodulin-dependent protein kinase, and a serine/proline-rich domain in between the doublecortin and the protein kinase domains, which mediates multiple protein-protein interactions. The microtubule-polymerizing activity of the protein is independent of its protein kinase activity. This gene is involved in several different cellular processes, including neuronal migration, retrograde transport, neuronal apoptosis and neurogenesis. Multiple transcript variants generated by two alternative promoter usage and alternative splicing have been found, but the full-length nature of the variant produced from the 5' promoter has not been determined. Current reference sequence data represents two alternatively spliced transcript variants produced from the 3' promoter and their protein products lack the doublecortin domain.[provided by RefSeq, Sep 2010]