

Product datasheet for RR201682L4

Snd1 (NM_022694) Rat Tagged Lenti ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Snd1 (NM_022694) Rat Tagged Lenti ORF Clone
Tag:	mGFP
Symbol:	Snd1
Synonyms:	SND p102
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RR201682).
Restriction Sites:	SgfI-MluI
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF.

ACCN:	NM_022694
ORF Size:	2727 bp



[View online »](#)

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_022694.2 , NP_073185.2
RefSeq Size:	3475 bp
RefSeq ORF:	2730 bp
Locus ID:	64635
UniProt ID:	Q66X93
Cytogenetics:	4q22
Gene Summary:	Endonuclease that mediates miRNA decay of both protein-free and AGO2-loaded miRNAs (By similarity). As part of its function in miRNA decay, regulates mRNAs involved in G1-to-S phase transition (By similarity). Functions as a bridging factor between STAT6 and the basal transcription factor (By similarity). Plays a role in PIM1 regulation of MYB activity (By similarity). Functions as a transcriptional coactivator for STAT5 (By similarity). [UniProtKB/Swiss-Prot Function]