

Product datasheet for RR201809L4

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

Tada2a (NM_001012141) Rat Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Tada2a (NM_001012141) Rat Tagged Lenti ORF Clone

Tag:mGFPSymbol:Tada2aSynonyms:Tada2l

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RR201809).

Sgfl-Mlul


Sequence:

Restriction Sites: Cloning Scheme:

Cloning sites used for ORF Shuttling:

Sgf 1 ORF Mlu 1

--- GCG ATC GCC ATG ---//--- NNÑ ACG CGT ---



^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001012141

ORF Size: 1329 bp



Tada2a (NM_001012141) Rat Tagged Lenti ORF Clone - RR201809L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001012141.1</u>, <u>NP 001012141.1</u>

RefSeq Size: 2124 bp
RefSeq ORF: 1332 bp
Locus ID: 360581
UniProt ID: Q6AYE3
Cytogenetics: 10q26


Gene Summary: Component of the ATAC complex, a complex with histone acetyltransferase activity on

histones H3 and H4. Required for the function of some acidic activation domains, which activate transcription from a distant site. Binds double-stranded DNA. Binds dinucleosomes, probably at the linker region between neighboring nucleosomes. Plays a role in chromatin remodeling. May promote TP53/p53 'Lys-321' acetylation, leading to reduced TP53 stability and transcriptional activity. May also promote XRCC6 acetylation thus facilitating cell

apoptosis in response to DNA damage.[UniProtKB/Swiss-Prot Function]



Product images:



Circular map for RR201809L4