


OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001005884.1 , NP_001005884.1
RefSeq Size:	2589 bp
RefSeq ORF:	2220 bp
Locus ID:	305457
UniProt ID:	Q5XIN6
Cytogenetics:	14q21
Gene Summary:	Mitochondrial proton/calcium antiporter that mediates proton-dependent calcium efflux from mitochondrion (By similarity). Crucial for the maintenance of mitochondrial tubular networks and for the assembly of the supercomplexes of the respiratory chain (By similarity). Required for the maintenance of the tubular shape and cristae organization (By similarity). In contrast to SLC8B1/NCLX, does not constitute the major factor for mitochondrial calcium extrusion (By similarity).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for RR202618L3