

Product datasheet for RR203485

Arpc5l (NM_001037767) Rat Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Arpc5l (NM_001037767) Rat Tagged ORF Clone

Tag: Myc-DDK
Symbol: Arpc5l

Synonyms: MGC112865

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Cell Selection: Neomycin

ORF Nucleotide >RR203485 representing NM_001037767
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RR203485 representing NM_001037767

Red=Cloning site Green=Tags(s)

MARNTLSSRFRRVDIDEFDENKFVDEHEEAAAASGEPGPDPCEVDGLLRQGDMLRAFHAALRNSPINTKN QAVKERAQGIVLKVLTNFKSSEIEQAVQSLDRNGIDLLMKYIYKGFEKPTENSSAVLLQWHEKALAVGGL

GSIIRVLTARKTV

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

Plasmid Map:



ACCN: NM_001037767

ORF Size: 459 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.



Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001037767.2</u>, <u>NP 001032856.2</u>

 RefSeq Size:
 1291 bp

 RefSeq ORF:
 462 bp

 Locus ID:
 296710

 UniProt ID:
 A1L108

 Cytogenetics:
 3q12

 MW:
 17 kDa

Gene Summary: May function as component of the Arp2/3 complex which is involved in regulation of actin

polymerization and together with an activating nucleation-promoting factor (NPF) mediates

the formation of branched actin networks.[UniProtKB/Swiss-Prot Function]