

## Product datasheet for **RR204961**

### Senp8 (NM\_001012355) Rat Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** Senp8 (NM\_001012355) Rat Tagged ORF Clone  
**Tag:** Myc-DDK  
**Symbol:** Senp8  
**Synonyms:** MGC109243  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**Cell Selection:** Neomycin  
**ORF Nucleotide Sequence:** >RR204961 representing NM\_001012355  
**Red=Cloning site Blue=ORF Green=Tags(s)**

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGACCTGTGGTCTTGAGTTATATGGACAGTCTATTGCGACAATCAGATGTCTCACTATTGGACCTC  
CAAACCTGGCTCAACGACCACATTATTGGGTTTGCCTTTGAATACTTTGCCAGTAGTCAGTTTCATGATTG  
CTCAGACCATGTCTGCTTCATCAGCCCTGAAGTCACCCAGTTCATTAAGTGCACCAGCAGCCCTGCAGAG  
ATTGCCATGTTTCCTTGAACCCCTGGATCTTCCCCACAAAAGAGTGGTATTTTTAGCCATCAATGATAATT  
CTAACCAGGCAGCCGGAGGTACCCACTGGAGTTTGTGGTTTATCTCAAGATAAAAAATAGCTTCTTTCA  
TTATGATTTCCCATAGCAGGAGCAACTCAATCCATGCAAAAACAGGTAGCAGAGAACTGAAGGCTTTCTTA  
GGGAGCAAAGGAGACAACTGGTCTTTGTGGAAGAGAAAGCCCCAGCTCAACAGAACAGCTATGACTGTG  
GGATGTACGTGATATGTAACACCGAGGCCTTGTGTCAAATCTCTTTAGACGACAGCCAGAATCCCCACT  
GCAGCTCCTCACCCGACATACATCACAAAGAAGAGGGGAGAATGGAAAGATCTAATTGCCAGACTTGCT  
AAAAAAAACCGAAGTAGCTAC

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

**Protein Sequence:** >RR204961 representing NM\_001012355  
Red=Cloning site Green=Tags(s)

MDPVVLSYMSDLLRQSDVSLDPPNWLNDHIIGFAFEYFASSQFHDCSDHVCFISPEVTQFIKCTSSPAE  
 IAMFLEPLDLPHKRVVFLAINDNSNQAAGGTHWSLLVYLQDKNSFFHYDHSRSNSIHAKQVAEKLKAFL  
 GSKGDKLVFVEEKAPAQQNSYDCGMVVICNTEALCQNLFRQPESPLQLLTPTYITKKRGEWKDLIARLA  
 KKNRSSY


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:** Sgfl-MluI

**Cloning Scheme:**



**Plasmid Map:**



**ACCN:** NM\_001012355

**ORF Size:** 651 bp

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001012355.1</a> , <a href="#">NP_001012355.1</a>
<b>RefSeq Size:</b>	1007 bp
<b>RefSeq ORF:</b>	654 bp
<b>Locus ID:</b>	315723
<b>UniProt ID:</b>	<a href="#">Q5FVJ8</a>
<b>Cytogenetics:</b>	8q24
<b>MW:</b>	24.7 kDa
<b>Gene Summary:</b>	Protease that catalyzes two essential functions in the NEDD8 pathway: processing of full-length NEDD8 to its mature form and deconjugation of NEDD8 from targeted proteins such as cullins or p53.[UniProtKB/Swiss-Prot Function]