

Product datasheet for RR205955

S100a11 (NM 001004095) Rat Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: S100a11 (NM_001004095) Rat Tagged ORF Clone

Tag: Myc-DDK
Symbol: S100a11

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Cell Selection: Neomycin

ORF Nucleotide >RR205955 representing NM_001004095
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

CCCAGAAGCGTATC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RR205955 representing NM_001004095

Red=Cloning site Green=Tags(s)

MPTETERCIESLIAVFQKYSGKDGNSCHLSKTEFLSFMNTELAAFTKNQKDPGVLDRMMKKLDLNSDGQL

DFQEFLNLIGGLAIACHESFLQTSQKRI

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-Mlul



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

Plasmid Map:



ACCN: NM_001004095

ORF Size: 294 bp

S100a11 (NM_001004095) Rat Tagged ORF Clone - RR205955

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 001004095.1, NP 001004095.1

RefSeq Size: 297 bp
RefSeq ORF: 297 bp
Locus ID: 445415

UniProt ID: Q6B345

Cytogenetics: 2q34 MW: 11.1 kDa

Gene Summary: Facilitates the differentiation and the cornification of keratinocytes.[UniProtKB/Swiss-Prot

Function]