

## Product datasheet for **RR206216**

### Ahcyl1 (NM\_001108561) Rat Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Ahcyl1 (NM_001108561) Rat Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Ahcyl1
Synonyms:	IRBIT
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

**ORF Nucleotide Sequence:**

>RR206216 representing NM\_001108561  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**GCGATCGCC**

ATGCAAGAGTTACCAAATTCCTACTAAGACTGGCCGAGATCCTTGTCTCGCTCCATCTCACAGTCT  
 CCACAGACAGCTACAGTTCAGCTGCATCCTATACAGATAGCTCTGATGATGAGGTTTCCCCCGAGAGAA  
 GCAGCAAACCAACTCAAAGGGCAGCAGCAATTTCTGTGTGAAGAACATCAAGCAGGCAGAGTTTGACGC  
 CGGGAGATTGAGATTGCAGAGCAAGACATGTCTGCTCTGATTTCACTCAGGAAACGTGCTCAGGGAGAGA  
 AGCCTTTGGCTGGTGCTAAAATAGTGGCTGTACACACATCACAGCCAGACAGCGGATTGATTGAGAC  
 ACTTTGTGCCCTGGGGCTCAGTCCGCTGGTCTGCCTGCAACATCTATTCAACTCAGAATGAGGTAGCT  
 GCAGCACTGGCTGAGGCTGGAGTGCAGTGTGCTTGGAAAGGGCAGTCAGAAGATGATTTCTGGTGGT  
 GCATTGACCGCTGTGCAACATGGATGGTGGCAGGCTAACATGATCCTGGATGATGGGGGAGACTTAAC  
 CCACTGGGTTTATAAGAAGTATCCAACGTGTTAAGAAGATCCGAGGCATTGTGAAGAGAGCGTGACT  
 GGTGTTACAGGCTGTATCAGCTCTCAAAGCTGGGAAGCTCTGTGTTCCAGCCATGAATGTCAATGATT  
 CTGTTACCAAACAGAAGTTTGATAAATTGTACTGCTGCCGAGAATCCATTTTGGATGGCCTGAAGAGGAC  
 CACAGATGTGATGTTGGTGGGAAACAGGTGGTGGTGTGGCTATGGTGGAGTAGGAAAGGGCTGCTGT  
 GCTGCTCTCAAGGCCCTTGGAGCAATTGTCTACATCACAGAAATTGACCCCATCTGTGCTCTGCAGGCC  
 GCATGGATGGGTTCCGGGTGGTGAAGCTGAATGAAGTCATCCGGCAGGTGGACGTTGTAATAACTTGCAC  
 AGGAAATAAGAATGTAGTGACCCGGGAGCACTTGGACCGAATGAAAAATAGTTGCATTGTATGTAATG  
 GGCCATTCCAACACAGAAATTGATGTGACCAGCCTCCGCACTCCAGAGCTAACATGGGAGCGCGTACGTT  
 CTCAGGTGGACCATGTCATCTGGCTGATGGCAAGCGGGTCTGCTTCTAGCAGAGGGTCTTTACTCAA  
 TTTGAGCTGCTCCACAGTTCCTACCTTTGCTTTCCATCACGGCTACAACACAGGCTTTGGCAGTATA  
 GAACCTTTATAATGCACCAGAAGGACGCTACAAACAGGATGTGACTTGGCTTCTAAGAAAATGGATACTA  
 ATGGACGTATTACAATGACCAGTCCACACGAACCACGCAACTCTAATAGAGTATTTTTTAAGATAACTTT  
 TATTTTCTTCTTACTTTCTTT

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:**

>RR206216 representing NM\_001108561  
 Red=Cloning site Green=Tags(s)

MQEFTKFPTKTGRRSLRSISQSSTDSYSSAASYTSSDDEVSPREKQQTNSKGSNFCVKNIKQAEFGR  
 REIEIAEQDMSALISLRKRAQGEKPLAGAKIVGCTHITAQTAVLIETLICALGAQCRWSACNIYSTQNEVA  
 AALAEAGVAVFAWKGESEDDFWCIDRCVNMDGWQANMILDDGGDLTHWVYKYPNVFKIRGIVEESVT  
 GVHRLYQLSKAGKLCVPAMNVNDSVTKQKFDNL YCCRESILDGLKRTTDMFVGKQVVCVGYGEVKGCC  
 AALKALGAIVYITEIDPICALQACMDGFRVVKLNEVIRQVDVVICTGNKNVVTREHLDRMKNSCIVCNM  
 GHSNTEIDVTSRLRPEL TWERVRSQVDHVIWPDGKRVLVLLAEGRLLNLSCSTVPTFVLSITATTQALALI  
 ELYNAPEGRYKQDVYLLPKKMDTNGRITMTSPHEPRNSNRVFFKITFIFFLLLSF

**TRTRPLEQKLISEEDLAANDILDYKDDDDKV**


**Restriction Sites:**

SgfI-MluI

## Cloning Scheme:



## Plasmid Map:



ACCN: NM\_001108561

ORF Size: 1425 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001108561.1](#), [NP\\_001102031.1](#)

**RefSeq Size:** 3435 bp

**RefSeq ORF:** 1428 bp

**Locus ID:** 362013

**UniProt ID:** [B5DFN2](#)

**Cytogenetics:** 2q34

**MW:** 52.9 kDa

**Gene Summary:** Multifaceted cellular regulator which coordinates several essential cellular functions including regulation of epithelial HCO<sub>3</sub><sup>-</sup> and fluid secretion, mRNA processing and DNA replication. Regulates ITPR1 sensitivity to inositol 1,4,5-trisphosphate competing for the common binding site and acting as endogenous 'pseudoligand' whose inhibitory activity can be modulated by its phosphorylation status. In the pancreatic and salivary ducts, at resting state, attenuates inositol 1,4,5-trisphosphate-induced calcium release by interacting with ITPR1 (By similarity). When extracellular stimuli induce ITPR1 phosphorylation or inositol 1,4,5-trisphosphate production, dissociates of ITPR1 to interact with CFTR and SLC26A6 mediating their synergistic activation by calcium and cAMP that stimulates the epithelial secretion of electrolytes and fluid (By similarity). Also activates basolateral SLC4A4 isoform 1 to coordinate fluid and HCO<sub>3</sub><sup>-</sup> secretion (By similarity). Inhibits the effect of STK39 on SLC4A4 and CFTR by recruiting PP1 phosphatase which activates SLC4A4, SLC26A6 and CFTR through dephosphorylation (By similarity). Mediates the induction of SLC9A3 surface expression produced by Angiotensin-2 (PubMed:20584908). Depending on the cell type, activates SLC9A3 in response to calcium or reverses SLC9A3R2-dependent calcium inhibition. May modulate the polyadenylation state of specific mRNAs, both by controlling the subcellular location of FIP1L1 and by inhibiting PAPOLA activity, in response to a stimulus that alters its phosphorylation state. Acts as a (dATP)-dependent inhibitor of ribonucleotide reductase large subunit RRM1, controlling the endogenous dNTP pool and ensuring normal cell cycle progression (By similarity). In vitro does not exhibit any S-adenosyl-L-homocysteine hydrolase activity (By similarity). [UniProtKB/Swiss-Prot Function]