

Product datasheet for **RR207233**

Lrrfip2 (NM_001024761) Rat Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
 Product Name: Lrrfip2 (NM_001024761) Rat Tagged ORF Clone
 Tag: Myc-DDK
 Symbol: Lrrfip2
 Vector: pCMV6-Entry (PS100001)
 E. coli Selection: Kanamycin (25 ug/mL)
 Cell Selection: Neomycin
 ORF Nucleotide Sequence: >RR207233 representing NM_001024761
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGGGGACTCCTGGTTCTGGAAGGAAAAGAACCACAGTGAAGATCGATTTTCTGCAGAAGATGAAGCTT
 TGAGTAACATCGCCAGAGAGGCTGAAGCAAGGCTAGCAGCAAAGCGGGCCAGGGCAGAAGCAAGAGA
 CATCCGCATGAGGGAACGGAAACGACAGCAGAGAGAGATTTCGAAGGATATTACTGGAACACTGG
 AGCAGAGCCAGTACGCCAAGAGGAGAGACATGATGTATGATTCCATCAAGGACAGATCATCAAGAGTTT
 CATCATTATTGGATGAAAAATCTGACAAACAGTATGCTGAAAATTACACAAGACCCTCATCTCGAAATTC
 TGCGTCAGCAACAACACCTCTAAGCGGAAACTCATCCAGACGGGTAGTGGGGACACCAGTAGTTTAATA
 GACCCAGACACCTCGTTAAGTGAAGTGCAGGAGTCTTTGTCTGAAGTAGAAGAGAAGTACAAGAAAGCCA
 TGGTGTCCAATGCACAACAGACAACGAGAAGAACAATCTGATCTACCAGGTGGACACCCTCAAGGACGT
 CATCGAGGAGCAGGAGGAGCAGATGGCAGAGTTCTATAGAGAAAACGAAGAGAAATCAAAGGAGTTGGAA
 CGGCAGAAACATATGTGCAGTGTGCTGCAGCATAAGATGGATGAACTGAAAGAGGGCCTTCGGCAGAGGG
 ACGAGCTCATCGAGAAGCACGGCTTAGTTATAATCCCAGAGAGTACTCCCAATGGCGACGTCATCATGA
 GCCTGTGGTTGGAGCCATTACTGCTGTGTCTCAGGAAGCTGCTCAGGTCTTGGAGTCAGCAGGAGAAGGG
 CCACTAGATGTGAGGCTGCGGAAGCTTGCTGAGGAAAAGGACGAGCTCCTGTCACAGATTAGAAAATGA
 AGCTCCAGTTAGAGGAAGAACCGGCAGAAGTGTCCAGGAATGATGGCATGTCCGGGGACCTGGCAGGGCT
 GCAGAACGGCTCCGACTTGCAGTTTCATCGAGATGCAGAGAGACGCCAATAGACAAATTAGTGAATACAAA
 TTCAAGCTTTTCAAAGCAGAACAAGACATAGCTACCTTGAACAAAGTATCAGCCGGCTTGGGGCAGG
 TGCTGAGGTACAAGACTGCCGCTGAGAAGCTGAGAAGATTGAAGACGAGCTGAAAGCAGAGAAGAGGAA
 GCTACAGCGAGAGCTACGGACAGCACAGGACAAGATCGAGGAGATGGAGATGACCAACAGCCACCTGGCA
 AAGCGGTAGAGAAGATGAAGGCCAACAGGACAGCCCTTCTAGCCAGCAG

ACGCGTACGCGGGCCGCTCGAGCAGAAAACCTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)


Protein Sequence: >RR207233 representing NM_001024761
 Red=Cloning site Green=Tags(s)

MGTPGSGRKRTPVKDRFSAEDEALSNIAREAEARLAAKRAARAEARDIRMRELERQQRESSSKDITGTHW
 SRASTPKRRDMMYDSIKDRSSRVSSLLDEKSDKQYAENYTRPSSRNSASATTPLSGNSSRRGSGDTSSLI
 DPDTSLSELRESLSEVEEKYKKAMVSNAQLDNEKNLIYQVDTLKDVEEQEEMAIFYRENEEKSELE
 RQKHMCSVLQHKMDELKEGLRQRDELIEKHGLVIIPSTPNGVDNHEPVVGAITAVSQEAAQVLESAGEG
 PLDVRLRKLAEKDELLSQIRKLKQLLEEERQKCSRNDGMSGDLAGLQNGSDLQF IEMQRDANRQISEYK
 FKLKAEQDIATLEQSI SRLEGQVLRKYTA AENA EKIEDELKAEKRKLQRELRTAQDKIEEMEMTNSHLA
 KRLEKMKANRTALLAQQ


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN:	NM_001024761
ORF Size:	1311 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001024761.1 , NP_001019932.1
RefSeq Size:	1836 bp
RefSeq ORF:	1314 bp
Locus ID:	301035
UniProt ID:	Q4V7E8
Cytogenetics:	8q32
MW:	49.8 kDa
Gene Summary:	May function as activator of the canonical Wnt signaling pathway, in association with DVL3, upstream of CTNNB1/beta-catenin. Positively regulates Toll-like receptor (TLR) signaling in response to agonist probably by competing with the negative FLII regulator for MYD88-binding (By similarity).[UniProtKB/Swiss-Prot Function]