

Product datasheet for RR208222L4

Ccdc134 (NM_001024355) Rat Tagged Lenti ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Ccdc134 (NM_001024355) Rat Tagged Lenti ORF Clone
Tag:	mGFP
Symbol:	Ccdc134
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RR208222).
Restriction Sites:	Sgfl-MluI
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF.


ACCN:	NM_001024355
ORF Size:	687 bp



[View online »](#)

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001024355.1 , NP_001019526.1
RefSeq Size:	1583 bp
RefSeq ORF:	690 bp
Locus ID:	500909
UniProt ID:	Q5M862
Cytogenetics:	7q34
Gene Summary:	In extracellular secreted form, promotes proliferation and activation of CD8(+) T cells, suggesting a cytokine-like function. Enhances cytotoxic anti-tumor activity of CD8(+) T cells. May inhibit ERK and JNK signaling activity. May suppress cell migration and invasion activity, via its effects on ERK and JNK signaling.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for RR208222L4