

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RR209349L4V

Zfand2b (NM_001025745) Rat Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	Zfand2b (NM_001025745) Rat Tagged ORF Clone Lentiviral Particle
Symbol:	Zfand2b
Synonyms:	RGD1306260
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_001025745
ORF Size:	771 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RR209349).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 001025745.1, NP 001020916.1</u>
RefSeq Size:	1320 bp
RefSeq ORF:	774 bp
Locus ID:	363253
UniProt ID:	Q4KLG9
Cytogenetics:	9q33



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

CRIGENE Zfand2b (NM_001025745) Rat Tagged ORF Clone Lentiviral Particle – RR209349L4V

Gene Summary:Plays a role in protein homeostasis by regulating both the translocation and the ubiquitin-
mediated proteasomal degradation of nascent proteins at the endoplasmic reticulum. It is
involved in the regulation of signal-mediated translocation of proteins into the endoplasmic
reticulum. It also plays a role in the ubiquitin-mediated proteasomal degradation of proteins
for which signal-mediated translocation to the endoplasmic reticulum has failed. May
therefore function in the endoplasmic reticulum stress-induced pre-emptive quality control, a
mechanism that selectively attenuates the translocation of newly synthesized proteins into
the endoplasmic reticulum and reroutes them to the cytosol for proteasomal degradation. By
controlling the steady-state expression of the IGF1R receptor, indirectly regulates the insulin-
like growth factor receptor signaling pathway.[UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US