

## Product datasheet for RR211760L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Ntmt1 (NM\_001025019) Rat Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

Product Name: Ntmt1 (NM 001025019) Rat Tagged ORF Clone Lentiviral Particle

Symbol: Ntmt1

Synonyms: Mettl11a; NTM1A; RGD1306582

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

**ACCN:** NM\_001025019

ORF Size: 669 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RR211760).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 001025019.1</u>, <u>NP 001020190.1</u>

 RefSeq Size:
 1278 bp

 RefSeq ORF:
 672 bp

 Locus ID:
 362103

 UniProt ID:
 Q5BJX0

**Cytogenetics:** 3p12







**Gene Summary:** 

Distributive alpha-N-methyltransferase that methylates the N-terminus of target proteins containing the N-terminal motif [Ala/Gly/Pro/Ser]-Pro-Lys when the initiator Met is cleaved. Specifically catalyzes mono-, di- or tri-methylation of the exposed alpha-amino group of the Ala, Gly or Ser residue in the [Ala/Gly/Ser]-Pro-Lys motif and mono- or di-methylation of Pro in the Pro-Pro-Lys motif. Some of the substrates may be primed by METTL11B-mediated monomethylation. Catalyzes the trimethylation of the N-terminal Gly in CENPA (after removal of Met-1). Responsible for the N-terminal methylation of KLHL31, MYL2, MYL3, RB1, RCC1, RPL23A and SET. Required during mitosis for normal bipolar spindle formation and chromosome segregation via its action on RCC1.[UniProtKB/Swiss-Prot Function]