

Product datasheet for **RR212665**

Prok1 (NM_138851) Rat Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Prok1 (NM_138851) Rat Tagged ORF Clone
Tag: Myc-DDK
Symbol: Prok1
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
ORF Nucleotide Sequence: >RR212665 representing NM_138851
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGC**C

ATGAGAGGTGCTGTGCAAGTCTTCATCATGCTCCTTCTAGCAACTGTCTGACTGTGCGGTGATCACAG
GGCCTGTGAACGAGATGTCCAGTGTGGGGCTGGCACCTGCTGTGCTATCAGCCTGTGGTGGGGGCT
GAGGCTGTGTACCCCTCTGGGGCGGAAGGAGAGGAGTGCCACCCTGGAAGCCACAAGATCCCTTTCTTT
AGGAAACGCCAACACCATACCTGTCCCTGTTACCCAGCCTGCTGTGCTCCAGGTTCCAGATGGCAGGT
ACCGCTGCTCCAGGACTTGAAGAATGTCAACTTT

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RR212665 representing NM_138851
Red=Cloning site Green=Tags(s)

MRGAVQVFI MLLLATVSDCAVITGACERDVQCGAGTCCAISLWLRGLRLCTPLGREGEECHPGSHKIPFF
RKRQHHTCPCSPSLLCSRFPDGRYRCSQDLKVNLF

TRTRPLEQ**KL**ISEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-MluI




[View online »](#)

Cloning Scheme:



Plasmid Map:



ACCN: NM_138851
 ORF Size: 315 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_138851.1 , NP_620206.1
RefSeq Size:	318 bp
RefSeq ORF:	318 bp
Locus ID:	192205
UniProt ID:	Q8R414
Cytogenetics:	2q34
MW:	11.6 kDa
Gene Summary:	may act as an endothelial cell mitogen; may be involved in G-protein coupled receptor signaling via regulation of intracellular calcium [RGD, Feb 2006]