

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Product datasheet for RR212831L3V

## Lrrc8d (NM\_001008338) Rat Tagged ORF Clone Lentiviral Particle

## **Product data:**

Product Type:	Lentiviral Particles
Product Name:	Lrrc8d (NM_001008338) Rat Tagged ORF Clone Lentiviral Particle
Symbol:	Lrrc8d
Synonyms:	Lrrc5
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Tag:	Myc-DDK
ACCN:	NM_001008338
ORF Size:	2580 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RR212831).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 001008338.1, NP 001008339.2</u>
RefSeq Size:	3213 bp
RefSeq ORF:	2583 bp
Locus ID:	305131
UniProt ID:	<u>Q5U308</u>
Cytogenetics:	14p22



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:Non-essential component of the volume-regulated anion channel (VRAC, also named VSOAC<br/>channel), an anion channel required to maintain a constant cell volume in response to<br/>extracellular or intracellular osmotic changes (PubMed:28833202). The VRAC channel<br/>conducts iodide better than chloride and can also conduct organic osmolytes like taurine.<br/>Plays a redundant role in the efflux of amino acids, such as aspartate, in response to osmotic<br/>stress (By similarity). Channel activity requires LRRC8A plus at least one other family member<br/>(LRRC8B, LRRC8C, LRRC8D or LRRC8E); channel characteristics depend on the precise subunit<br/>composition (PubMed:28833202).[UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US