

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RR212977L3V

Plscr3 (NM_001012139) Rat Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	Plscr3 (NM_001012139) Rat Tagged ORF Clone Lentiviral Particle
Symbol:	Plscr3
Synonyms:	PIs3
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Tag:	Myc-DDK
ACCN:	NM_001012139
ORF Size:	888 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RR212977).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 001012139.2, NP 001012139.1</u>
RefSeq Size:	1781 bp
RefSeq ORF:	891 bp
Locus ID:	360549
UniProt ID:	Q6QBQ4
Cytogenetics:	10q24



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	Plscr3 (NM_001012139) Rat Tagged ORF Clone Lentiviral Particle – RR212977L3V
Gene Summary:	May mediate accelerated ATP-independent bidirectional transbilayer migration of
	phospholipids upon binding calcium ions that results in a loss of phospholipid asymmetry in
	the plasma membrane. May play a central role in the initiation of fibrin clot formation, in the
	activation of most calls and in the vece mitigs of expectatic and injured calls by the

activation of mast cells and in the recognition of apoptotic and injured cells by the reticuloendothelial system. Seems to play a role in apoptosis, through translocation of cardiolipin from the inner to the outer mitochondrial membrane which promotes BID recruitment and enhances tBid-induced mitochondrial damages (By similarity). [UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US