

Product datasheet for **RR213504**

Usp7 (NM_001024790) Rat Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Usp7 (NM_001024790) Rat Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Usp7
Synonyms:	Hausp
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin
ORF Nucleotide Sequence:	>RR213504 representing NM_001024790 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGC**C

ATGAACCAACAGCAGCAGCAGCAGCAGCAGCAGAAAGCGGGCAGCAGCAGCTGAGCGAGCCCGAGGACA
TGGAGATGGAAGCTGGAGATACAGATGACCCACCAAGAATTACTCAGAACCCCGTCATCAATGGAATGT
AGCCCTGAGTGATGGGCACAGCAACGCAGAGGAGGACATGGAGGACGACACCAGTTGGCGCTCCGAGGCA
ACCTTTCAGTTCACTGTCGAGCGCTTCAGCAGACTGAGTGAGTCCGTCCTTAGCCCTCCGTGTTTTGTGC
GAAATCTGCCATGGAAGATTATGGTGATGCCACGCTTTATCCAGACAGACCCGACCAAAAAAGCGTAGG
ATCTTTCTCCAGTGAATGCTGAATCTGACTCCACGTCGTGGTCTGCCATGCACAAGCAGTGCTGAAG
ATAATAAATTACAGGGATGACGACAAGTCAATCAGCCGGCGAATCAGCCACTTGTCTTCCACAAGGAAA
ACGACTGGGGATTCTCTAATTTTCATGGCCTGGAGTGAAGTGAAGTGAATCCTGAGAAAGGATTTATAGATGA
TGACAAAGTCACCTTTGAAGTTTTGTACAGGCGGATGCTCCCATGGAGTTGCGTGGGACTCAAAGAAG
CATACTGGCTATGTCGGCTTAAAGAATCAGGGAGCGACGTGTACATGAATAGCTTGTCTGCAGACCTTGT
TTTTCAAAATCAGTTACGAAAGGCTGTGTACATGATGCCAACAGAGGGTGAATCATCTAAAAGCGT
CCCTTTAGCATTGCAGAGAGTGTCTATGAGTTACAGCACAGCGATAAGCCTGTAGGAACAAAAAGCTC
ACAAAGTCATTTGGGTGGGAAACTTTAGATAGCTTCATGCAACACGATGTTCAAGAACTTTGTCGAGTGT
TGCTTGATAATGTGGAATAAAATGAAAGGCACATGTGTAGAAGGCACCATTCCTCAAGTTATTCGAGG
CAAAATGGTGTCTTATATTCAGTGCAAAGAAGTAGACTACCGTTCTGATAGGAGAGAAGATTATTATGAT
ATCCAGCTAAGTATAAAAGGAAAGAAAAACATATTTGAATCATTGTGGATTATGTGGCAGTAGAACAC
TAGACGGTGACAATAAATACGACGCTGGGAGCATGGCCTGCAGGAAGCAGAGAAGGGCGTGAAGTTCT
GACCTTGCCCCAGTCTTACACCTGCAGCTCATGCGGTTTCATGTACGACCCTCAGACGGACCAAAACATC
AAGATCAATGACAGGTTTGAAGTTCCAGAACAGTTACCACTTGTGAATTTTTGCAAAAAACGGACCTA
AGGACCCTGCAAATTATATTCTCCATGAGTCTTGGTTACAGTGGAGATAATCATGGTGGACATTACGT
GGTTTACCTAAACCCAAAGGGGATGGCAAATGGTGTAAATTTGATGATGATGTTGATCCAGGTGACT
AAGAAGAAGCAATCGAGACAATTATGGGGTTCATGATGACGATCTATCTGTTGACACTGCACAAATG



CCTATATGTTAGTGTACATCAGGAATCAAAGCTGAGTGAGGTGTTGCAAGCTGTACCGACCATGATAT
 TCCTCAGCAGTTGGTGGAACTTTGCAAGAAGAGAAAAGGATCGAGGCTCAGAAGCGGAAGGAGCGGCAG
 GAAGCCCATCTCTACATGCAAGTGCAGATAGTTGCAGAGGACCAGTTTTGTGGCCACCAAGGAAATGACA
 TGTACGACGAGGAGAAAGTGAGGTACACCGTGTCAAGGTTCTGAAGAACTCCTCCCTGGCCGAGTTTGT
 TCAGAGCCTCTCGCAGACCATGGGGTTCCACAAGATCAGATTCGATTATGGCCTATGCAAGCAAGGAGT
 AACGGGACAAAGCGGCCGTGCAATGTTAGATAATGAAGCCGACGGCAGCAAAACAATGATTGAACTGAGTG
 ATAAATGAAAACCTTGGACAATATCCTGGAAACAGTTGACCCTGAGCTGGCTGATGGAGCAACACT
 GCCCAAGTTTGATAAAGATCATGATGTAATGTTATTTTTGAAGATGTATGATCCTAAAACACGGAGCTTG
 AATTACTGTGGACACATCTACACCCCATATCCTGTAATAACGTGACTTGCTCCCGGTTATGTGTGACA
 GAGCAGGATTTATCCAGGATACTAGCCTTATCCTCTATGAGGAAGTTAAGCCGAATTTAACAGAGAGAAT
 TCAGGACTATGATGTGTCTCTTGATAAAGCCCTCGATGAGCTGATGGATGGTGACATCATCGTGTTCAG
 AAGGATGACCCGAAAACGATAACAGTGAGCTACCCACTGCTAAGGAGTACTTCAGAGACCTTACCATC
 GCGTCGACGTATCTTCTGTGACAAAACGATCCCTAATGACCCTGGGTTTGTGGTACCTTATCAAATAG
 GATGAATTATTTTCAGGTTGCAAAGACAGTTGCACAGAGGCTCAACACAGACCCCATGTTGCTTCAGTTT
 TTCAAGTCTCAAGGTTATAGGGACGGCCCGGTAATCCCCTTAGGCATAATTACGAAGGTAATTTAAGAG
 ATCTTCTACAATCTTCAAGCCAAGACAACCTAAGAAAACCTTACTATCAGCAGCTTAAGATGAAAATCAC
 GGACTTTGAGAACAGGAGAAGTTTTAAGTGATATGGTTAAACAGCCAATTTAGGGAAGAGGAAATAACA
 CTATACCCAGACAAGCATGGCTGTGTCGGGACCTGTTAGAAGAAATGTA AAAAAGCCGTGGAGCTTGGTG
 ACGAAGCATCAGGGAGACTTAGGCTGCTAGAAAATTGTGAGCTACAAAATTATTGGTGTGCACCAAGAAGA
 TGAACTATTAGAGTGCTTATCTCTGCAACGAGTCGGACTTTTAGAATAGAGGAAATACCTTTGGACCAG
 GTAACATCGATAAGGAAAACGAGATGCTAATCACGGTGGCGCATTTCCACAAAGAAGTGTGGGACAT
 TCGGAATTCGGTTTTTGTGAGGATACACCAGGGTGAGCATTTCAGAGAAGTGATGAAGCCGATTCAGAG
 CCTGCTGGATATCCAGGAAAAGGAGTTGAAAAGTTTAAATTCGCAATTGTCATGATGGCCGGCACCAG
 TACATCAATGAAGATGAGTATGAAGTGAATTTGAAGACTTTGAGCCACAACTGGTAACATGTCTCATC
 CTCGGCCTTGCTAGGGCTTGACCACTTCAACAAAGCCCAAGAGGAGTCGCTACACTTACCTAGAAAA
 GGCAATTAATAATCCACAAC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RR213504 representing NM_001024790
 Red=Cloning site Green=Tags(s)

MNHQQQQQQKAGEQQLSEPEDMEMEAGDTPPRITQNPVINGNVALSDGHSNAEEDMEDDTSWRSEA
 TFQFTVERFSRLSESVLSPPCFVRNLPWKIMVMPRFYPDRPHQKSVGFFLQCNAESDSTSWSCHAQAVLK
 IINRDRDDKSFRRISHLFFHKENDWGF SNFMAWSEVTDPEKGF IDDDKVTFEV VQADAPHGVAVDSSK
 HTGYVGLKNQGATCYMNSLLQLFFTNQLRKAVYMPTEGDDSSKSVPLALQRFVYELQHSDKPVGTKKL
 TKSFGWETLDSFMQHDVQELCRVLLDNVENKMKGT CVEGTIPKLFKGMVSYIQCKEVDYRSDRREDDYYD
 IQLSIKGGKNIFESFVDYVAVEQLDGDNKYDAGEHGLQEA EKGVKFLTLPPVLHLQLMRFMYDPQTDQNI
 KINDRFEFPEQLPLDEFLQKTDPKDPANYILHAVLVHSGDNHGGHYVYVLYLNPKGDKWCKFDDDVSRCT
 KEEAIEHNYGGHDDLSVRHCTNAYMLVYIRESKLVSEVLQAVTDHDI PQQLVERLQEEKRIEAQKRKERQ
 EAHL YMQVQVAEDQFCGHQGNMYDEEKVRYTVFKVLKNSSLAEFVQSLSQTMGF PQDQIRLWPMQARS
 NGTKRPAML DNEADGSKTMIELSDNENPWTIFLETVDPELAASGATLPKFDKDHVMLFLKMYDPKTRSL
 NYCGHIYTPISCKIRDLLPVMCDRAGFIQDTSILYEEVKPNLTERIQDYDVS LDKALDELMDGDIIVFQ
 KDDPENDNSELPTAKEYFRDLYHRVDVIFCDKTI PNDPGFVVTL SNRMNYFQVAKTVAQRLNDPMLLQF
 FKSQGYRDGPGNPLRHNYEGLRDLLQFFKPRQPKL YQQLKMKITDFENRRSFKCIWLSQFEEEEIT
 LYPDKHGCVRDLLLEECKAAVELGDEASGRLLLEIVSYK IIGVHQEDELLECLSPATSRTRFRIEEIPLDQ
 VNIDKENEMLITVAHFHKEVFGTFGIPFLLR IHQGEHFREVMKRIQSLLDIQEKEFEKFKFAIVMMGRHQ
 YINEDEYEVNLDKDFEPQPGNMSHPRWLGLDHFNKAPKRSRYTYLEKAIKIHN

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Restriction Sites:

Sgfl-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM_001024790

ORF Size: 3309 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001024790.1, NP_001019961.1</u>
RefSeq Size:	3312 bp
RefSeq ORF:	3312 bp
Locus ID:	360471
UniProt ID:	<u>Q4VSI4</u>
Cytogenetics:	10q12
MW:	128.4 kDa

Gene Summary:

Hydrolase that deubiquitinates target proteins such as FOXO4, p53/TP53, MDM2, ERCC6, DNMT1, UHRF1, PTEN, KMT2E/MLL5 and DAXX (PubMed:16111684, PubMed:16328052). Together with DAXX, prevents MDM2 self-ubiquitination and enhances the E3 ligase activity of MDM2 towards p53/TP53, thereby promoting p53/TP53 ubiquitination and proteasomal degradation (By similarity). Deubiquitinates p53/TP53, preventing degradation of p53/TP53, and enhances p53/TP53-dependent transcription regulation, cell growth repression and apoptosis (By similarity). Deubiquitinates p53/TP53 and MDM2 and strongly stabilizes p53/TP53 even in the presence of excess MDM2, and also induces p53/TP53-dependent cell growth repression and apoptosis (By similarity). Deubiquitination of FOXO4 in presence of hydrogen peroxide is not dependent on p53/TP53 and inhibits FOXO4-induced transcriptional activity. In association with DAXX, is involved in the deubiquitination and translocation of PTEN from the nucleus to the cytoplasm, both processes that are counteracted by PML (By similarity). Deubiquitinates KMT2E preventing KMT2E proteasomal-mediated degradation (By similarity). Involved in cell proliferation during early embryonic development (By similarity). Involved in transcription-coupled nucleotide excision repair (TC-NER) in response to UV damage: recruited to DNA damage sites following interaction with KIAA1530/UVSSA and promotes deubiquitination of ERCC6, preventing UV-induced degradation of ERCC6 (By similarity). Involved in maintenance of DNA methylation via its interaction with UHRF1 and DNMT1: acts by mediating deubiquitination of UHRF1 and DNMT1, preventing their degradation and promoting DNA methylation by DNMT1 (By similarity). Deubiquitinates alkylation repair enzyme ALKBH3. OTUD4 recruits USP7 and USP9X to stabilize ALKBH3, thereby promoting the repair of alkylated DNA lesions (By similarity). Acts as a chromatin regulator via its association with the Polycomb group (PcG) multiprotein PRC1-like complex; may act by deubiquitinating components of the PRC1-like complex (By similarity). Able to mediate deubiquitination of histone H2B; it is however unsure whether this activity takes place in vivo (By similarity). Exhibits a preference towards 'Lys-48'-linked ubiquitin chains. Increases regulatory T-cells (Treg) suppressive capacity by deubiquitinating and stabilizing transcription factor FOXP3 which is crucial for Treg cell function (By similarity). Plays a role in the maintenance of the circadian clock periodicity via deubiquitination and stabilization of the CRY1 and CRY2 proteins (By similarity). Deubiquitinates REST, thereby stabilizing REST and promoting the maintenance of neural progenitor cells (By similarity).[UniProtKB/Swiss-Prot Function]