

### **Product datasheet for RR213964L3**

## Abhd5 (NM\_212524) Rat Tagged Lenti ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** Abhd5 (NM\_212524) Rat Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Abhd5

Synonyms: CGI-58

Selection:

**Mammalian Cell** 

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RR213964).

Sequence:

Restriction Sites: Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM\_212524

ORF Size: 1053 bp



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

#### Abhd5 (NM\_212524) Rat Tagged Lenti ORF Clone - RR213964L3

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 212524.1, NP 997689.1</u>

 RefSeq Size:
 1108 bp

 RefSeq ORF:
 1056 bp

 Locus ID:
 316122

 UniProt ID:
 Q6QA69

 Cytogenetics:
 8q32

**Gene Summary:** Coenzyme A-dependent lysophosphatidic acid acyltransferase that catalyzes the transfert of

an acyl group on a lysophosphatidic acid. Functions preferentially with 1-oleoyllysophosphatidic acid followed by 1-palmitoyl-lysophosphatidic acid, 1-stearoyl-


lysophosphatidic acid and 1-arachidonoyl-lysophosphatidic acid as lipid acceptor. Functions preferentially with arachidonoyl-CoA followed by oleoyl-CoA as acyl group donors (By similarity). Functions in phosphatidic acid biosynthesis (By similarity). May regulate the cellular storage of triacylglycerol through activation of the phospholipase PNPLA2 (By

similarity). Involved in keratinocyte differentiation (By similarity). Regulates lipid droplet fusion

(By similarity).[UniProtKB/Swiss-Prot Function]



# **Product images:**



Circular map for RR213964L3