


OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_199397.2 , NP_955429.1
RefSeq Size:	2456 bp
RefSeq ORF:	1281 bp
Locus ID:	315435
UniProt ID:	P60570
Cytogenetics:	8q12
Gene Summary:	The protein encoded by this gene is a plasma membrane protein that is a structural component of gap junctions. The encoded protein acts as a homodimer or as a heterodimer with other isoforms or proteins. Two additional variants have been found, and the isoforms expressed from them are found in the cytoplasm. It is thought that these two isoforms could attenuate the actions of the membrane-bound protein. [provided by RefSeq, Jul 2012]

Product images:



Circular map for RR214076L4