

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RR214502L4V

Ispd (NM_001008386) Rat Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	lspd (NM_001008386) Rat Tagged ORF Clone Lentiviral Particle
Symbol:	Ispd
Synonyms:	Nip
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_001008386
ORF Size:	1341 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RR214502).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 001008386.1, NP 001008387.1</u>
RefSeq Size:	2645 bp
RefSeq ORF:	1344 bp
Locus ID:	493574
UniProt ID:	<u>Q5S6T3</u>
Cytogenetics:	6q16-q21



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Ispd (NM_001008386) Rat Tagged ORF Clone Lentiviral Particle – RR214502L4V

Gene Summary:Cytidylyltransferase required for protein O-linked mannosylation (By similarity). Catalyzes the
formation of CDP-ribitol nucleotide sugar from D-ribitol 5-phosphate. CDP-ribitol is a
substrate of FKTN during the biosynthesis of the phosphorylated O-mannosyl trisaccharide
(N-acetylgalactosamine-beta-3-N-acetylglucosamine-beta-4-(phosphate-6-)mannose), a
carbohydrate structure present in alpha-dystroglycan (DAG1), which is required for binding
laminin G-like domain-containing extracellular proteins with high affinity (By similarity).
Shows activity toward other pentose phosphate sugars and mediates formation of CDP-
ribulose or CDP-ribose using CTP and ribulose-5-phosphate or ribose-5-phosphate,
respectively (By similarity). Not Involved in dolichol production (By similarity).
[UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US