

Product datasheet for **RR214883**

Zfyve27 (NM_199104) Rat Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Zfyve27 (NM_199104) Rat Tagged ORF Clone
Tag: Myc-DDK
Symbol: Zfyve27
Synonyms: MGC72597
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
ORF Nucleotide Sequence: >RR214883 representing NM_199104
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGGATCGCC**

ATGCAGTCTTCGGATCGGGACCTGAGTGGACCAGAGGCGAGCCCCAGCGTGATGCCTGAGGTTCTCTCTG
AGTGTTACCTGCCCTACCAAGTCAACAGCGTTTGATCTTTCAACCTGGTTCTGTCTACAAGAGGCT
GGAGATCTACCTGGAACCCCTGAAGGATGCAGGTGACGGTGTTCGATACTTGCTAAGGTGCCAGATGCCT
TTGTGTTCTTGCTGACTTGCCCTGGGCCTCAACATCTTGTTCCTCACTCTGAATGAGGGTGCATGGTACT
CCGTGGGTGCCTTGATAATTTCCGGTGCCTGCCCTACTGGGCTACCTTCAGGAGGTGTGCCGGCACAGCT
ACCAGAGTCTGAGCTGATGAGGCGGAAGTACCACAGCGTGCAGGAGGAAAGACCTGCAGAGAGTTCGCCTT
TCCCGCCCTGAGGCTGTAGCTGAGGTGAAAAGCTTCTTGATCCGACTGGAAGCCTTCTTGCCCGCCTGT
GCTATACCTGCGAGTCAGCTTACCGTGTACTTCACTGGGAGAACCCTGTGGTGTCTCACAGTCTATGG
TGCTCTTCTGGGCATGGTTTGCATGCTCTACCTGCTGCCGCTCTGCTGGTCTCGCCCTTTAAACAGC
ACACTCTTTCTGGGAAATGGGAATTCTCCGAGTGGTGTCTGAGTACAGGGCTTGCTGCAGCGGCGGA
TGAGCCCCAAGCAGGAAGAGTGGCTCTGTGAGGGCTCGGCATGCAGGATGCCGGGGGAGGGCTGTTGT
ACTGGACAGCACCCCTGCCCTACACCCACAGAGGACCTCACGCCAGGCAGTGTGGAGGAAGCTGAGGAG
GCTGAGCCAGATGAGGAGTTCAAAGATGCAATAGAGGAGGACGATGAGGGAACCCATGCCAGCAGAGG
ATGAGCTGACCATGCAGGACAATGGCTTCTCAGCAAGAATGAGGTAAGTGCAGCAAGGTGTGCAAGCT
TACAGAGCGGCTCCGCAAGCGCTACCCGACCAACAACCTTCGGAACTGTGCAGGCTGTGCTGCCACCTTC
TCCGTGCTGAAGAAGAGGCGAAGCTGCAGCAACTGTGGGAACAGCTTCTGCTCTCGGTGCTGCTCCTTCA
AGGTGCCCAAGTCTCCATGGGGCCACAGCTCCTGAAGCCAGAGAGACTGTGTTTGTGTGTGCCTC
CTGTAATCAGACCTTGAGCAA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



Protein Sequence: >RR214883 representing NM_199104
 Red=Cloning site Green=Tags(s)


MQSSDRDL SGPEASPSVMPEVLSECS PAPT KSTAFDLFNLVLSYKRL E IYLEPLKDAGDGVRYLLRWQMP
 LCSLLTCLGLNILFLTLNEGAWYSV GAL IISVPALLGYLQEV CRAQLPESELMRRKYH SVRQEDLQRVRL
 SRPEAVAEVKSF LIRLEAFLARLCYTCESAYRVLHWENPVVSSQFYGALLGMVCMYLLPLCWLALLNS
 TLFLGNGEFFRVVSEYRACLQRRMSPKQE ECVCEGSALQDAGGRAVLDSTPAPTPTEDLTPGSVEEAE E
 AEPDEEFKDAIEEDDEGTPCAEDELTMQDNGLSKNEVLR SKVSKLTERLRKRYPTNFGNCAGCAATF
 SVLKKRRSCSNCGNSFC SRCCSFKVPKSSMGATAPEAQRETVFVCASCNQTL SK

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Restriction Sites:

SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN:

NM_199104

ORF Size:	1212 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_199104.2 , NP_954535.2
RefSeq Size:	5418 bp
RefSeq ORF:	1215 bp
Locus ID:	309376
UniProt ID:	Q6P7B7
Cytogenetics:	1q54
MW:	44.9 kDa
Gene Summary:	Key regulator of RAB11-dependent vesicular trafficking during neurite extension through polarized membrane transport (PubMed:17082457). Promotes axonal elongation and contributes to the establishment of neuronal cell polarity. Involved in nerve growth factor-induced neurite formation in VAPA-dependent manner. Contributes to both the formation and stabilization of the tubular ER network. Involved in ER morphogenesis by regulating the sheet-to-tubule balance and possibly the density of tubule interconnections. Acts as an adapter protein that facilitates the interaction of KIF5A with VAPA, VAPB, SURF4, RAB11A, RAB11B and RTN3 and the ZFYVE27-KIF5A complex contributes to the transport of these proteins in neurons. Can induce formation of neurite-like membrane protrusions in non-neuronal cells in a KIF5A/B-dependent manner (By similarity).[UniProtKB/Swiss-Prot Function]