

Product datasheet for **RR215722**

Oaz1 (NM_001297557) Rat Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Oaz1 (NM_001297557) Rat Tagged ORF Clone
Tag: Myc-DDK
Symbol: Oaz1
Synonyms: Oaz; ODC-Az; ODCAC
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
ORF Nucleotide Sequence: >RR215722 representing NM_001297557
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGC**C

ATGCCGCTTCTTAGTCAGCACAGCCGCGGGCTGCAGCAGCGAGAGTTCTAGGGTTGCCCTTCATTGCT
GTAGTAACCTGGGTCCGGGGCTCGGTGGTGCATGCCGTTCTTAGTCAGCACAGCCGCGGGCTG
CAGCAGCGAGAGTTCTAGGGTTGCCCTCATTGCTGTAGTAACCTGGGTCCGGGGCTCGGTGGTCTCC

ACGCGTACGCGGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RR215722 representing NM_001297557
Red=Cloning site Green=Tags(s)

MPLLQHSRGGCSSESSRVALHCCSNLGPGRWCSMPLLQHSRGGCSSESSRVALHCCSNLGPGRWCS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-MluI




[View online »](#)

Cloning Scheme:



Plasmid Map:



ACCN: NM_001297557
 ORF Size: 207 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001297557.1 , NP_001284486.1
RefSeq Size:	1067 bp
RefSeq ORF:	586 bp
Locus ID:	25502
Cytogenetics:	7q11
MW:	7.4 kDa
Gene Summary:	The protein encoded by this gene belongs to the ornithine decarboxylase antizyme family, which plays a role in cell growth and proliferation by regulating intracellular polyamine levels. Expression of antizymes requires +1 ribosomal frameshifting, which is enhanced by high levels of polyamines. Antizymes in turn bind to and inhibit ornithine decarboxylase (ODC), the key enzyme in polyamine biosynthesis; thus, completing the auto-regulatory circuit. This gene encodes antizyme 1, the first member of the antizyme family, that has broad tissue distribution, and negatively regulates intracellular polyamine levels by binding to and targeting ODC for degradation, as well as inhibiting polyamine uptake. Antizyme 1 mRNA contains two potential in-frame AUGs; and studies in rat suggest that alternative use of the two translation initiation sites results in N-terminally distinct protein isoforms with different subcellular localization. Alternatively spliced transcript variants have also been noted for this gene. [provided by RefSeq, Dec 2014]