

Product datasheet for RR215858

Hmgn3 (NM 001201355) Rat Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Hmgn3 (NM_001201355) Rat Tagged ORF Clone

Tag:Myc-DDKSymbol:Hmgn3

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RR215858 representing NM_001201355
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGAGATCTGCC

GCCGCGATCGCC

GAGAGTTAAGGGCACAGAGAAC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RR215858 representing NM_001201355

Red=Cloning site Green=Tags(s)

MPKRKSPENAEGKDGAKLTKQEPTRRSARLSAKPVPPKPEPKPRKTSAKKEPGTKINRAAKGKKEEKQEA

GKEGTAPSANGDTKAEEIHVSRSTVNVSACRSPPPSTLSVKGQIETVRVKGTEN

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001201355

ORF Size: 372 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001201355.1</u>, <u>NP 001188284.1</u>

RefSeq Size: 998 bp RefSeq ORF: 375 bp



 Locus ID:
 113990

 UniProt ID:
 Q66H40


 Cytogenetics:
 8q31

 MW:
 13.3 kDa

Gene Summary: Binds to nucleosomes, regulating chromatin structure and consequently, chromatin-

dependent processes such as transcription, DNA replication and DNA repair. Affects both insulin and glucagon levels and modulates the expression of pancreatic genes involved in insulin secretion. Regulates the expression of the glucose transporter SLC2A2 by binding specifically to its promoter region and recruiting PDX1 and additional transcription factors. Regulates the expression of SLC6A9, a glycine transporter which regulates the glycine concentration in synaptic junctions in the central nervous system, by binding to its transcription start site. May play a role in ocular development and astrocyte function (By similarity).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for RR215858