

## Product datasheet for SC100456

### UACA (NM\_018003) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	UACA (NM_018003) Human Untagged Clone
Tag:	Tag Free
Symbol:	UACA
Synonyms:	NUCLING
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL4</u>
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>OriGene ORF within SC100456 sequence for NM_018003 edited (data generated by NextGen Sequencing)

```

ATGAAGGCCTCAAGTCCCGCTGAGGAGCAGGACGTGCCCGCCCGCTCGTCTGGC
GCCGCCGCCAGCGCATGCAGCAGATTGGAATAAATATGATGACCGATTGATGAAA
GCAGCAGAAAGGGGGATGTAGAAAAAGTGACGTCAATCCTTGCTAAAAAGGGGTCAAT
CCAGGCAAAGTAGATGTGAAGGCAGATCTGTCTTCCATGTTGTGACCTCAAAGGGGAAT
CTTGAGTGTGTTGAATGCCATCCTTATACATGGAGTTGATATTACAACAGTGACACTGCA
GGGAGAAATGCTCTTACCTGGCTGCTAAGTATGGACATGCATTGTGCCTACAAAACTT
CTACAGTACAATTGTCCACTGAGCATGCAGACCTGCAGGAAGAAGTCACTTCACGAT
GCCGCAATGGCAGATTGCTCTTAGCATACAGCTGCTTTGTGACCATGGGCCTCTGTG
AATGCCAAAGATGTAGACGGGCGGACACCATTGTTCTGGCTACTCAGATGAGTAGCCA
ACAATATGTCAACTGCTGATAGATAGAGGAGCGGATGTTAATCCAGAGACAAACAAAAC
AGAACTGCCCTCATGCTAGGTTGCGAATATGGTTGCAGAGATGCAGTAGAAGTCTTAATT
AAAAATGGTGCTGATATAAGCTTGTGGATGCGCTTGGCCATGATAGTTCTTACTATGCA
AGAATTGGTGACAATCTGGACATTCTAACCTTGTGGAAGACTGCATCGGAAAATACCAAC
AAAGGGAGAGAACTTTGGAAGAAAGGGCCATCTTTGCAACAGCGAAAATTTGACACACATG
CAAGATGAAGTAAATGTGAAGTCACATCAGAGGGAGCATCAAAAATATTCAGGATTTGGAG
ATTGAAAATGAAGATTTGAAAGAGAGGTTGAGAAAAATTCAGCAAGAACAAGAATACTT
TTGGATAAAGTCAATGGTTTACAGTTACAGCTGAATGAGGAAGTTATGGTTGCTGATGAT
CTGGAAAAGCGAGAGAGAAAAGCTGAAGTCCCTTTTGGCAGCTAAAAGAAAAGCAACATGAA
GAAAGCTTAAGGACTATTGAGGCTCTGAAAAATAGATTTAAATATTTTGGAGTGATCAT
TTAGGATCAGGAAGTCATTTAGTAAACGAAAAGAGATATGCTTCTTAAACAAGGTCAG
ATGTATATGGCAGACTCACAGTGTACTTCCCCAGGTATACCAGCCCATATGCAAAGCAGA
TCTATGTTAAGACCTCTGGAACATCTTTACCCAGTCAAACGTCACTACTGAAAATGAA
ATTTTAAAGAAAGAGTTAGAAGCAATGCGAACTTTCTGTGAGTCAGCAAAAACAAGCCGA
CTGAAGCTCCAAAATGAACTGGCACACAAAGTGGCAGAATGCAAAGCTTTAGCATTAGAA
TGTGAAAGGGTCAAGGAGATTGATGAACAGATAAAGCAATTAGAAGATGCATTAATA

```



[View online »](#)

GATGTGCAGAAGAGGATGTATGAGTCAGAAGGTTAAAGTTAAACAAATGCAGACCCATTTT  
 CTTGCCCTTAAAGAACACTTAACAAGTGAAGCAGCCTCAGGGAATCACAGACTAACCGAG  
 GAACTGAAGGATCAGTTGAAAGACTTAAAAGTAAAATATGAAGGTGCTTCAGCAGAAGTG  
 GGGAAATTAAGAAACCAATCAAACAAATGAGATGATAGTAGAAGAGTTTAAAGAGGGAT  
 GAAGGCAAGCTGATAGAAGAAAAAAGCGATTACAGAAGGAACTTAGTATGTGTGAAATG  
 GAGCGAGAGAAGAAAGGAAGAAAGGTCACAGAGATGGAAGGCCAGGCAAAAAGAATTGTCA  
 CGGAAGTTGCCCTTTCCATTCCAGCTGAAAAATTTGAAAACATGAAGAGCTCATTATCA  
 AATGAAGTGAATGAGAAAGCAAAAAAATTAGTAGAAATGGAAGAGAACATGAAAAATCA  
 CTTAGTGAATTAGACAGTTAAAGAGAGAACTTGAGAATGTTAAGGCCAAGCTTGCTCAG  
 CACGTCAAACCAGAGGAACATGAACAGGTTAAGAGCAGATTAGAACAGAAATCAGGAGAA  
 CTTGGGAAGAAGTCACTGAGTTAACATTGAAAAATCAGACACTACAAAAGGAAATTGAA  
 AAAGTTTTATTGGATAATAAGCTCCTCAAGGAGCAAGCACATAACTTAACAATTGAAATG  
 AAAATCATTATGTTCTTTAAAAGTAAGTGAAGACATGAAAAAGTCACATGATGCAATT  
 ATTGATGATCTTAATAGAAAGCTTTTAGATGTAACACAAAAATATACAGAAAAGAAGTTG  
 GAAATGGAGAAATGCTACTGGAAAATGACAGCTTAAGTAAAGATGTAAGCCGCCTAGAA  
 ACTGTGTTTGTACCTCCTGAGAAACATGAAAAAGAGATAATAGCTCTGAAATCCAATATT  
 GTTGAACCTAAGAAACAGCTGTCTGAACTTAAGAAAAAATGTGGTGAAGACCAGGAGAAA  
 ATACACGCTCTCACATCTGAAAACACTAACTTGAAGAAGATGATGAGTAATCAGTATGTG  
 CCAGTTAAAACCCATGAAGAGGTTAAAATGACACTGAATGACACGTTAGCCAAAACCTAAC  
 AGAGAATTATTAGATGTGAAGAAAAAATTTGAAGATATAAATCAGGAATTTGAAAAATA  
 AAAGATAAGAATGAAATATTAAGAAAGAACCTGGAAAACACTCAGAACCAATAAAAGCT  
 GAGTACATCAGCTGGCAGAGCACGAGGCAAGATGAGCTCGCTAAGTCAGAGCATGAGA  
 AAGTGCAGGATAGTAATGCTGAAATCTTGCCAACTACAGAAAAGGCCAAGAAGAGATT  
 GTGACATGCATGCCGAAATTAAGGCCAGAAAGGAGGCTCGACACAATACAAGAATGC  
 ATTAAGGTAATAATGCCCAATTGTGACGTTTGAAGAGTGCAGAGAAAATTTAAAGCA  
 ACAGAGAAAGAACTAAAAGACCAGTTATCAGAGCAGACACAAAAGTATAGTGTGAGTGA  
 GAAGAAGTCAAGAAAAACAAGCAAGAGAATGACAAGTTAAGAAGGAGATTTTTACCCTT  
 CAGAAAGATTTGAGAGATAAGACAGTTCTCATTGAGAAGTCTCATGAAATGGAAAGGCA  
 TTAAGCAGAAAAACAGACGAGCTAAACAAACAGTTAAAAGACTTGTACAGAAATACACG  
 GAAGTAAAGAATGTGAAGAGAAGCTAGTAGAAGAAAATGCCAAACAGACTTCTGAGATA  
 CTTGCAGTGCAAAATCTTTTGCAAAAACAACATGTTCCATTGGAACAGGTTGAGGCTCTG  
 AAAAAATCTCTTAATGGCACAATTGAAAATCTAAAGGAAGAACTGAAGAGTATGCAAAGG  
 TGTTACGAGAAAGAGCAGCAGACAGTGACCAAACTGCATCAATTGTTGGAGAATCAAAG  
 AACTCTTCTGTACCCCTGGCAGAGCATTTCAGATTAAAGAAGCATTGAGAAAGAAGTT  
 GGAATCATAAAAGCCAGCTTGAGAGAAAAGGAAGAAGAAAGCCAAAACAAAATGGAAAGAA  
 GTCTCCAAACTTCAGTCGGAGGTTTCAAGTAACTAAACAAGCATTAAAAAATTAGAGACT  
 AGAGAGGTAGTTGACTTGTCTAAATATAAAGCAACAAAAAGTGATTTGGAGACACAGATT  
 TCTAGCTTAAATGAAAAATTTGGCCAATCTGAATAGAAAAGTATGAGGAAGTATGTGAGGAA  
 GTTTTGCATGCCAAAAAGAAGGAAATATCTGCAAAAGATGAGAAGGAATTAAGTCAATTC  
 AGCATTGAGCAAGAAATTAAGGATCAGAAGGAACGATGTGATAAGTCCTTAACAACAATC  
 ACAGAGTTACAAAAGAAGAATACAAGAATCTGCTAAACAAATAGAAGCAAAAGATAATAAG  
 ATAAGTGAAGTGAATGATGTGGAAAGATTAACAGGCACTCAATGGCCTTTCCCAA  
 CTCACCTACACAAGTGGGAACCCACCAAGAGGCAGAGCCAGCTGATTGACACTCTGCAG  
 CACCAAGTGAATCTCTGGAGCAACAGCTGGCCGATGCTGACAGACAGCACCAGAAGTA  
 ATTGCAATTTATCGACACACCTTCTTAGTGCTGCACAGGGTCACATGGATGAAGATGTT  
 CAGGAGGCTCTGCTCCAGATCATACAAATGCGGCAGGGGCTTGTGTGCTAG

Clone variation with respect to NM\_018003.2  
 153 c=>g;2955 c=>t

<b>5' Read Nucleotide Sequence:</b>	<p>&gt;OriGene 5' read for NM_018003 unedited</p> <pre>GCATTTGTATACGACTCACTATAGGGCGGCCGGAATTCGGCACCAGGCTGGTACAGCCC GCGCCGCCTCTGCTGCAGCCGCTGCCGTCTACTCTTGCGCGCTGGCACTCCGCAGCCTT TAAGGTTTCGCGCGGGGGCCAGGCAAGAGTTAGCCATGAAGAGCCTCAAGTCCCGCCTGAG GAGGCAGGACGTGCCCGCCCGCGTCTGCTGGCGCCGCCCGCCAGCGCGCATGCAGC AGATTGGAATAAATATGATGACCGATTGATGAAAGCAGCAGAAAGGGGGGATGTAGAAAA AGTGACGTCAATCCTTGCTAAAAAGGGCTTCAATCCAGGCAAACCTAGATGTGGAAGGCAG ATCTGTCTTCCATGTTGTGACCTCAAAGGGGAATCTTGAGTGTTTGAATGCCATCCTTAT ACATGGAGTTGATATTACAACCACTGACACTGCAGGGAGAAATGCTCTTACCTGGCTGC TAAGTATGGACATGCATTGTGCCTACAAAACTTCTACAGTACAATTGTCCCACTGAGCA TGCAGACCTGCAGGAAGAAGTGCACCTTACGATGCCGCAATGGCAGATTGCTCTTCTAG CATACAGCTGCTTGTGACCATGGGGCCTCTGTGAATGCCAAAGATGTAGACGGGCGGAC ACCACTTGTCTGGCTACTCAGATGAGTAGCCAAACAATATGTCAACTGCTGATAGATAG AGGAGCGGATGTTAATCCAGAGACAAACANAACAGAAGTCCCTCATGTCTANGTTGCGA ATATGGTTGCAGAGATGCAGTAGAAGTCTTAATAAAAATGGTGCTGATATAGCTTGTGG ATGCGCTTGGCATGATAGTTCTTACTTGACTAGAATTGTGACAATCTGACATTCTACCTT NGNTGAGACTGCATCGNAAATACCACAAAGGGAGAGACTTNGNAGAAAGCNCATCTTGC ACAGCGAATTTGACACACATGCAGAGAAGTAATGTN</pre>
<b>3' Read Nucleotide Sequence:</b>	<p>&gt;OriGene 3' read for NM_018003 unedited</p> <pre>NCGGTACAGCTATGNACCGCGCCGAATCTAGGATCGAGTTTTTTTTTTTTTTTTTTTTT AGAACAAAATATATTTTATTTAATTATACCAGCACAGTAAGGCCAGAAAGACCATGGA GTTGCACAAAGAATGTTTCAGCACCAGCAAGATAAACAGATACTGGCAGTCAGTGCTAAC GGCTAGCACACAAGCCCTGCCGCATTTGTATGATCTGGAGCAGAGCCTCCTGAACATCT TCATCCATGTGACCCTGTGCAGCACTAAGAAGGTGTGCCGATAAATTGCAATTACTTCT TGGTGTCTGTGTGAGCATCGGCCAGCTGTTGCTCCAGAGATTTCACTTGGTGTGCAGA GTGTCAATCAGCTGGCTCTGCCTCTTGGTGGGGTCCCCTTGTGTAGGTGAGTTGGGAA AGGCCATTGAGTGCCTGTTTAACTTTCCACATCATTAAAGCAGTTCAGTTATCTTATTA TCTTTTGCTTCTATTTGTTTAGCAGATTCTGTATTCTTCTTTGTAACCTGTGATTGTT GTTAAGGACTTATCACATCGTTCCTTCTGATCCTTAATTTCTTGCTCAATGCTGAAATGC AGTAATTCCTTCTCATCTTTTGCAGATATTTCTTCTTTTGGCATGCAAACTTCTCTCA CATACTTCTCATACTTTCTATTGAGATTGGCCAATTTTCAATTAAGCTAGAAATCTGT GTCTCAAATCACTTTTGTGCTTTATTTAGACAAGTCAACTACCTCTCTAGTCTCT AATTTTTTAAATGCTTGTGTTAGTATTCTGAACCTCCGACTGAAGTTGGNAGACTTCTNCT ATTTTGTGTTGGCTTTCTTCTTCTTCTCTCAGCTGGCTTTATGATTCCAACCTTCTCTC AAAGCTCTTNAATN</pre>
<b>Restriction Sites:</b>	NotI-NotI
<b>ACCN:</b>	NM_018003
<b>Insert Size:</b>	4700 bp
<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>OTI Annotation:</b>	no
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_018003.2](#), [NP\\_060473.2](#)

**RefSeq Size:** 6873 bp

**RefSeq ORF:** 4251 bp

**Locus ID:** 55075

**UniProt ID:** [Q9BZF9](#)

**Cytogenetics:** 15q23

**Domains:** ANK, Pox\_A\_type\_inc

**Gene Summary:** This gene encodes a protein that contains ankyrin repeats and coiled coil domains and likely plays a role in apoptosis. Studies in rodents have implicated the encoded protein in the stimulation of apoptosis and the regulation of mammary gland involution, in which the mammary gland returns to its pre-pregnant state. This protein has also been proposed to negatively regulate apoptosis based on experiments in human cell lines in which the protein was shown to interact with PRKC apoptosis WT1 regulator protein, also known as PAR-4, and inhibit translocation of the PAR-4 receptor. Autoantibodies to this protein have been identified in human patients with panuveitis and Graves' disease. Differential expression of this gene has been observed in various human cancers. [provided by RefSeq, May 2017]  
Transcript Variant: This variant (1) represents the shorter transcript but encodes the longer isoform (1). Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.