

Product datasheet for **SC105897**

FOXK1 (AL390150) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	FOXK1 (AL390150) Human Untagged Clone
Tag:	Tag Free
Symbol:	FOXK1
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL5</u>
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>NCBI ORF sequence for AL390150, the custom clone sequence may differ by one or more nucleotides

```
GAAGGCAGCATGAGGTCAGCACACATAATTCAATTCAAAGTCATCAGACTTCATTTTTCCCTAAAAAGT
TGCTGAAAACAGAGGAAGAAGGAAGAATGCAAGGAACAAGAAAGAAAAATTGCCAGAGCTTTAAATGTCA
AAGAATAATAACACACAGGAGCAGATCATTCCGGCAGCCAGCCTTGGCTTCGTTTTCTTTCTCCTGTC
TTCCGCATCTCTGCTGGTGTCTCCACTTTGTACACATACAGTTTTTGTGCCAGATCTTAGAGTTTTATCTT
TACAGATGTTCCGTGTTATTTCAAAGAAGTTATGTCACTTTTCTTCCCCCCCCAAGATGGTACCCACC
TTATTGTAGAAGGAATGTTATCTTGAAGCCCTTCTCGCCTCTTAGACTCAGGTGTGCCTCTATTGTAAAG
AGGCAAAAAGTCCAGTTCTCGTGGCCTCCTTCTTGTCTTCCACAGCTGCTCAGCTCACTGTGCTTCT
TCTGGGTTAGCCTTCTTGCTATTTCTTAAAAACCTCTGTTTCTTACATTAATGGCAATCACCTTGATC
AACCTAATGGATTCTGTCTCAGGAGTCTTTCACCTGCTCTTCCCACTAACTGGGATGCATTTCTGAGGA
CTCACATGATCTCCTAACGGTCTCTCGCACCCGCACAGGTTATTTGAGAACTGCTCAGATGTCACCTTG
TCAGAAAGGCCTTCTTGGACCAACATCTATAAAATATCCCTTAATCCAACCTCTTTCCTCTCCTTTTATT
CTTTCTTTTTTCTCTGAAGATGGGGCCTTCTATGTTTCTCTGGCTGCTTGGAGCTCCTGGTCTCCA
GCAATCTCCACCTTGGCCTCCATTGTACTGTGATTGCAGGCATGAGCCACCACACAGCCCTTTT
ATTTCTTTTGTAGCGCTACTCATTACCTGGCATGACAGCACATTAATTTGTGTACGTCTATACTTTT
TATAATGAAGGTGCACAAAATCCTGAACTGCTAGTGCAGGGTCTATGCATTAGGGGCTCCAGAGAGAA
CCTTCTGCCATTGTGACACGCCCACTGAAGTCCAGAGTCTATATAGAGTAGGTGCCCAATAAATAA
CTGAATGAATGAAGGTTTCTCACTTATTTCACTATTTCTTTCGCACTTGGATTCCACTTCGTTATAGAGA
CTTCTGTTAAGTACCTGTAATCAAAGGACTTTCTTTTTGGTTTGAACATGTGATTTGTTGAAAGGCTGA
GGAGGGAATGAGCTTACTAAACCGTACTCCCTGTCAAAACATTTATTGGCTTTACCACACTTAGTGAG
ACCCTATTGATGCTGCATTTTGGAGGCACTAAAACTAATAAGCCAGAAGAAGTGCCCGCATATGTGGT
CTAATAGATTCAAGTTGAAGAATCCGCAGCGACGGTAATTTGCACAAGTCAATAAGTACTTCTAGATT
GTCTATATTTTTAAGATACAGAGTTTTATACCTAGTTGAGAAACAACAAAAATAGTACTTAGTGTTT
TATCGTCCATGCATGCTTTATTTCCAATGAAACTCAGAGGAAATAGGTATTTCCAACAGTGTTTGCCATA
GTTACACCTTTTCTAGGCTCTGCTCATTTTATTCCATTTACACTCATCTTTTTCTGTTGAGAACCTA
TAGAAATAATACAAGTAAGTAACATTTATTGTGCACTTTCTATGTGCCCGCATTGTGCCAAGGCCTTTT
```



[View online >](#)

CATGTATTTCTCACTTAATTCCTCTACTCAATTAGGCAGGTAAAAATAATATAGTTCTCATTTTAAAGAT
 GAGAAAACCGAGGCTTAGAAAAGGCTACACAGTCAGGATATAAAGCCAGGTCTGTCCAATTTCCAAGCCTC
 CACTTGTAACTGCCTGGTAGACCCTCTCCTCGACTTCCTTTTCTTTTTTTTTTTTTTTTTTTTTTTTGA
 TGGAGTCTCACTTTGTGGCCAGGCTGGAGTGAATGGCATGATCTCAGCCACTGCAGCCTCCACCTC
 CCAAGTTCAAGCGATTCTCCTGCCTCAGCCTCTGAGTAGCTGGGATTATAGGTGCCACCACCATGGCT
 GGCTAATTTTTTATTTTTAGTAGAGACAGGTTTACCATGTTGGCCAGGCTAGTCTCCAGCTCCTGACC
 TCAGGTGATCCACCACCTCAGCCTCCCGAAGTCTGGGATTACAGGTGTGAGCCACCAGTCTCAGCCGA
 CCTCTCTTCTACTTCTGAGGCCATACAATCAAAATCCTCTGGCACCTGGAACCAGGTAGAAAATGATA
 GGTAGAGGTGTAGAAGTCTTACAGTTACCCCAAACCCCAACAGAGGCATGTCCCTAATAATATATTTGTA
 AACCGACAAAAGAAAAGTCTTTCAGAAATAACACAGAAAATGAATTATTGGCTGTACAAAAATTTAGG
 AATCTGGAGATCTTGGGGCATAGATGAGGTTAACCAAGCAGCACCTGGGTCCCAGCCAGGCTACAGGC
 CCCAAAGGAAGGACATGAGGACAGAACAAGGAGGAATGAGGTCCAGGAAAGAGCTGCTCATCAGATCCCA
 GGATTTTAAAGTATGCTGAGTGCCTTCTCCTATTACCCTGTAGTCCAGCTTGTATCTGAAGGGAAGAA
 GTTGGTCCCTTCTAAACTAGATTTGTTTTATGACCTAAGGCATATTCATTTGGGCAACATGAGTATGAC
 ATTTTTCTCCAACCATGTTAAGTCTAATTAATTTATCAAGCACTGCCAGTTTGCCCATCTTGCCCAT
 AACTACCCTCAAATCTTCAACTTTTAAGGTGAATTTGGTTTTGAAGTTACTGTCAATTTCTATGGCCTAC
 TGGAAATTTCTGGTGTGTGTTTTTTTTTTAATGTTTGCATTTTCTAAGACTACTGTGCTTTTGTATG
 TATTCATTTAAATGTCAAAAAGGATGTTGTCAAGATATGCTGAATGAGCCCTTCCCCAGAAATGTTG
 CCATATTAATGGGATATTAGCCCTTACTGACTTGGAGGTTGCATCTTCTCAATCCGGTAATTAGCTGAA
 GTGCTACATTTTAAAAATAATTTAAGCTCTTTTTTCAATTTTTTTTCAATTTTTCAGAAGGCAAGT
 TCAGACACATAGGTTTATACAAGATGAAAATATTAGATAAAAAGTGATACATCTGAATATGATTTTTAA
 ACATTTTTACTTAAATACCACACATGTCCACATAGCATTATTTATACACATTTTAGTAAAAGTACTGAG
 GGTGCTTGGGGTAGGGTATTCAGTTAGTAACCTGTATCTAAGTTGATACATATCTTCCCTAACCTGTTT
 ACTTGATTGAATGATTAGGGACTATTAATAAAATAAAATTTATCTTTGAGAAGCAAAGAGTAAACACATAT
 ATAACATGGTTCTAGTCTTGTACTGGACTCAATTCAGTCTGTAATTTTACTGAGTCCCTACAAAGGCC
 TTATGCTATGATGGGTGCTACCGAAGATACATCCGTAGTTTTTGTTTTTGGTTTTGTTTTATTTTTTG
 AGACAGAGTCTCACTCTGCTGCCAGGCTGGAGTGCAGTGGCACGATCTTGGCTCGCTGCAACCTCCACC
 TCCAGGTTCCAGGCGATTCTCCTGCCTCAGCCTCCCAAGTAACTGAGATTATAGGCACCTGCCACCACGC
 CTGGCTAATTTTTGTATTTTTAGTGAAGACAGGATTTCCCATGTTGGCCAGGCTGGTCTTGAACCTCTC
 ACAGGTGATCCACCTGCCTCAGCCTCCCAAGTGTGGGATTACAGGCATGAGCTACCACGCTGGCCGA
 TATATCTGTTATTAATGTAGGTTTTGAAGCTTGCCTCGAGGATTTAAAAGACAGCATTGCAATTTGCAT
 GTAACCTCTGAGTCAACTACTGAACTATTAAGTTGCGAATGGAAGACTTATAACCACACATGTGAATCTG
 CCGATTTTTTAAAGACCTCAGTGTGAAAAGATCATATAGAACAATAGCTAGTACTTATTAAGTGTCTA
 TTATGTGTCAGCTTCTGGCATCTGTTAATTTATTTTACCTTTGTAATATTCAGGCGAGGTATGCCTTAT
 CCCCACTTACAGATGAGGAAAAGGTTCCGAAAAGAACTTACTGAAGGACACACAGAGGGTCCGAGTCA
 GAGATCCGCTCCAAGCCCTATCTTACTCTAGTGGCCACCTTCTTTTTACTTACATCCCATCATAAAAATA
 TAAAATAAACGAAGTGTGATGGTTGTTAATGCGAGCAATGCAGGCTGCCAAGTAGAACAATTAAGAC
 TCTGAAATAGCTATTTGCTTTGACTACTTGGCTTATTTAACAATCTACAGTACTAGCTAGATGGATAA
 TTGTACAGCCTCTCAATTACTTTAGGTTATGTGGACATAAGCCTGGCGCCGTTTGATTCTGACTCTAATG
 ATATTTAATTTTCAATTCCTAATAGCTCCTTGTCTAGTGTATCCTAGAGGATAGAGAAAAGGTACACTT
 TGAGGATAACCTCAGTTGCATGTACTCAAGCGGTCTTCAGGTAGCATGCATGCCCTCCCTTTAAAGAAAC
 TTAGTTACAGAAAGTTAGGCTGACAAAATAAATACTAGGACATCATGGTTTCATTACAGAATGACTCTC
 TCTTTTAAAGGGATTCCACCACATTTTTGTCTCCTTAGCAAGACCCACTAGCATATTTAAAATATTTATTT
 TAATATATGAATATAAATATACCTCTTTTAGAGATATGTCTGTCAAGTGAAGCACATTATACCTTGA
 CTGGACTAAATGTTTGCCTTATACAGAGCACAAAATGTTTCTTCTCATTCTTTCAATTTTAAAA
 GCCAACAGGGACCAGGGCAGTAAAGAAGAGAAACGGGCATGTGAATGTGGTCAATGGAGTCTATTCTATT
 GACGAATGTTTACATTTTCTCAAATTTTCGAGGAAATATAAAAATATGTTGCCCAACTTCTTTCCA
 ATTTCAAAGGAACATTTTGGCTGGGAATTAGGAAAATTTGTTCTATGTATAACATCTACGAAGATGTT
 TAAACTGTAATTGCATGCCATTTCAAGGAAATGTTCTTTCAGTACAGTGAAGACTGACCTACTCGGGAAT
 ATTTAAATGTACAGGGGTTACATTTTGGTGATAATATTTTATCATTTTGAAAAGTATTCTTAATACAC
 CCCACATTACATTTTAGTAAAATGGTTTCACTTTCTTTAACACCATTAATAGCTATTAGAAGTAAAAA
 AAAAAAAAAAAG

5' Read Nucleotide Sequence:

>OriGene 5' read for AL390150 unedited
 NTTTTCCCGCCCGTTGCCGCATATGGGCGTAGGCGTGTACGGTGGGAAGGTCTATATAA
 GCAGAGCTCGTTTAGTGAACCGTCAGAATTTTGAATACGACTACTATAGGGCGGCCGC
 GAATTCGGCAGGAGGTGAATTTGGTTTTGAAGTACTGTCATTTCTTATGGCCTACTGG
 AAATTTCTGGTGTGTGTTTTTTTTTTTAAATGTTGCATTTCTAAGACTACTGTGCT
 TTTGTATGTATTCATTTAAATTGTCAAAAAGGATGTTGTCAAGATATGCTGAATGAGCCC
 CTTCCCCAGAAATGTTGCCATATTAATGGGATATTAGCCCTTACTGACTTGGAGGTTG
 CATCTTCTCAATCCGGTAATTAGCTGAAGTGCTACATTTTAAAAAATAATTTAAGCTCTT
 TTTTCATTATTTTTTTTCAATTTTTCAGAAGGCAAGTTCAGACACATAGGTTTATACAA
 GATGAAAATATTAGATAAAAAGTGATACATCTGAATTATGTATTTTAAACATTTTACTT
 AAATACCACACATGTCCACATAGCATTATTTATACACATTTTAGTAAAAGTACTGAGGG
 TGCTTGGGGTAGGGTATTCAGTTAGTAACCTGTATCTAAGTTGATACATATCTTCCCTA
 ACCTGTTTACTTGATTGAATTGATTAGGGACTATTAATAAATAAATTTATCTTTGAGAAG
 CAAAGAGTAAACACATATATAACATGGTTCTAGTTCTTGTACTGGACTCATTGAGTCTGT
 AATTTTTACTGAGTCCCTACAAAGCCTTATGCTATGATGGGTGCTACCGAAGATACATCC
 GTAGTTTTGTTTTGGTTTTTGTATTTTTTTGAGACAGAGTCTCACTCTGCTGCC
 CAGCTGGANTGCAGTGG

3' Read Nucleotide Sequence:

>OriGene 3' read for AL390150 unedited
 TTAGAACCGCGCCGAATCTAGATCGAGTTTTTTTTTTTTTTTTTTTACTTCTAATAGCTA
 TTAATGGGTGTTAAAGAAAGTGAACCATTTTACTAAAATGTAATGTGGGGGTGATTAA
 GAATAAGTTTTCAAAATGATAAAATATTATCACCAAAATGTGAACCCCTGTACATTTTAA
 TATCCCGAGTAGGTCAGTCTTCACTGTACTGAAAGAACATTTCCCTGAAATGGCATGCA
 ATTACAGTTTAAACATCTTCGTAGATGTTATACATAGAACGAAATTTCCATTTCCAG
 CCAAAATGTTCCTTTGGAAATGGAAAGGAAAGTGGGGCAACATATTTTTATATTTCCCTC
 GAAAAGTTTGAGAAAATGTGAAACATTCGTCAATAGAATAGACTCCATTGACCACATTCA
 CATGCCGTTTCTTCTTTACTGCCCTGGTCCCTGTTGGCTTTTAAAATTGAAAGAATG
 AATGAGAAAGAAACATTTTGTGCTCTGTATAAGGACAAACATTTAGTCCAGTCAAGGTAT
 GAATGTGCTTCACTTGACAGACATATCTCTAANAAGAGGTATAATTTATATTCATATATT
 AAAATAATATTTTAAATATGCTAGTGGTCTTGCTAANGAGACAAAAATGGTGGTGAATC
 CCCTTAAAGAGAGAGTCATTCTGTAATGAAACCATGATGTCCTAGTATATTTATTTGTC
 AGCCCTAACTTTCCTGAACTAAGTTTTCTTAAAAGGGAGGGCATGCATGCTAACCTGAGA
 CCGCTTGAGTACATGCAACTTGAGTTATCTCCAAGTGTACCTTTTCTCTATTCTCTAG
 AACTCCCTTANACAAGGACCTTTTAGGAATTTAAAATATATATCATTAGGGTCCGAATCA
 AACGGCCCCAGGCTAATGTCCCATACCCTAATTAATTGAAAGGCTGTCAATTTT

Restriction Sites:

NotI-NotI

ACCN:

AL390150

Insert Size:

2750 bp

OTI Disclaimer:

Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [AL390150.1](#)

RefSeq Size: 5332 bp

RefSeq ORF: 5332 bp

Locus ID: 221937

Cytogenetics: 7p22.1

Gene Summary:

Transcriptional regulator involved in different processes such as glucose metabolism, aerobic glycolysis, muscle cell differentiation and autophagy (By similarity). Recognizes and binds the forkhead DNA sequence motif (5'-GTAAACA-3') and can both act as a transcription activator or repressor, depending on the context (PubMed:17670796). Together with FOXK2, acts as a key regulator of metabolic reprogramming towards aerobic glycolysis, a process in which glucose is converted to lactate in the presence of oxygen (By similarity). Acts by promoting expression of enzymes for glycolysis (such as hexokinase-2 (HK2), phosphofructokinase, pyruvate kinase (PKLR) and lactate dehydrogenase), while suppressing further oxidation of pyruvate in the mitochondria by up-regulating pyruvate dehydrogenase kinases PDK1 and PDK4 (By similarity). Probably plays a role in gluconeogenesis during overnight fasting, when lactate from white adipose tissue and muscle is the main substrate (By similarity). Involved in mTORC1-mediated metabolic reprogramming: in response to mTORC1 signaling, translocates into the nucleus and regulates the expression of genes associated with glycolysis and downstream anabolic pathways, such as HIF1A, thereby regulating glucose metabolism (By similarity). Together with FOXK2, acts as a negative regulator of autophagy in skeletal muscle: in response to starvation, enters the nucleus, binds the promoters of autophagy genes and represses their expression, preventing proteolysis of skeletal muscle proteins (By similarity). Acts as a transcriptional regulator of the myogenic progenitor cell population in skeletal muscle (By similarity). Binds to the upstream enhancer region (CCAC box) of myoglobin (MB) gene, regulating the myogenic progenitor cell population (By similarity). Promotes muscle progenitor cell proliferation by repressing the transcriptional activity of FOXO4, thereby inhibiting myogenic differentiation (By similarity). Involved in remodeling processes of adult muscles that occur in response to physiological stimuli (By similarity). Required to correct temporal orchestration of molecular and cellular events necessary for muscle repair (By similarity). Represses myogenic differentiation by inhibiting MEFC activity (By similarity). Positively regulates Wnt/beta-catenin signaling by translocating DVL into the nucleus (PubMed:25805136). Reduces virus replication, probably by binding the interferon stimulated response element (ISRE) to promote antiviral gene expression (PubMed:25852164). [UniProtKB/Swiss-Prot Function]