

Product datasheet for **SC106135**

Axin 2 (AXIN2) (BC006295) Human Untagged Clone

Product data:


| | |
|---------------------------|--|
| Product Type: | Expression Plasmids |
| Product Name: | Axin 2 (AXIN2) (BC006295) Human Untagged Clone |
| Tag: | Tag Free |
| Symbol: | AXIN2 |
| Synonyms: | AXIL; axin 2; conductin; DKFZp781B0869; MGC10366; MGC126582 |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-Entry (PS100001) |
| E. coli Selection: | Kanamycin (25 ug/mL) |
| Fully Sequenced ORF: | >SC106135 representing BC006295. Blue=Insert sequence Red=Cloning site Green=Tag(s) |

```
GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGAGTAGCGCTATGTTGGTGACTTGCCTCCCGGACCCAGCAGCAGCTTCCGTGAGGATGCCCCGCGG
CCCCAGTGCCAGGGGAAGAAGGGGAGACCCACCGTGTGAGCCAGGGGTGGCAAGGGCCAGGTCACC
AAACCCATGCCTGTCTCTTCCAACACCAGGCGGAACGAAGATGGGTTGGGGAGCCGAGGGGGGGCA
TCTCCGGATTCCCTCTGACCCGGTGGACCAAGTCCTTACACTCCTTATTGGCGATCAAGACGGTGCT
TACCTGTTCCGAACCTTCTGGAGAGGGAGAAATGCGTGGATACCTTAGACTTCTGGTTTGCCTGCAAT
GGATTCAGGCAGATGAACCTGAAGGATACAAAACCTTACGAGTAGCCAATGACTTTTGCATGACATT
TTGTTCTACTTATACTGTAATTATGCATTATAAAGAGTTCATTAAGGAAAATTACTTGGTACAATAA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGCGC
```

Restriction Sites: Sgfl-Mlul



[View online »](#)

Plasmid Map:


ACCN: BC006295

Insert Size: 483 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [BC006295.2](#)

RefSeq Size: 1041 bp

| | |
|-------------------|--|
| RefSeq ORF: | 483 bp |
| Locus ID: | 8313 |
| Cytogenetics: | 17q24.1 |
| Protein Families: | Druggable Genome, ES Cell Differentiation/IPS, Induced pluripotent stem cells |
| Protein Pathways: | Basal cell carcinoma, Colorectal cancer, Endometrial cancer, Pathways in cancer, Wnt signaling pathway |
| MW: | 18 kDa |
| Gene Summary: | <p>The Axin-related protein, Axin2, presumably plays an important role in the regulation of the stability of beta-catenin in the Wnt signaling pathway, like its rodent homologs, mouse conductin/rat axil. In mouse, conductin organizes a multiprotein complex of APC (adenomatous polyposis of the colon), beta-catenin, glycogen synthase kinase 3-beta, and conductin, which leads to the degradation of beta-catenin. Apparently, the deregulation of beta-catenin is an important event in the genesis of a number of malignancies. The AXIN2 gene has been mapped to 17q23-q24, a region that shows frequent loss of heterozygosity in breast cancer, neuroblastoma, and other tumors. Mutations in this gene have been associated with colorectal cancer with defective mismatch repair. [provided by RefSeq, Jul 2008]</p> |