

Product datasheet for **SC106183**

CCDC25 (BC006239) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	CCDC25 (BC006239) Human Untagged Clone
Tag:	Tag Free
Symbol:	CCDC25
Synonyms:	coiled-coil domain containing 25; FLJ10853
Vector:	<u>pCMV6-XL6</u>
E. coli Selection:	Ampicillin (100 ug/mL)
Cell Selection:	None
Fully Sequenced ORF:	>NCBI ORF sequence for BC006239, the custom clone sequence may differ by one or more nucleotides

```
TGCTGCTCCGCGGTGGAGTCACCGCACCGCTCCCGGGATCATGGTGTCTACTTCACCAGCAGCAGCGTT
AATTCATCTGCCTACACTATTTACATGGGAAAAGATAAATATGAAAGCTGAGGCGAGAGGATCACTTGAG
CCCAGGAGTTCGAGACCTGCCTGAGCAACATAGGGAGACCCTGTCTCTACAAAAACAACAATAAAAGAA
AATATTAGCTGGGCATAGTGACACACACCTGTTGCTCCTTGCTACTCTGGAGGCTGAGGCAGGAAGATCGC
TTGAGCCTGGGAGGTAGGCTGCAGTGAGCTGTGATCATGCCACTGCATTCCAGCTTAAGAGACAGCGAGA
ATCTGTTGTCTGAAATGAAGATCTGATCAAGCATGGCTGGCCTGAAGATATCTGGTTTCATGTGGACAAA
CTCTCTTCGGCTCATGTATACCTTCGATTACATAAGGGAGAGAATATAGAAGACATCCCAAGGAAGTGC
TGATGGACTGTGCCACCTTGTGAAGGCCAATAGCATTCAAGGCTGCAAGATGAACAACGTTAATGTGGT
ATATACGCCGTGGTCTAACCTGAAGAAAACAGCTGACATGGATGTGGGCGAGATAGGCTTTCACAGGCAG
AAGGATGTAAAAATTGTGACAGTGGAGAAGAAAGTAAATGAGATCCTGAACCGATTAGAAAAGACCAAAG
TCGAGCGGTTCCAGACCTAGCAGCAGAGAAAGAATGCAGAGATCGTGAAGAGAGGAATGAGAAAAAAGC
CCAAATTCAGGAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
```



[View online »](#)

5' Read Nucleotide Sequence:	>OriGene 5' read for BC006239 unedited NTCATATCCCCCGCCCGTTGNCGCAAAGGGCGGTAGGCGTGACGGTGGGAGGTCTATAT AAGCAGAGCTCATTTAGGTGACACTATAGAATACAAGCTACTTGTCTTTTTGCAGCGGC CGCGAATTCGGCACGAGGCGTGAGTTGAGCGCTGCTGCTCCGCGTGGAGTCACCGCACC GCTCCCGGGATCATGGTGTCTACTTCACCAGCAGCAGCGTTAATTCATCTGCCTACACT ATTTACATGGGAAAAGATAAATATGAAAATGAAGATCTGATCAAGCATGGCTGGCCTGAA GATATCTGGTTTTCATGTGGACAACTCTCTTCGGCTCATGTATACCTTCGATTACATAAG GGAGAGAATATAGAAGACATCCCAAAGGAAGTGCTGATGGACTGTGCCACCTTGTGAAG GCCAATAGCATTCAAGGCTGCAAGATGAACAACGTTAATGTGGTATATACGCCGTGGTCT AACCTGAAGAAAACAGCTGACATGGATGTGGGCGAGATAGGCTTTCACAGGCAGAAGGAT GTAAAAATTTGACAGTGGAGAAGAAAGTAAATGAGATCCTGAACCGATTAGAAAAGACC AAAGTCGAGCGGTTCCAGACCTAGCAGCAGAGAAAGAATGCAGAGATCGTGAAGAGAGG AATGAGAAAAAGCCCAAATTCAGGAAATGAANAAGAGAGAAAAAGAAGAAATGAAGAAG AAGAGGGAAATGGATGAACTTAGGAGCTATTCATCACTAATGAAAGTTGAAAATATGTCT TCAAATCAGGATGNNCATGATTGAGATGAATTCATGTANAGGGAGAAAAGGNAGAAAGG ACCTTTNGAAGATGTGAATGTAGAGACATTGCAGACCTTTTGGTTNCATCTGTGTCTGAG TATAAATACCCCAAATCTACCTA
Restriction Sites:	NotI-NotI
ACCN:	BC006239
Insert Size:	4000 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	BC006239.1
RefSeq Size:	816 bp
RefSeq ORF:	423 bp
Locus ID:	55246
Cytogenetics:	8p21.1

Gene Summary:

Transmembrane receptor that senses neutrophil extracellular traps (NETs) and triggers the ILK-PARVB pathway to enhance cell motility (PubMed:32528174). NETs are mainly composed of DNA fibers and are released by neutrophils to bind pathogens during inflammation (PubMed:32528174). Formation of NETs is also associated with cancer metastasis, NET-DNA acting as a chemotactic factor to attract cancer cells (PubMed:32528174). Specifically binds NETs on its extracellular region, in particular the 8-OHdG-enriched DNA present in NETs, and recruits ILK, initiating the ILK-PARVB cascade to induce cytoskeleton rearrangement and directional migration of cells (PubMed:32528174). In the context of cancer, promotes cancer metastasis by sensing NETs and promoting migration of tumor cells (PubMed:32528174). [UniProtKB/Swiss-Prot Function]