

## Product datasheet for **SC108871**

### **UFL1 (NM\_015323) Human Untagged Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	UFL1 (NM_015323) Human Untagged Clone
Tag:	Tag Free
Symbol:	UFL1
Synonyms:	KIAA0776; Maxer; NLBP; RCAD
Vector:	<u>pCMV6-XL4</u>
E. coli Selection:	Ampicillin (100 ug/mL)
Cell Selection:	None



[View online »](#)

**Fully Sequenced ORF:** >NCBI ORF sequence for NM\_015323, the custom clone sequence may differ by one or more nucleotides

```
ATGGCGGACGCCTGGGAAGAGATTAGCGGTTGGCGGCCGACTTCCAGCGGGCGCAGTTCGCCGAGGCCA
CGCAGAGGTTGTCCGAGCGGAACACTGCATTGAGATTGTTAATAAATGATTGCTCAGAAACAGCTAGAAGT
AGTTCATACACTCGATGGAAAGGAATATATTACTCCAGCCAAATAGTAAAGAAATGAGAGATGAGCTA
CATGTCCGAGGTGGTCGAGTAAACATTGTTGATCTACAACAGGTAATTAATGTGGACCTGATTCATTG
AAAATAGAATTGGTGACATTATTAATCAGAAAAGCATGTTCAAGTTAGTGTGGGACAACACTGATAGATGA
GAATTATTTGGATCGGTTGGCAGAAGAGGTCAATGATAAATTGCAAGAAAGTGGTCAGGTCACCATATCA
GAACTGTGTA AAACTTATGATCTTCTGGGAACCTTCTGACACAGGCACTAACTCAGCGACTTGGTAGAA
TTATCAGTGGACATATTGATCTTGATAATAGAGGAGTAATTTTTACGGAAGCTTTTGTAGCTCGACATAA
AGCACGTATCCGTGGACTATTCAGTGCTATTACCCGGCCTACAGCTGTGAATCTTTGATTTCAAATAT
GGATTTCAGGAGCAGCTCTTTACTCTGTGCTTGAGGAACTTGTTAATAGCGGACGCTTACGAGGCACTG
TGTTGGTGGGAGACAGGATAAAGCTGTGTTTGTCCCTGCATCTACTCCAGGACACAGAGTACTGGGT
GGATTCCTTTTTCAGGCAGAATGGCTATCTAGAATTTGATGCTTTGTCCAGACTTGAATCCCAGATGCT
GTAAGCTACATAAAGAAAAGATATAAGACTACACAACCTTTGTTTTGAAAGCAGCTTGTGTTGGTCAAG
GACTTGTGGATCAAGTGGAAAGCATCAGTAGAAGAAGCCATCAGCTCTGGAACATGGGTTGATATGCACC
TCTGCTACCCACTTCTTTATCAGTTGAAGATGCTGCCATATTGCTTCAGCAGGTGATGAGGGCATTACAGC
AAACAGGCCTCAACTGTAGTCTTTAGCGCACTGTTGTAGTCAGTGAAAAATTTATAAATGACTGTACAG
AACTGTTCCGTGAGCTGATGCACCAGAAAGCTGAAAAGGAAATGAAAAATAACTGTGCATTTAATCAC
TGAAGAAGATCTGAAACAAATCTCCACTTAGAAAAGCGTTAGTACAAGTAAAAAGGATAAAAAAGATGAG
CGAAGAAGGAAAGCAACAGAGGGCAGTGGAAAGCATGAGAGGAGGAGGTGGGGCAATGCCAGAGAGTACA
AAATTA AAAAAGTCAAGAAGAAAGGAAGAAAGATGATGATAGTATGATGAATCTCAATCATCCCACAC
TGGAAAGAAGAAGCCAGAGATCAGTTTTATGTTCCAGGATGAGATTGAAGATTTTTTAAGAAAACACATA
CAAGATGCCCTGAGGAGTTTATTTGGAACCTGCTGAGTACTTAATAAAACCTCTTAATAAAACTTATC
TCGAGGTGGTACGTTTCAATCATGTCTTCAACAACCTTCTGCTTCTGGGACGGGACAGAAAACGCACAAT
CAAGGACTTGCAAGAAGAAGTTTCAAACCTGTACAATAACATTAGGTTATTTGAAAAGGGATGAAGTTT
TTTGCAGATGACACACAGGCTGCTTACCAAACACTTGTGAAGTCAGTGTGACTGATATCACTAACC
TCATTTTCAACTTCTTAGCTTCGGATTTAATGATGGCAGTAGACGATCCTGCAGCCATTACAAGTGAAT
AAGAAAGAAAATTTAAGTAAATATCAGAAGAAACAAAGTAGCTTTACAAAACCTCCATAACTCTCTG
AATGAAAAGAGCATAGAAGACTTTATTTCTGTCTGGATTCTGCAGCAGAAGCTTGTGATATTATGGTGA
AAAGGGGAGACAAAAAAGGAAAGACAGATACTGTTCCAACATCGACAAGCACTGGCTGAACAGCTAAA
GGTCACAGAAGACCCTGCTCTTATTCTGCACCTCACATCAGTCTGTTGTTTCAGTTTTCAACCCACAGC
ATGCTCCATGCACCTGGAAGATGTGCCCACAGATCATTGCTTTTCTTAATAGTAAAATTCAGAGGATC
AGCATGCTCTTTTGGTAAAGTATCAAGGTTTGGTTGTAAGCAGCTAGTCAGTCAAAGTAAAGAACTGG
GCAGGGAGATTATCCCTTGAATAATGAATTAGACAAAGAACAAGAAGATGTTGCCAGTACTACTCGTAAA
GAGCTTCAAGAACTTTCTTCATCCATTAAGACCTTGTCTCAAATCTAGGAAATCATCTGTGACGGAAG
AGTAA
```

<b>5' Read Nucleotide Sequence:</b>	>OriGene 5' read for NM_015323 unedited GGGTCAACATTTGTATACGACTCACTATAGGCGGCCGGAATTCGCACGAGGCGCGTCTA CTGCGAGTCAGGCCGTGATGGCGGACGCCTGGGAAGAGATAGGCGGTTGGCGCCGACTT CCAGCGGGCGCAGTTCGCCGAGGCCACGCAGAGGTTGCCGAGCGGAAGTGCATTGAGAT TGTTAATAAATTGATTGCTCAGAAACAGCTAGAAGTAGTTCATACTCGATGGAAGGA ATATATTACTCCAGCCAAATTAGTAAAGAAATGAGAGATGAGCTACATGTCCGAGGTGG TCGAGTAAACATTGTTGATCTACAACAGTAATTAATGTGGACCTGATTATATTGAAAA TAGAATTGGTGACATTATTAATCAGAAAAGCATGTTTCAGTTAGTGTGGACAAGTGTG AGATGAGAATTATTTGGATCGGTTGGCAGAAGAGGTCAATGATAAATTGCAAGAAAGTGG TCAGGTACCATATCAGAACTGTGTAACCTTATGATCTTCTGGGAAGTCTTCTGACACA GGCACTAACTCAGCGACTTGGTAGAATTATCAGTGGACATATTGATCTTGATAATAGAGG AGTAATTTTTACGGAAGCTTTTGTAGCTCGACATAAAGCACGTATCCGTGGACTATTCAG TGCTATTACCCGGCTACAGCTGTGAATCTTTGATTTCAAATATGGATTTCCAGGACGA GCTTCTTACTCTGTGCTTGNAGAACTTGTAATAGCGGACGCTTACGANGCACTGTGGT TGGTGGGAGACAGGATAAAGCTGTGTTTGTCCCTGACATCTACTCCAGGACACAGAGTAC TTTGGTGGATTCTTTNTCANGCAGAATGGCTATCTAGAATTGATGCTTTGTCCAGACTT GGAATCCAGATGCTGTTAGCTACATAAAGAAAGATATAGACTA
<b>Restriction Sites:</b>	NotI-NotI
<b>ACCN:</b>	NM_015323
<b>Insert Size:</b>	4500 bp
<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<a href="#">NM_015323.2</a> , <a href="#">NP_056138.1</a>
<b>RefSeq Size:</b>	4208 bp
<b>RefSeq ORF:</b>	2385 bp
<b>Locus ID:</b>	23376
<b>UniProt ID:</b>	<a href="#">O94874</a>
<b>Cytogenetics:</b>	6q16.1

**Gene Summary:**

E3 protein ligase that mediates ufmylation, the covalent attachment of the ubiquitin-like modifier UFM1 to substrate proteins, a post-translational modification on lysine residues of proteins that may play a crucial role in a number of cellular processes. Mediates DDRGK1 ufmylation and may regulate the proteasomal degradation of DDRGK1 and CDK5RAP3 thereby modulating NF-kappa-B signaling (PubMed:20018847, PubMed:20164180, PubMed:20228063, PubMed:25219498). May also play a role in nuclear receptor-mediated transcription through TRIP4 ufmylation (PubMed:25219498). May play a role in the unfolded protein response, mediating the ufmylation of multiple proteins in response to endoplasmic reticulum stress (PubMed:23152784). Anchors CDK5RAP3 in the cytoplasm, preventing its translocation to the nucleus which allows expression of the CCND1 cyclin and progression of cells through the G1/S transition (PubMed:20531390).[UniProtKB/Swiss-Prot Function]