

Product datasheet for **SC109641**

PSMA3 (NM_152132) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PSMA3 (NM_152132) Human Untagged Clone
Tag:	Tag Free
Symbol:	PSMA3
Synonyms:	HC8; PSC3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC (PS100020)
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>NCBI ORF sequence for NM_152132, the custom clone sequence may differ by one or more nucleotides

ATGAGCTCAATCGGCACTGGGTATGACCTGTCAGCCTCTACATTCTCTCCTGACGGAAGAGTTTTCAAG
 TTGAATATGCTATGAAGGCTGTGAAAATAGTAGTACAGCTATTGGAATCAGATGCAAAGATGGTGTGT
 CTTTGGGGTAGAAAAATTAGTCCTTTCTAACTTTATGAAGAAGTTCCAACAAAAGACTTTTTAATGTT
 GATCGGCATGTTGGAATGGCAGTAGCAGGTTTGTGGCAGATGCTCGTTCTTAGCAGACATAGCAAGAG
 AAGAAGCTTCCAACCTCAGATCTAAGTTGGCTACAACATTCCACTAAAACATCTGCAGACAGAGTGGC
 CATGTATGTGCATGCATATACACTCTACAGTGCTGTAGACCTTTGGCTGCAGTGTGAATGACGGTGCG
 CAACTCTACATGATTGACCCATCAGGTGTTTCATACGGTTATTGGGGCTGTGCCATCGGCAAAGCCAGGC
 AAGCTGCAAAGACGGAATAGAGAAGCTTCAGATGAAAGAAATGACCTGCCGTGATATCGTTAAAGAAGT
 TGCAAAAATAATTTACATAGTACATGACGAAGTTAAGGATAAAGCTTTTGAAGTGAAGTCAAGTGGGT
 GGTGAATTAATAATGGAAGACATGAAATTGTTCCAAAAGATATAAGAGAAGAAGCAGAGAAATATGCTA
 AGGAATCTCTGAAGGAAGAAGATGAATCAGATGATGATAATATGTAA

Restriction Sites:	Please inquire
ACCN:	NM_152132
Insert Size:	900 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).


[View online »](#)

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_152132.1, NP_687033.1</u>
RefSeq Size:	938 bp
RefSeq ORF:	747 bp
Locus ID:	5684
UniProt ID:	<u>P25788</u>
Cytogenetics:	14q23.1
Domains:	proteasome
Protein Families:	Druggable Genome, Protease, Stem cell - Pluripotency
Protein Pathways:	Proteasome
Gene Summary:	<p>The proteasome is a multicatalytic proteinase complex with a highly ordered ring-shaped 20S core structure. The core structure is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. This gene encodes a member of the peptidase T1A family, that is a 20S core alpha subunit. Two alternative transcripts encoding different isoforms have been identified. [provided by RefSeq, Jul 2008]</p> <p>Transcript Variant: This variant (2) uses an alternate in-frame splice site in the coding region, compared to variant 1, resulting in a shorter protein (isoform 2).</p>