

## Product datasheet for **SC110320**

### **PATZ1 (NM\_014323) Human Untagged Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	PATZ1 (NM_014323) Human Untagged Clone
Tag:	Tag Free
Symbol:	PATZ1
Synonyms:	dj400N23; MAZR; PATZ; RIAZ; ZBTB19; ZNF278; ZSG
Mammalian Cell Selection:	None
Vector:	<u><a href="#">pCMV6-XL5</a></u>
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**Fully Sequenced ORF:** >NCBI ORF sequence for NM\_014323, the custom clone sequence may differ by one or more nucleotides

```
ATGGAGCGGGTGAACGACGCTTCGTGCGGCCCGTCTGGCTGCTACACATACCAGGTGAGCAGACACAGCA
CGGAGATGCTGCACAACCTGAACCAGCAGCGCAAAAACGGCGGGCGCTTCTGCGACGTGCTTTCGGGT
AGGCGACGAGAGCTTCCCAGCGCACCCGCGCTGCTGGCCGCTGCAGCGAGTACTTTGAGTCGGTGTTT
AGCGCCAGTTGGGCGACGGCGGAGCTGCGGACGGGGTCCGGCTGATGTAGGGGCGCGACGGCAGCAC
CAGGCGCGGGGCCGGGGCAGCCGGGAGCTGGAGATGCACACTATCAGCTCCAAGGTATTTGGGGACAT
TCTGGACTTCGCCTACACTTCCCGCATCGTGGTGCCTTGGAGAGCTTCCCGAAGTCAAGCAGCGCCG
AAGTTCCTGCTGATGAGGTGCGTTATCGAGATCTGCCAGGAAGTCATCAAACAGTCCAACGTACAGATCC
TGGTACCCCTGCCCGCGCCGATATAATGCTCTTTCGCCCCCTGGGACCTCGGACTTGGGCTTCCCTTT
GGACATGACCAACGGGGCAGCCTTGGCAGCCAACAGCAATGGCATCGCCGGCAGCATGCAGCCAGAGGAG
GAGGCAGCTCGGGCGGCTGGTGCAGCCATTGCAGGCCAAGCCTCTTTCCTGTGTACCTGGGGTGGACC
GCTTGCCCATGGTGGCTGGACCCCTATCCCCCAACTGCTGACTTCCCCATTCCCAGTGTGGCATCCAG
TGCCCTCCCCTGACTGGCAAGCGAGGCCGGGGCCGCCAAGGAAGGCCAACCTGCTGGACTCAATGTTT
GGTCCCCAGGGGCGCTGAGGGAGGCAGGCATCCTTCCATGCGGTCTATGTGGTAAAGGTGTTCACTGATG
CCAACCGGCTCCGGCAGCACGAGGCCAGCAGGTGTCACCAGCCTCCAGCTGGGCTACATCGACCTTCC
TCCTCCGAGGCTGGGTGAGAATGGGCTACCCATCTCTGAAGACCCGACGGCCCCGAAAGAGGAGCCGG
ACCAGGAAGCAGGTGGCTTGTGAGATCTGCGGCAAGATCTTCCGTGATGTGTATCATCTTAACGGCACA
AGCTGTCCACTCTGGGGAGAAGCCCTACTCTGCCCTGTGTGTGGTTGCGGTTCAAGAGAAAAGACCG
CATGTCTACCATGTGCGGTCCCATGATGGTCCGTGGGCAAGCCTTACATCTGCCAGAGCTGTGGGAAA
GGTTCTCCAGGCTGATCACTTGAACGGACATATCAAGCAGGTGCACACTTCTGAGCGGCCTCACAAGT
GTCAGACCTGCAATGCTTCTTTGCCACCCGAGACCGTCTGCGCTCCACCTGGCCTGCATGAAGACAA
GGTGCCCTGCCAGGTGTGTGGGAAGTACTTGGGGCAGCATAACATGGCAGACCACCTGAAGAAGCACAGC
GAGGGGCCAGCAACTTCTGCAGTATCTGTAACCGAGGTTTCTCCTCTGCCTCCTACTTAAAGTCCATG
TTAAAACCCACCACGGTGTTCCTTCCCAGTCTCCAGGCACCAGGAGCCATCCTGAATGGGGGAGC
AGGTTTCCACTGCGCCAGGACCTATGGCAACAAAGAAGGCCAGAAATGCTCACATCAGGATCCGATTGAG
AGCTCTGACTCCTATGGTACCTCTCAGATGCCAGCGACCTGAAGACGCCAGAGAAGCAGAGTGCCAATG
GCTTTTCTCCTGCGACATGGCAGTCCCCAAAAACAAAATGGAGTCTGATGGGGAGAAGAAGTACCCATG
CCCTGAATGTGGGAGCTTCTCCGCTCTAAGTCTACTTGAACAACACATCCAGAAGGTGCATGTCCGG
GCTCTCGGGGGCCCCCTGGGGGACCTGGGCCCTGCCCTTGGCTCACCTTCTCCTCAGCAGAACATGT
CTCTCCTCGAGTCTTTGGGTTTCAGATTGTTTCAGTCGGCATTGCGTCATCTTTAGTAGATCCTGAGGT
TGACCAGCAGCCCATGGGGCCTGAAGGAAATGA
```

<b>5' Read Nucleotide Sequence:</b>	<p>&gt;OriGene 5' read for NM_014323 unedited  GTTTCNGATTTGTATACGACTCACTATAGGCGGCCGCAATTCGCACGAGGGTACACTCGG  CGCACCTGCGAGACTACAGAGCCTCGGGCCGGCACGTGTGGGAGTGTGGACACGTCTGC  TGCGCCCCGCTTCTCGTGTGAGGGGAAGGGAGGGGGCGGGCAGGTGCAGCGGCCGGGC  TAGTGGGAGGGGGCGGGCCATGGAGCGGGTGAACGACGCTTCGTGCGGCCCGTCTGGC  TGCTACACATACCAGGTGAGCAGACACAGCAGGAGATGCTGCACAACCTGAACCAGCAG  CGCAAAAACGGCGGGCGCTTCTGCGACGTGCTCTTGCGGGTAGGGCAGCAGAGACTTCCCA  GCGCACCGCACCGTGTGCTGGCCCGCTGCAGCGAGTACTTTGAGTCGGTGTTCAGCGCCAG  TTGGGCGACGGCGGAGCTGCGGACGGGGTCCGGCTGATGTAGGGGGCGGACGGCAGCA  CCAGGCGATGGGGCCGGGGCAGCCGGGAGCTGGAGATGCACACTATCAGCTCCAAGGTA  TTTGGGACATTCTGGACTTCGCTACACTTCCCGCATCGTGGTGCCTTGGAGAGCTTT  CCCGAACTCATGACGGCCCAAGTTCCTGCTGATGAGGTCGGTTATCGAGATCTGCCAG  GAAGTCATCAAACAGTCCAACGTACAGATCCTGGTACCCCTGCCCGCGCCGATAAATG  CTCTTCGCCCCCTGGACCTCCGACTTGGGCTTCCCTTTGGACATGACCAACGGNGCA  GCCTTGGCAGCCAACAGCAATGGCATCGNCGGCAGCATGCCACCAAGAAGGAGCAGCTC  TGGCGGCTGGTGAGCCATTNGCAGCCAAGCCTCTTGCCTGTGTACCTGGGGTGGNAC  CGCTTGCCCATGTGGCTGGACCCCTT</p>
<b>3' Read Nucleotide Sequence:</b>	<p>&gt;OriGene 3' read for NM_014323 unedited  TGTAACGCAGGCACGCACTTCTATATCGAGTTTTTTTTTTTTTTTTTTTTAGAGTAATGTAC  TAACATTTTTAATACAGTCTGATCAGATCAATTCACATCACAAAGGTCAACCTGGGCTTGC  TCACATGTGACACAACACTGAGGTACACAATGTCCCTACCTGCCGGTGTCCCACCTTCTGT  GTTCCCAACAGCATTGAAACCCCTACTTCCCTGACCAGACTGGCATTTTTTAAAAATTTT  GCATAAACTATTTCTCCATAGACTTCAAACAATCAACTAGCCAAGTTAATTATGGTAC  ATCTAAACAAAGTTAATACTAACCCCTAATGTGTGACTGCGGTTTACAAAGAGCTCTGTA  TCACCTGGGATAGCTTTTCACTAGCAATTCACATAACTGGTCCTAAAAATAATAACAAT  AATAATAAATTAGAGAATTAACCCCAACAGCATGTTGAATGGTTAAATCACGTAAG  AACTGAAATTTGGGGTGGGGTGTCTCAACAGCTGAGCTTGTCTATCAGTGAAATGC  TCGCCTCCAAGCAGGGCTCATAAAGTCTGGAGCCCTCCAGGCAGAGGGCTGAGCTCAGG  GGGCTCTTGGAGACACTCACCCATGGTCCATGGGATGCTTCTGGCTTCCCTATAAACA  GTTGGGCATCCGCATTGTATAAGTAGGTGGAGACCCCTAGTGTGGCTTTTTGAAGGATAT  GGGAAGGGAGGATGACGAACTANAGAAGTGGGAGGCGACCAATAATCACTGAGTCCCGAG  ATATCATAGATTTGGGTATAGGATTGGNGTCACTAAGAATTGAGCACCAGNAATCCAGC  TTNCTTCCATTAAGAAGTGGGACTGGNTCTGCCTAGGAGCCTATGTAGAGGNTCTGCC  CCTGTNCCATACAAGTCTCATGNTATTCTGCAGATATCAGATGAAATCTATTCTAAAAC  ATCGGANAATGCGGAAGATGNCCNCCCCNCCCCNCCNCCCCNCCCCNCCCCNCCCCNCCN</p>
<b>Restriction Sites:</b>	NotI-NotI
<b>ACCN:</b>	NM_014323
<b>Insert Size:</b>	3460 bp
<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_014323.2](#), [NP\\_055138.2](#)

**RefSeq Size:** 3812 bp

**RefSeq ORF:** 2064 bp

**Locus ID:** 23598

**UniProt ID:** [Q9HBE1](#)

**Cytogenetics:** 22q12.2

**Domains:** BTB, AT\_hook, zf-C2H2

**Protein Families:** Transcription Factors

**Gene Summary:** The protein encoded by this gene contains an A-T hook DNA binding motif which usually binds to other DNA binding structures to play an important role in chromatin modeling and transcription regulation. Its Poz domain is thought to function as a site for protein-protein interaction and is required for transcriptional repression, and the zinc-fingers comprise the DNA binding domain. Since the encoded protein has typical features of a transcription factor, it is postulated to be a repressor of gene expression. In small round cell sarcoma, this gene is fused to EWS by a small inversion of 22q, then the hybrid is thought to be translocated (t(1;22)(p36.1;q12). The rearrangement of chromosome 22 involves intron 8 of EWS and exon 1 of this gene creating a chimeric sequence containing the transactivation domain of EWS fused to zinc finger domain of this protein. This is a distinct example of an intra-chromosomal rearrangement of chromosome 22. Four alternatively spliced transcript variants are described for this gene. [provided by RefSeq, Jul 2008]  
Transcript Variant: This variant (1) represents the longest transcript and encodes the longest isoform (long C isoform).