

Product datasheet for **SC110878**

EGFR (NM_005228) Human Untagged Clone

Product data:

Product Type: Expression Plasmids
Product Name: EGFR (NM_005228) Human Untagged Clone
Tag: Tag Free
Symbol: EGFR
Synonyms: ERBB; ERBB1; ERRP; HER1; mENA; NISBD2; PIG61
Vector: pCMV6-XL4
E. coli Selection: Ampicillin (100 ug/mL)
Cell Selection: None
Fully Sequenced ORF: >OriGene ORF sequence for NM_005228 edited

```

ATGCGACCCTCCGGGACGGCCGGGCAGCGCTCCTGGCGCTGCTGGCTGCGCTCTGCCCC
GCGAGTCGGGCTCTGAGGAAAAGAAAGTTTGCCAAGGCACGAGTAACAAGCTCACGCAG
TTGGGCACTTTTGAAGATCATTTTCTCAGCCTCCAGAGGATGTTCAATAACTGTGAGGTG
GTCCTTGGGAATTTGAAATTACCTATGTGCAGAGGAATTATGATCTTTCCTTCTAAAG
ACCATCCAGGAGGTGGCTGTTATGTCCTCATTGCCCTCAACACAGTGGAGCGAATTCTT
TTGAAAACCTGCAGATCATCAGAGGAAATATGTAACGAAAATTCCTATGCCTTAGCA
GTCTTATCTAACTATGATGCAAAATAAACCCGACTGAAGGAGCTGCCCATGAGAAATTA
CAGGAAATCCTGCATGGCGCCGTGCGGTTCCAGCAACAACCTGCCCTGTGCAACGTGGAG
AGCATCCAGTGGCGGGACATAGTCAGCAGTGACTTTCAGCAACATGTGATGGACTTC
CAGAACCACCTGGGCAGCTGCCAAAAGTGATCCAAGCTGTCCCAATGGGAGCTGCTGG
GGTGCAGGAGAGGAGAAGTCCAGAAAAGTACCAAAATCATCTGTGCCAGCAGTGTCTCC
GGGCGCTGCCGTGGCAAGTCCCCAGTACTGCTGCCACAACAGTGTGCTGCAGGCTGC
ACAGGCCCCCGGAGAGCGACTGCCTGGTCTGCCGCAATTCGAGACGAAGCCACGTGC
AAGGACACCTGCCCCCACTCATGCTCTACAACCCACCACGTACCAGATGGATGTGAAC
CCCGAGGGCAAAATACAGCTTTGGTGCCACCTGCGTGAAGAAGTGTCCCGTAATTATGTG
GTGACAGATCACGGCTCGTCCGAGCCTGTGGGCGCAGAGCTATGAGATGGAGGAA
GACGGCTCCGCAAGTGTAAAGAGTGCAGAGGGCCTTGCCGCAAGTGTGTAAACGAATA
GGTATTGGTGAATTTAAAGACTCACTCTCCATAAATGCTACGAATATTAACACTTCAAA
AACTGCACCTCCATCAGTGGCGATCTCCACATCCTGCCGGTGGCATTAGGGGTGACTCC
TTCACACATACTCCTCTGGATCCACAGGAACTGGATATTCTGAAAACCGTAAAGGAA
ATCACAGGTTTTTGTGATTAGGCTTGGCTGAAAACAGGACGGACCTCCATGCCTTT
GAGAACCTAGAAATCATACGCGGCAGGACCAAGCAACATGGTCAGTTTTCTTTGCAGTC
GTCAGCCTGAACATAACATCCTTGGGATTACGCTCCCTCAAGGAGATAAGTATGGAGAT
GTGATAATTTAGGAAACAAAAATTTGTGCTATGCAAAACAATAAACTGAAAAAACTG
TTTGGGACCTCCGGTCCAGAAAACAAAAATATAAGCAACAGAGGTGAAAACAGCTGCAAG
GCCACAGGCCAGGTCTGCCATGCCTTGTGCTCCCCGAGGGCTGCTGGGGCCCGGAGCCC
AAGGACTGCGTCTTGGCCGAATGTCAGCCGAGGCAGGGAATGCGTGGACAAGTGAAC

```



[View online »](#)

```

CTTCTGGAGGGTGAGCCAAGGGAGTTTGTGGAGAACTCTGAGTGCATACAGTGCCACCCA
GAGTGCCTGCCTCAGGCCATGAACATCACCTGCACAGGACGGGGACCAGACAAGTGTATC
CAGTGTGCCCACTACATTGACGGCCCCACTGCGTCAAGACCTGCCCCGGCAGGAGTCATG
GGAGAAAACAACACCCTGGTCTGGAAGTACGCAGACGCCGGCCATGTGTGCCACCTGTGC
CATCCAACTGCACCTACGGATGCACAGGGCCAGGTCTTGAAGGTGTCCAACGAATGGG
CCTAAGATCCCGTCCATCGCCACTGGGATGGTGGGGCCCTCCTTTGCTGTGTGGTGGT
GCCCTGGGGATCGGCCTTTCATGCGAAGGCCACATCGTTCCGAAGCGCACGCTGCGG
AGGCTGCTGCAGGAGAGGGAGCTTGTGGAGCCTTTACACCCAGTGGAGAAGCTCCCAAC
CAAGCTCTCTTGAGGATCTTGAAGGAACTGAATTCAAAAAGATCAAAGTCTGGCTCC
GGTGCCTCGGCACGGTGTATAAGGGACTCTGGATCCCAGAAGGTGAGAAAAGTTAAAATT
CCCGTGCCTATCAAGGAATTAAGAGAAGCAACATCTCCGAAAGCCAACAAGGAAATCCTC
GATGAAGCCTACGTGATGGCCAGCGTGGACAACCCCCACGTGTGCCGCTGCTGGGCATC
TGCTCACCTCCACCGTGCAGCTCATCACGCAGCTCATGCCCTTCGGCTGCCTCCTGGAC
TATGTCCGGGAACACAAGACAATATTGGCTCCAGTACCTGCTCAACTGGTGTGTGCAG
ATCGCAAAGGGCATGAACTACTTGGAGGACCGTGCCTTGGTGCACCGGACCTGGCAGCC
AGGAACGTACTGGTGAACACCCGACGATGTCAAGATCACAGATTTTGGCTGGCCAAA
CTGCTGGGTGCGGAAGAGAAAGAATACCATGCAGAAGGAGGCAAAGTGCCTATCAAGTGG
ATGGCATTGGAATCAATTTTACACAGAATCTATACCCACCAGAGTGTGTCTGGAGCTAC
GGGGTGACCGTTTGGGAGTTGATGACCTTTGGATCCAAGCCATATGACGGAATCCCTGCC
AGCGAGATCTCCTCCATCCTGGAGAAAGGAGAACGCCCTCCTCAGCCACCCATATGTACC
ATCGATGTCTACATGATCATGGTCAAGTGTGGATGATAGACGCAGATAGTCGCCCAAAG
TTCCGTGAGTTGATCATGAATTTCTCCAAAATGGCCCGAGACCCCGAGCGCTACCTTGTG
ATTCAGGGGGATGAAAGAATGCATTTGCCAAGTCTACAGACTCCAATCTACCGTGCC
CTGATGGATGAAGAAGACATGGACGACGTGGTGGATGCCGACGAGTACCTCATCCACAG
CAGGGCTTCTTACGACGCCCTCCACGTACGGACTCCCTCCTGAGCTCTCTGAGTGCA
ACCAGCAACAATCCACCGTGGCTTGCATTGATAGAAATGGGCTGCAAAGCTGTCCCATC
AAGGAAGACAGCTTCTTGACGCGATACAGCTCAGACCCACAGGCGCCTTGACTGAGGAC
AGCATAGACGACACCTTCTCCAGTGCCTGAATACATAAACCAGTCCGTTCCAAAAGG
CCCCTGGCTCTGTGCAGAATCCTGTCTATCACAATCAGCCTCTGAACCCCGCGCCAGC
AGAGACCCACACTACCAGGACCCCCACAGCACTGCAGTGGCAACCCCGAGTATCTCAAC
ACTGTCCAGCCCACCTGTGTCAACAGCACATTCGACAGCCCTGCCCACTGGGCCAGAAA
GGCAGCCACCAAATTAGCCTGGACAACCCTGACTACCAGCAGGACTTCTTTCCAAAGGAA
GCCAAGCCAAATGGCATCTTTAAGGGCTCCACAGCTGAAAATGCAGAATACCTAAGGGTC
GCGCCACAAGCAGTGAATTTATTGGAGCATGA

```

5' Read Nucleotide Sequence:

```

>OriGene 5' read for NM_005228 unedited
GCGCCCGCGCGCGGAGCGGCCGGAGTCCCGAGCTAGCCCCGGCGGCCCGCCGCC
AGACCGGACGACAGGCCACCTCGTGGCGTCCGCCCAGTCCCCGCCTCGCCGCAACGC
CACAACCACCGCGCACGGCCCCCTGACTCCGTCCAGTATTGATCGGGAGAGCCGGAGCGA
GCTCTTCGGGGAGCAGCGATGCGACCCTCCGGGACGGCCGGGCGAGCGCTCCTGGCGCTG
CTGGCTGCGCTCTGCCCGCGAGTGGGCTCTGGAGGAAAAGAAAGTTTGCCAAGGCAGG
AGTAACAAGCTCACGCAGTTGGGCACCTTTGAAGATCATTTTCTCAGCCTCCAGAGGATG
TTCAATAACTGTGAGGTGGTCTTGGGAATTTGGAAATACCTATGTGCAGAGGAATTAT
GATCTTTCCTTCTAAAGACCATCCAGGAGGTGGCTGGTTATGTCCTCATTGCCCTCAAC
ACAGTGGAGCGAATTCCTTTGGAAAACCTGCAGATCATCAGAGGAAATATGTAACGAA
AATTCCTATGCCCTAGCAGTCTTATCTAACTATGATGCAAATAAAACCGACTGANAGAG
CTGCCCATGAGAAATNTACAGGAAATCCTGCATGGCGCCGTGCGGGTCAAGCAACANCCCT
GCCCTGTGNCACGTGGAGAGCATNCCTTGGCGGACATAGTCAGCAGTGACTTTCTAGCC
ACATGTGATGGACTTTCAGAACCCTGGGCGAGTGCCTAAGTGTGATCCAAGCTGTCCC
ATGGGAGCTGCTGGGGTGAAGAGAAGAACTGCC

```

3' Read Nucleotide Sequence:	<p>>OriGene 3' read for NM_005228 unedited</p> <pre>GCGGCCGCAATCTAGAGTCGAGTTTTTTTTTTTTTTTTTTTCAAATATACCTCTTTGAAAG ATAAATTTCTGCTCAAAGGACAATATTCTTGCTGGATGCGTTTCTGTAATGCTTCACAG TTTGAAGACAAAGGAATGCAACTCCCAAAATGTGCCGAGGTGGAAGTACTTCTGGCT AGTCGGTGTAAACGTTGCAAAACCAGTCTGTGGTCTAAGAGCTAATGCGGGCATGGCTG TTGGGATGGAGGACCTGCTGTGGCTTGGTCTGGGTATCGAAAGAGTCTGGATTTTTAGG GCTCATACTATCCTCCGTGGTCATGCTCCATTAATCCACTGCTTTCGCGCGCGACCCCTT AAGTATCCTGCTTCTTTCAGCTGGGAGCCCTTAAAGATGCCTTTTCGCTCGCCTCCCTCG CAAAAAACATCTTGTCTGCACCCAGCCTCCCCACGTTACTTGCCGGCTCTCCTTCTGCC CCCCCTTACCGCCCTCTTCCCCCTTCTTTTTTTCTGACTGCATCTTCTCGTATTT TCCCTTCCATTTTTCCCTTCTCCTCCCCTTCCCTTCTCCTTTCTTTCTTTCTCC CCTCTCTCCACTCTGCCTTTGACTCATCCTTCTCCCTTTCTTCTTCTTTCCCCC CCCTCATTTTTATCCCATCTCCCCCTCCTTCTCCTCCCCCTTTTTTTCTTCTC CTCTCTCCTTCACTTTTCATTTTTTCTCCCCCTTATCCTTCTTCTCCCCACCTT TCCTTTCTTTTCATATCCCTCCCTCGCACCCCTCCTTCTTCTTCTCCACCCCTCCTC CTATTTCTTTTTTCTCCTCCTCCTTCTTCTTCTCCTATTCTCTCTCCCCCGC TCTTCTCCCTCGAATCCTATCCTTCTTCTTCTTCTTCTTCTTCTTCTTCTTCTTCC TCCCTTCTCCCTCCTCCCATTTCTCTCCCCCTTNTTTTTTTATTTCCCTCCCCCA</pre>
Restriction Sites:	NotI-NotI
ACCN:	NM_005228
Insert Size:	4000 bp
OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_005228.3 , NP_005219.2

RefSeq Size:	5616 bp
RefSeq ORF:	3633 bp
Locus ID:	1956
UniProt ID:	P00533
Cytogenetics:	7p11.2
Domains:	Recep_L_domain, pkinase, TyrKc, S_TKc, Furin-like, FU
Protein Families:	Adult stem cells, Cancer stem cells, Druggable Genome, ES Cell Differentiation/IPS, Protein Kinase, Secreted Protein, Stem cell relevant signaling - JAK/STAT signaling pathway, Transmembrane
Protein Pathways:	Adherens junction, Bladder cancer, Calcium signaling pathway, Colorectal cancer, Cytokine-cytokine receptor interaction, Dorso-ventral axis formation, Endocytosis, Endometrial cancer, Epithelial cell signaling in Helicobacter pylori infection, ErbB signaling pathway, Focal adhesion, Gap junction, Glioma, GnRH signaling pathway, MAPK signaling pathway, Melanoma, Non-small cell lung cancer, Pancreatic cancer, Pathways in cancer, Prostate cancer, Regulation of actin cytoskeleton
Gene Summary:	<p>The protein encoded by this gene is a transmembrane glycoprotein that is a member of the protein kinase superfamily. This protein is a receptor for members of the epidermal growth factor family. EGFR is a cell surface protein that binds to epidermal growth factor, thus inducing receptor dimerization and tyrosine autophosphorylation leading to cell proliferation. Mutations in this gene are associated with lung cancer. EGFR is a component of the cytokine storm which contributes to a severe form of Coronavirus Disease 2019 (COVID-19) resulting from infection with severe acute respiratory syndrome coronavirus-2 (SARS-CoV-2). [provided by RefSeq, Jul 2020]</p> <p>Transcript Variant: This variant (1) encodes the longest isoform (a).</p>