

Product datasheet for **SC113329**

PCDHB10 (NM_018930) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PCDHB10 (NM_018930) Human Untagged Clone
Tag:	Tag Free
Symbol:	PCDHB10
Synonyms:	PCDH-BETA10; PCHB10
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL4</u>
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

Fully Sequenced ORF: >OriGene ORF within SC113329 sequence for NM_018930 edited (data generated by NextGen Sequencing)

```

ATGGCTGTCAGAGAGTTGTGCTTCCAAGACAAAGGCAAGTCCTGTTTCTTTTTCTTTTT
TGGGGAGTGTCTTGGCAGGTTCTGGGTTTGGACGTTATTCGGTGACTGAGGAAACAGAG
AAAGGATCCTTTGTGGTCAATCTGGCAAAGGATCTGGGACTAGCAGAGGGGGAGCTGGCT
GCAAGGGGAACCAGGGTGGTTCCGATGATAACAAACAATACCTGCTCCTGGATTACAT
ACCGGGAATTTGCTCACAATGAGAAACTGGACCGAGAGAAGCTGTGTGGCCCTAAAGAG
CCCTGTATGCTGTATTTCCAATTTTAATGGATGATCCCTTTCAGATTTACCGGGCTGAG
CTGAGAGTCAGGGATATAAATGATCACGCGCCAGTATTTCAAGACAAAGAAACAGTCTTA
AAAATATCAGAAAATACAGCTGAAGGGACAGCATTAGACTAGAAAAGAGCACAGGATCCA
GATGGAGGACTTAACGGTATCCAAAACACACGATCAGCCCCAACTCTTTTTTCCATATT
AATATTAGTGGCGGTGATGAAGGCATGATATATCCAGAGCTAGTGTGGACAAAGCACTG
GATCGGGAGGAGCAGGGAGAGCTCAGCTTAACCCTCACAGCGCTGGATGGTGGGTCTCCA
TCCAGGCTCTGGGACCTCTACTGTACGCATCGTTGTCTTGGACGTCATGACAATGCCCA
CAGTTTGGCCAGGCTCTGTATGAGACCCAGGCTCCAGAAAACAGCCCCATTGGGTTCCCTT
ATTGTTAAGGTATGGGCAGAAGATGTAGACTCTGGAGTCAACGCGGAAGTATCCTATTCA
TTTTTGTATGCCTCAGAAAATATTCGAACAACCTTTCAAATCAATCCTTTTTCTGGGGAA
ATCTTCTCAGAGAATTGCTTATTAGATTAGTAAATCTTACAAAATAAATATACAG
GCAATGGACGGTGGAGGCCTTTCTGCAAGATGTAGGGTTTTAGTGGAAAGTATTGGACACC
AATGACAATCCCCTGAAGTATCGTATCATATTTTCCAACCTCTGTTGCTGAGAATTCT
CCTGAGACGCCGCTGGCTGTTTTAAGATTAATGACAGAGACTCTGGAGAAAATGGAAAG
ATGGTTTTGCTACATTCAAGAGAATCTGCCATTCTACTAAAACCTTCTGTGGAGAATTTT
TACATCTAATTACAGAAGGCGCGCTGGACAGAGAGATCAGAGCCGAGTACAACATCACT
ATCACCGTCACTGACTTGGGGACACCCAGGCTGAAAACCGAGCACAAACATAACCGTGCTG
GTCTCCGACGTCAATGACAACGCCCCCGCTTCAACCAAACCTCTACACCCTGTTTCGTC
CGCGAGAACAACAGCCCCGCTGCACATCGGCAGCGTCAGCGCCACAGACAGAGACTCG
GGCACCAACGCCAGGTACCTACTCGCTGCTGCCGCCCAAGACCCGCACCTGCCCTC
GCCTCCCTGGTCTCCATCAACGCGGACAACGGCCACCTGTTTCGCCCTCAGGTGCTGGAC
TACGAGGCCCTGCAGGCTTTCGAGTTCGCGTGGGCGCCACAGACCGCGGCTCCCCGCG
CTGAGCAGCGAGGCGCTGGTGCAGTGTGGTGTGGACGCCAACGACAACCTCGCCCTT
GTGCTGTACCCGCTGCAGAACGGCTCCGCGCCCTGCACCGAGCTGGTGCCTGGGCGGCC
GAGCCGGGCTACCTGGTGACCAAGGTGGTGGCGGTGGACGGCGACTCGGGCCAGAAGCC
TGCTGTGCTACAGCTGCTCAAGGCCACGGAGCCCGGGCTGTTTCGGTGTGGGGCGCAC
AATGGGGAGGTGCGCACCGCCAGGCTGCTGAGCGAGCGGACGCAAGCAAGCACAGGCTC
GTGGTGTGTTGCAAGGACAATGGCGAGCCTCCTCGCTCGGCCACCGCCACGCNCGACTTG
CTCCTGGTGGACGGCTTCTCCAGCCCTACCTGCCTCTCCCGAGGGCGGCCCGGCCAG
GCCAGGCCAGGCCGACTTGTCTACCGTCTACCTGGTGGTGGCGTTGGCCTCGGTGCT
TCGCTCTTCTCTCTCGGTGCTCCTGTTCTGGCGGTGCGGCTGTGCAGGAGGAGCAGG
GCGGCTCGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGT
GTGAGGGGCGCTGAGACCTGTCCAGAGCTACCAGTATGAGGTGTGTCTGACGGGAGGC
CCCGGGACAGTGAAGTTCAAGTTCTTGAACCAGTTATTTTCGGATATTCAGGCACAGGGC
CCTGGGAGGAAGGGTGAAGAAAATTCACCTTCCGAAATAGCTTTGGATTTAATATTTCAG
TAA
    
```

Clone variation with respect to NM_018930.3
 543 c=>t;1314 g=>c;1317 c=>g;1629 a=>c;1973 t=>n;2050 g=>c

5' Read Nucleotide Sequence:

>OriGene 5' read for NM_018930 unedited
 CAAAAATAGTATACGACTACTATAGGGCGGCCGGAATTCGCACGAGGAAGACACGGACA
 GATGAACCTAAAAGAGAAGCTTTAGCTGCCAAAGATTGGGAAAGGGAAAGGACAAAAAAG
 ACCCCTGGGCTACACGGCGTAGGTGCAGGGTTTCTACTGCTGTTCTTTTATGCTGGGAG
 CTGTGGCTGTAACCAACTAGGAAATAACGTATGCAGCAGCTATGGCTGTCAGAGAGTTGT
 GCTTCCCAAGACAAGGCAAGTCCTGTTCTTTTTCTTTTTGGGGAGTGCCTTGGCAG
 GTTCTGGGTTTGGACGTTATTCGGTGACTGAGGAAACAGAGAAAGGATCCTTTGTGGTCA
 ATCTGGCAAAGGATCTGGGACTAGCAGAGGGGGAGCTGGCTGCAAGGGGAACCAGGGTGG
 TTTCCGATGATAACAAACAATACCTGCTCCTGGATTACACATACCGGAATTTGCTCACAA
 ATGAGAAACTGGACCGAGAGAAGCTGTGTGGCCCTAAAGAGCCCTGTATGCTGTATTTCC
 AAATTTTAAATGGATGATCCCTTTTCCAGATTTACCGGGCTGAGCTGAGAGTCAGGGATATA
 ATGATCACGCGCCAGTATTTTCCAGACAAAGAAACAGTCTTAAAAATATCAGAAAAACAG
 CTGAAGGGACAGCATTAGACTAGAAAGAGCACAGGATCCAGATGGAGGACTTAACGGTA
 TCCAAAACACAGATCAGCCCCACTCTTTTTCCATATTAATATTAGTGGCGGTGATG
 AAAGCATGATATATCCAGAGCTAGTGTGGACAAGCACTGGATCGNAGGAGCAGGNAGA
 GCTCAGCTTAACCCACAGCGCTGGATGGTGGGTCTCATCCAGTCTGGGACCTTACTGTC
 GCATCGNTGTCTTGGACGTCATGACATGCCACAGTTGCCAGCTTGTGAGA

3' Read Nucleotide Sequence:

>OriGene 3' read for NM_018930 unedited
 TATGGACGCGGCCGAATCTAGAGTCGAGTTTTTTTTTTTTTTTTTTTTTAAACAAATTC
 AAAAGTTTTATTTTTATTCATTTTCCAGGCAGATTATAATTTTCAATTATAAGGCA
 TAGTCTGTTTTATACATCAGAAAAGTTAACATAAGAAAAATTGGCCAAGTAAAAGTAG
 CATGCTTAAAGATAAAATAATAAGTATATAAACTAAGGGTATTATTGATGTTTCAGTATTG
 CTCACAATATGCTTTGTTTCATTTTGTGATGAGCATAGTAGTAGAGAAATATTTCTTTTT
 AAATACATGATGTAGAAATAATGACATGGTTTTCAAACCGAATATATAGAATGTTAGA
 ATGAGTTTGGAAATGTAGATATGCCTTCTTAAATAGAGCAAGTACACTATAGACAGAAAGT
 GATTAGAATCATGAGATGCAAGCTCTGAAATGAATCAAACCTCAGATTTCTGTAATGAG
 ATATAATAGTAATTAATTCCTTGGGCAGTTGGAAAGAATAAAACCTTAACACTATCATT
 TAGAAAAAATACTCATTAAATTAACCCAGTTGTTATTAATGCAAAAAAATGATGAAAC
 AATTTGAGATTTAAAAGTAACTAATAGAAACATGGCTATGTAACACACCAAAAAGTATAT
 GAAACTAAAACAGACTTTACTGAATATTAATCCAAAGCTATTTCCGGAAGGTGGACTNT
 CCTTACCCTTCTCACAGGGCCCTGTGCCTGGATATCCGAAATAACCTGGTTTCAAGAA
 CTTGAACTCACTGGGTCCGGGCCCTCCGTCAGACACACTCATACTGGGAGCTCTGGGAAC
 AGTTTTAAACGCCCTCACGTACACCAGAGCCCTGGGAAAGGACCTTGGGCACCGGACAA
 GGACCACGGAGCCGGCCTGTTCTTCTGGAAGAAGCACC

Restriction Sites:

NotI-NotI

ACCN:

NM_018930

Insert Size:

3100 bp

OTI Disclaimer:

Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.

RefSeq: [NM_018930.3](#), [NP_061753.1](#)

RefSeq Size: 3284 bp

RefSeq ORF: 2403 bp

Locus ID: 56126

UniProt ID: [Q9UN67](#)

Cytogenetics: 5q31.3

Domains: CA

Protein Families: Transmembrane

Gene Summary: This gene is a member of the protocadherin beta gene cluster, one of three related gene clusters tandemly linked on chromosome five. The gene clusters demonstrate an unusual genomic organization similar to that of B-cell and T-cell receptor gene clusters. The beta cluster contains 16 genes and 3 pseudogenes, each encoding 6 extracellular cadherin domains and a cytoplasmic tail that deviates from others in the cadherin superfamily. The extracellular domains interact in a homophilic manner to specify differential cell-cell connections. Unlike the alpha and gamma clusters, the transcripts from these genes are made up of only one large exon, not sharing common 3' exons as expected. These neural cadherin-like cell adhesion proteins are integral plasma membrane proteins. Their specific functions are unknown but they most likely play a critical role in the establishment and function of specific cell-cell neural connections. [provided by RefSeq, Jul 2008]