

Product datasheet for **SC114865**

RNF40 (NM_014771) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	RNF40 (NM_014771) Human Untagged Clone
Tag:	Tag Free
Symbol:	RNF40
Synonyms:	BRE1B; RBP95; STARING
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL4</u>
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>OriGene ORF within SC114865 sequence for NM_014771 edited (data generated by NextGen Sequencing)

```

ATGTCTGGGCCAGGCAACAAACGCGCCCGCGACGGGGCTCAGGGCCCCCGAAAAAG
AAGCTGAGTCGTGAGGAGAAGACCACCACTTATCGAGCCATTCTGTTGAGGC
ATCTCTTCCACGGAGGAGATGGACCTGAAGGTACTACAGTTCAAGAACAAGAAATGGCA
GAGCGGCTGGAACAACGGCAGGCTTGTGAAGATGAACTCCGAGAACGAATTGAGAAGTTG
GAGAAGCGGCAGGCCACAGATGATGCCACACTCCTCATCGTCAATCGCTACTGGGCCAG
CTGGATGAAACTGTGGAAGCCCTTCTCCGATGCCATGAGAGCCAGGGGGAGCTGTCTTCA
GCGCCTGAGGCACCTGGGACCCAGGAGGGGCCAACATGTGATGGGACTCCTCTCCAGAG
CCGGGGACATCAGAGCTGAGAGACCCCTTGCTGATGCAGCTGCGGCCCTCTCAGTGAG
CCGGCCTTGGCTTTTGTGGTGGCACTGGGTGCCAGCAGCAGTGAGGAGGTGGAGCTGGAG
CTGCAAGGCCGAATGGAGTTCTCAAGGCAGCTGTGTCTCGTGTGGTAGAGGCCTCAGAC
CGCCTACAGCGCCGGGTGGAGGAATCTGTACGCGAGTGTACAGCCGAGGGGACAGTGAG
CCCCTCAGTGAGGCGGCTCAGGCACACACCCGAGAGCTGGGCCGTGAGAACCGGCGACTG
CAGGACTTGGCCACTCAGCTGCAGGAGAAACACCAACCGCATCTCATTGGAGTACTCCGAG
CTCCAGGATAAAGTGACATCGGCAGAGACCAAGGTGCTGGAGATGGAGACAACAGTGAG
GACTTGCAGTGGGACATCGAGAAGCTGCGGAAGCGAGAGCAAAAGCTCAATAAGCACCTG
GCAGAGGCCTTAGAGCAGCTTAATCTGGCTACTATGTATCTGGGAGCTCCTCAGGCTTC
CAGGGGGGCCAGATCACACTCAGCATGCAGAAGTTTGAGATGCTGAATGCAGAGTTAGAG
GAAAACCAAGAACTGGCCAACAGCGTATGGCAGAGCTGGAGAACTGCAGGCCGAACCTT
CAGGGGGCTGTGCGGACCAATGAGCGCCTCAAGGTGGCCCTGCGGAGCCTTCTGAGGAG
GTAGTGCGGGAGACGGGGAGTACCGCATGCTGCAGGCCCAATTCTCACTGCTCTACAAC
GAGTCTCTGCAAGTGAAGACCCAGCTAGACGAGGCTCGGGGCCTGCTGCTGGCCACAAAG
AACTCCCACCTGCGACACATCGAGCACATGGAGAGCGACGAGCTGGGCTGCAGAAGAAG
CTACGCACAGAGGTCATTAGCTGGAGGACACGCTGGCCAGGTACGCAAGGAGTATGAG
ATGCTGCGCATCGAGTTTGAGCAGAATCTGGCGCCAACGAGCAGGCGGGGCCCATCAAC
CGTGAGATGCGCCACCTGATTAGTAGTCTTCAAAACCAACACCAGCTAAAAGGGGAC

```



[View online »](#)

```
GCCCAGCGATACAAGCGGAAGCTTCGAGAAGTACAAGCTGAGATTGGCAAGCTCCGGGCC
CAGGCCAGTGGCTCTGCCCACTCCACCCCAACCTGGGCCACCCAGAGGATTCTGGCGTC
AGTGCCCCAGCCCCAGGGAAAGAGGAGGGTGGGCCAGGCCCTGTCAGTACCCCGACAAC
AGAAAGGAGATGGCTCCAGTGCCTGGCACCACCACTACTACCACTTCAGTGAAGAAGGAG
GAGCTGGTCCCTCTGAAGAGGACTTCCAGGGTATAACCCCTGGGGCCAGGGCCCTTCC
TCCCGGGGCCGAGAACCTGAGGCCAGGCCAAGCGGGAGCTTCGGGAACGGGAAGGTCCC
AGCCTAGGACCTCCACCTGTAGCCTCCGCTCTCTCAAGGGCTGATCGGGAGAAGGCCAAG
GTGGAAGAAACCAAGCGGAAGGAATCAGAACTCCTCAAGGGTCTCCGAGCAGAGCTCAAG
AAGGCCCAGGAGAGCCAGAAGGAGATGAACTGCTGCTGGATATGTACAAGTCAGCGCCC
AAGGAGCAGCGGGATAAGGTGCAGCTCATGGCAGCGGAACGCAAGGCTAAGGCCGAGGTT
GATGAGCTGCGGAGCCGCATCCGGGAATTGGAGGAGAGGGATCGAAGGGAGAGCAAGAAG
ATCGCGGATGAGGATGCCCTGCGCGCATTGCGCAGGCAGAGGAGCAGATAGAACACCTG
CAGCGCAAGCTGGGTGCCACCAAGCAGGAGGAGGAGGCTCTGCTCTCAGAGATGGATGTG
ACAGGTCAGGCTTTTGAAGACATGCAGGAACAGAACGGGCGGCTGCTACAGCAGTTGCGG
GAAAAGGATGATGCCAATTTAAGCTAATGTGAGAGCGGATCAAGGCCAACCAGATTAC
AAGCTGCTGCGGGAGGAGAAGGATGAGTTGGGCGAGCAGGTCCTTGGCCTCAAGTCCCAG
GTGGATGCCCAGCTGCTGACTGTGCAGAAGCTGGAGGAGAAGGAGCGAGCCTTGCAAGGC
AGCCTCGGGGTGTGGAAGGAGCTGACGCTGCGCAGCCAAGCCCTGGAGCTCAACAAG
CGGAAGGCTGTAGAAGCCGCCAGCTGGCCGAGGACCTGAAGGTGCAGCTGGAGCACGTG
CAGACTCGGCTGCGGGAGATCCAGCCCTGCCTGGCAGAGAGCCGGGCTGCTCGTGAGAAA
GAGAGCTTCAACCTCAAGAGGGCTCAGGAGGACATCTACGGCTGCGGCGCAAGCTGGAA
AAGCAGAGGAAGGTGGAGGTCTACGCAGATGCCGACGAAATCCTCCAGGAGGAGATCAAG
GAGTACAAGGCGCGGTTGACCTGCCCCCTGCTGTAAACCCCGCAAGAAGGATGCAGTCCTT
ACCAAGTGCTTCCACGTTTTCTGCTTCGAGTGCGTGCGGGGCCGCTATGAGGCCCGCCAG
AGGAAGTGCCCCAAGTGAACGCGGCCTTTGGTGCCACGACTTCCATCGTATCTACATC
AGCTGA
```

Clone variation with respect to NM_014771.3

5' Read Nucleotide Sequence:

```
>OriGene 5' read for NM_014771 unedited
TATAGGCGGCCGCGNAATTTCGCACGAGGACCCTGTTTCGCTCCAGCCGCCGCGGCCATGT
CTGGGCCAGGCAACAAACGCGCCGCCGCGACGGGGGCTCAGGGCCCCGAAAAAGAAC
TGAGTCGTGAGGAGAAGACCACCAGCACTTTATCGAGCCATTCTGTCTTGGAGGCATCT
CTTCCACGGAGGAGATGGACCTGAAGTACTACAGTTCAAGAACAAGAACTGGCAGAGC
GGCTGGAACAACGGCAGGCTTGTGAAGATGAACTCCGAGAACGAATTGAGAAGTTGGAGA
AGCGGCAGGCCACAGATGATGCCACACTCCTCATCGTCAATCGCTACTGGGCCAGCTGG
ATGAAACTGTGGAAGCCCTTCTCCGATGCCATGAGAGCCAGGGGAGCTGTCTTCAGCGC
CTGAGGCACCTGGGACCCAGGAGGGGCCAACATGTGATGGGACTCCTCTCCAGAGCCGG
GGACATCAGAGCTGAGAGACCCCTTGCTGATGCAGCTGCGGCCCCCTCTCAGTGAGCCGG
CCTTGCTTTTGTGGTGGCACTGGGTGCCAGCAGCAGTGAGGAGGTGGAGCTGGAGCTGC
AAGGCCGAATGGAGTTCTCCAGGCAGCTGTGTCTCGTGTGGTAGAGGCCTCAGACCGCT
ACAGCGCCGGGTGGAGGAATCTGTGAGCGAGTGACAGCCGAGGGGACAGTGAGCCCT
CCAGTGAGCGGCTCAGGCACACANCGAGAGCTGGGCCGTGAGAACCGGCGACTGCAGGAC
TTGGCCACTCAGCTGGCAGAGAAACACACCGCATTCATTGGAGTACTCCGAGCTCAGGAT
AAAGTGATCNGCAAGACCAAGTGCTGGAGATGAGACACAGTGGAGACTTGCACTGGAGT
CGAGAGCTGCGNAGCGAGACAAAT
```

3' Read Nucleotide Sequence:	>OriGene 3' read for NM_014771 unedited <pre> CTTTGGCACGCGGGCCGCAATCTAGGATCGAGTTTTTTTTTTTTTTTTTTGGGGTGCGCG GCCTGGCTACTCTGGCTGCAGGCCGAGGGTTGAACGTTTATTCATCACAATTAACAGCCT ATACAAGCATCTCTAGAACAGAGGCTGTGGGTCCAAACGGGTCCCTGCAGCTCCAACCT CTGGCCTCTCCGGGCACTGCCCTCACAGCCGATGGAGCATGGCTGGGCAGGCAGACAGGA CACAGGCTCAGTCACAGGGTGTCAAGGGGAAGCTCTTCTAGCTGGAATGATTGGAAGTTG GCCCAGCGGCTGGGGCTGGTCTGTCCCTTCCCCTCCTGGGAAGTCCACCTCCACTGTAG TTAAGGCCACCAGGATGAAAGCAGGGTTAGGTCCAGGGACCCAGTAGAGCCTTGGGATGC ATGAGGTGGGGTAAATGGGCTTGGCAGAGAAATGGAGATTGGGAAGGGCCTGATTAGA ATAGAACTGATGATGTTGGTTCAGCACCTGCAAGATGAGGAAGGTGACTGCAGCAACCT TAGAGCTTCCCAAGGAAGCAAGTATGCCCCATCTGCCAAGAGGGTACCTCCTTCAGC CCTTGGCACAAGAGCCAGACCAAGGTGTCCAGGGAAGTCCACAGGACAGAAGCCCTGCCG AGGTTANGGGGATGGTGGGTGAAGGAAAGTCTTCTGGGGCTGCAGCCAGTCTCAAAC AAGGAACAAGGACATGGCTCACTGGTCTCATTTGTGAGCCAGTACGCANGGACCGAGCC TTCTCTAGGCTAGATCACAGCCCTGGGAATTTCCCTTAGGTTAGGATGCATCCACGGAG ACAGACAGGGTAGGCCAGTTCCCGGGAGCTCACACAAGGCTCTGGGCTCCTCAGCCTCT CAGCAGACCTTTTGTAGGCCATGGCCCTAGCTGCAGTTTGACCTAGAAAAAGGAACCAA CTGCTGACCCCGCC </pre>
Restriction Sites:	NotI-NotI
ACCN:	NM_014771
Insert Size:	4230 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_014771.2, NP_055586.1</u>
RefSeq Size:	4256 bp
RefSeq ORF:	3006 bp
Locus ID:	9810
UniProt ID:	<u>Q75150</u>
Cytogenetics:	16p11.2
Domains:	RING

Protein Families: Druggable Genome

Gene Summary: The protein encoded by this gene contains a RING finger, a motif known to be involved in protein-protein and protein-DNA interactions. This protein was reported to interact with the tumor suppressor protein RB1. Studies of the rat counterpart suggested that this protein may function as an E3 ubiquitin-protein ligase, and facilitate the ubiquitination and degradation of syntaxin 1, which is an essential component of the neurotransmitter release machinery. Multiple alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, May 2011]
Transcript Variant: This variant (1) represents the longest transcript and encodes the longest isoform (1). Variants 1 and 4 both encode the same isoform (1). Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.