

Product datasheet for **SC115770**

BTN2A2 (NM_006995) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	BTN2A2 (NM_006995) Human Untagged Clone
Tag:	Tag Free
Symbol:	BTN2A2
Synonyms:	BT2.2; BTF2; BTN2.2
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL5</u>
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

5' Read Nucleotide Sequence:	<p>>OriGene 5' read for NM_006995 unedited</p> <pre> TCACGAATATGGTAATACGACTCACTATAGGGCGGCCGGAATCGGCACGAGGGAGTCCG CAACTCCAACATCGCGATTAATAGGAGGCCTCTGGTCTCTGCCTGCCCTGGGTGCTCAT GGAACCGAGCTGCTGCTCTGCACTTCTCCCTGCCAGCCTCCCTCCTCCTCCTGCTCCT CCTCCTTCTCAGCCTGTGTGCACTGGTCTCAGCCAGTTACTGTCTGGGGCCAGCTAA TCCCATCTGGCCATGGTGGGAGAAAACACTACATTACGCTGCCATCTGTCACCCGAGAA AAATGCTGAGGACATGGAGGTGCGGTGGTCCGGTCTCAGTTCTCCCCGCACTGTTTGT GTATAAGGGTGGGAGAGAGAGACTAGAGGAGCAGATGGAGGAGTACCGGGGAAGAATCAC CTTTGTGAGCAAAGACATCAACAGGGGCAGCGTGGCCCTGGTCATACATAACGTCACAGC CCAGGAGAATGGGATCTACCGCTGTTACTTCCAAGAAGGCAGGTCTACGATGAGGCCAT CCTACGCCTCGTGGTGGCAGGCCTGGGTCTAAGCCCCTCATTGAAATCAAGGCCAAGA GGATGGGAGCATCTGGTGGAGTGCATATCTGGAGGGTGGTACCCAGAGCCCCTCACAGT GTGGAGGGACCCCTACGGTGGAGTTGTGCCCGCCCTGAAGGAGTTTCCATCCGCTGATG CTGACGGCCTTTCATGGTCACCACAGCTGTGATCATCAGAGACAAGTATGTGAAGAATG TGTCTGCTCTGTCAACAACCCCTGCTCGGCCAGGAGAAAAGAACTGTCATTTTATTCCA GAATCCTTAATGCCAGCGCATCTCCCTGGATGGGGGCCCTAATTGCCATCTGACCGCACT CCCTGGATGGGGCCATGACTGCCATCCTGGCTGTTTTAACATCCTCATGGCTGCCACCTC TGGTGCT </pre>
3' Read Nucleotide Sequence:	<p>>OriGene 3' read for NM_006995 unedited</p> <pre> TGTTGTTGTGTTTGTCTCTCACCCCTTCCCCACACCACCCTGTGGTGGNNNTNTTTTA TCTGGTCTACATGANTATGCTATTTTACACAAAACATCCTATCTACATTAACTATAACT GATTTATTAATGCTATTTTAACATAAATTAAGATAACATTTTAAATTTTGTTCAT GTCAAATGTCATAAATATTAACCCAAATAAACAAAAGCTCTTAAAGTCCCAATAACTT CTAAGTGTCTAAAAACATAATTAGATCAGGAAGTTTGAAGCCACTGAGGTCCCCATTGAA CCTGAATGCTGACGTAGACCTGGTCCAGTACTGCCCTGCTCGACCAGGACCTCAAACCTC AACCACTCAGGACTAAGTACTGACCCTTGTTTATTGCAGGGACATCTGAGCCAAAC CACATCCACATGAGTCCATGTTCTTCATTCATCTCCAGGTCCAGGCTGTGGGTG TGTGCTGTGAAATCCTGGGTTGGGTTGAAATGAGCCATCATCTCCAGGACCTTTA GCTCTTATGGTGGGACTTAGCCATCCTTACAACCTTGGTCCCTCCAGCTCTTTGGTTTC ACTTCTCTATCTGATCTGCATATCTGGTCCCTCTCCCTTCTGGTGGTCTGAGGAT TCCTCTTCTCTCTCATCCTGGAGAACCCTGTTGGCCTTATTCCAAGTCCACAGAACT TGGTGCCCAACTGGCATAATTGGGCCTAATGTGGTCTATCCTGGATTTTAAACAATAGGT TTGATGCCCCACCAGCTTTCTCTCACTTCTCTTTTGGTGGGAACTATGAAACAAT ATTTTCCCTATGCCTGGTATCCTTCCATTATTTCCAGCAAAGGAACTACTTAAGCCCCA TAATATTTGAGGAGGATAAAAACCTCGGCTCACATGCTCTGTATTGGTTGCTTAAATGT ACTCTG </pre>
Restriction Sites:	NotI-NotI
ACCN:	NM_006995
Insert Size:	2770 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_006995.3 , NP_008926.2
RefSeq Size:	3577 bp
RefSeq ORF:	1572 bp
Locus ID:	10385
UniProt ID:	Q8WV5
Cytogenetics:	6p22.2
Domains:	IGv, IG, SPRY, PRY
Protein Families:	Druggable Genome, Transmembrane
Gene Summary:	<p>Butyrophilin is the major protein associated with fat droplets in the milk. This gene is a member of the BTN2 subfamily of genes, which encode proteins belonging to the butyrophilin protein family. The gene is located in a cluster on chromosome 6, consisting of seven genes belonging to the expanding B7/butyrophilin-like group, a subset of the immunoglobulin gene superfamily. The encoded protein is a type I receptor glycoprotein involved in lipid, fatty-acid and sterol metabolism. Several alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Oct 2010]</p> <p>Transcript Variant: This variant (1) and variant 3 encode the longest isoform (a).</p>