

## Product datasheet for **SC116830**

### GLUD1 (NM\_005271) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	GLUD1 (NM_005271) Human Untagged Clone
Tag:	Tag Free
Symbol:	GLUD1
Synonyms:	GDH; GDH1; GLUD
Mammalian Cell Selection:	None
Vector:	<u><a href="#">pCMV6-XL5</a></u>
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**Fully Sequenced ORF:** >OriGene ORF within SC116830 sequence for NM\_005271 edited (data generated by NextGen Sequencing)

```

ATGTACCCTACCTGGGCGAAGCGCTGTTGCTGTCCCAGGCGGGCCCGCTGCCCTGGGC
TCGGCGTCCGCGACTCGGCCGCTTGTGGGCTGGGCCCGGGGACAGCCCGCCCGCCG
CCGAGCCGGGGCTGGCATTGGCCGCCCGGCCACTACAGCGAGGCGGTGGCCGACCGC
GAGGACGACCCCAACTTCTTCAAGATGGTGGAGGGCTTCTTCGATCGCGCGCCAGCATC
GTGGAGGACAAGCTGGTGGAGGACCTGAGGACCCGGGAGAGCGAGGAGCAGAAGCGGAAC
CGGGTGCAGCGCATCCTGCGGATCATCAAGCCCTGCAACCATGTGCTGAGTCTCTCTTC
CCCATCCGGCGCGACGACGGCTCCTGGGAGGTCATCGAAGGCTACCGGGCCAGCACAGC
CAGCACCGCACGCCCTGCAAGGGAGGTATCCGTTACAGCACTGATGTGAGTGTAGATGAA
GTAAAAGCTTTGGCTTCTCTGATGACATAACAAGTGTGAGTGGTTGATGTGCCGTTTGGG
GGTGCTAAAGCTGGTGTAAAGATCAATCCCAAGAACTATACTGATAATGAATTGAAAAG
ATCACAAGGAGGTTACCCATGGAGCTAGCAAAAAGGGCTTTATTGGTCTGCCATTGAT
GTGCTGTCCAGACATGAGCACAGGTGAGCGGGAGATGCTGGATCGTGATACCTAT
GCCAGCACCATAGGGCACTATGATATTAATGCACACGCCCTGTGTTACTGGTAAACCCATC
AGCCAAGGGGAATCCATGGACGCATCTCTGCTACTGGCCGTGGTGTCTCCATGGGATT
GAAAATTTTCATCAATGAAGCTTCTTACATGAGCATTTTAGGAATGACACCAGGGTTTGA
GATAAACATTTGTTGTTTCAAGGATTTGGTAATGTGGGCCTACACTCTATGAGATATTTA
CATCGTTTTGGTCTAAATGTATTGCTGTTGGTGTGAGTCTGATGGGAGTATATGGAATCCA
GATGGTATTGACCCAAAGGAAGTGAAGACTTCAAATTGCAACATGGGTCCATTCTGGGC
TTCCCCAAGGCAAAGCCCTATGAAGGAAGCATCTTGGAGGCCGACTGTGACATACTGATC
CCAGTGCCAGTGAGAAGCAGTTGACCAATCCAACGCACCCAGAGTCAAAGCCAAGATC
ATTGCTGAAGGTGCAATGGGCCAACAACCTCCAGAAGCTGACAAGATCTTCTGGAGAGA
AACATTATGGTTATCCAGATCTCTACTTGAATGCTGGAGGAGTGACAGTATCTTACTTT
GAGTGGCTGAAGAATCTAAATCATGTGACGCTATGGCCGTTTACCTTCAAATATGAAAGG
GATTCTAACTACCACTTGTCTCATGTCTGTTCAAGAGAGTTAGAAAAGAAAATTTGAAAAG
CATGGTGGAACTATCCCATTTGATCCACGGCAGAGTTCCAAGACAGGATATCGGGTGCA
TCTGAGAAAGACATCGTGCCTCTGGCTTGGCATAACAATGGAGCGTTCTGCCAGGCAA
ATTATGCGCACAGCCATGAAGTATAACCTGGGATTGGACCTGAGAACAGCTGCCTATGTT
AATGCCATTGAGAAAGTCTTCAAAGTGTACAATGAAGCTGGTGTGACCTTCACATAG
    
```

Clone variation with respect to NM\_005271.3

**5' Read Nucleotide Sequence:**

```

>OriGene 5' read for NM_005271 unedited
TGTCAGAAATTTGTATACGACTCACTTATAGGGCGGCCGGAATTCGCACGAGGCGCGC
CTGTTTCGCGACCATCACGCACCTCCCTCCGCTTGTGGCCATGTACCGTACCTGGGCG
AAGCGCTGTTGCTGTCCCAGGCGGGCCGCTGCCCTGGGCTCGGCGTCCGCGACTCGG
CCGCGTTGCTGGGCTGGGCCCGGGGACAGCCCGCCGCCCCGAGCCGGGGCTGGCAT
TGGCCGCCCCGGCCACTACAGCGAGGCGGTGGCCGACCGCGAGGACGACCCCAACTTCT
TCAAGATGGTGGAGGGCTTCTTCGATCGCGGCCAGCATCGTGGAGGACAAGCTGGTGG
AGGACCTGAGGACCCGGGAGAGCGAGGAGCAGAAGCGGAACCGGGTGCAGCGCATCTGC
GGATCATCAAGCCCTGCAACCATGTGCTGAGTCTCTCCTTCCCCATCCGGCGCGACGACG
GCTCCTGGGAGGTCATCGAAGGCTACCGGGCCAGCACAGCCAGCACCGCACGCCCTGCA
AGGAGGTATCCGTTACAGCACTGATGTGAGTGTAGATGAAGTAAAGCTTTGGCTTCTC
TGATGACATAACAAGTGTGCAAGTGGTTGATGTGCCGTTTGGGGTGCTAAAGCTGGTGTA
AGATCAATCCCAAGAACTATACTGATAATGAATTGAAAAGATCACAAGGAGGTTACCA
TGGAGCTAGCAAAAACGGCTTTATTGGTCTGGCATTGATGTGCTGCTCCAGACTTGA
GCACAGGTGAGCGGGAGATGTCTGGATCGCTGATACCTATGCCACCACTAGGCCCT
ATGATATTATGCCCCCTGTGTTACTGTGAACCCATACCAAGGGGATCCATGACGCA
TCTCTGCTACTGCC
    
```

<b>3' Read Nucleotide Sequence:</b>	>OriGene 3' read for NM_005271 unedited TGGACCGCGGCCGAATCTAGAGTCGAGTTTTTTTTTTTTTTTTTTTGGCTGTTTCATATTA TTTAATAAAAATACAAAATAATTCGAGAATAAAGACTATGCTTTCAGGGATCATTCTATA GTTTCGTTACTCGGGAAGTTTCTCTGAACGTGTAAGCACCGAACAAAAAAAAAAAAACA ATTCAGAATAAAATCTGGGCAGCTCACAATAAAGTGAAGGAAATGTTATACAGGTGGT CGCTATAAACATTTTCAGAAATCCAATTGCAGTATTATAACTTATGAAAAGAGAACTACC ACATGTAAAAACACAGAAAAGAAACGTAAGTTTTGGAAAACGTAGACTTTTAATAACTGC TTTTATCACCAGTTAAGCCATGCAGTTACAAAGTAGTTAGAAATTTCTGAAGGGTGTTA GAGTTAAAAAAGCTGACTCTTACACATATATTATCTAGCACTTCATGGGGA CACTACTGTTCAAAGGCCCTGGCCAAATAACTCCCAAATGAAACACTCAACCCAAGGAT GTTTTAGCCACTGTTAGTGAAGCTGGGTGCAGAAATGCAAAGCCTCTAAAAGGAGAGGA TACAAAGTCAGGTGAGTAGGGCCATTGGCAATGCTCAGAGCCAGCCAGACTCCAAACAG GGAGCCCAAGTGGGTTTTCTGGGACTCTACTTGAANNTATTGTTAATTAGTCAACC ATAGATCTTCAAAGAGAACAAATTAGTTAACATGATAAAAAAGTACTGCATTNCTTGGN ACTGGATCATAANTATAGTAAGCAAATTCTGACAGTTTTAATGAAAATAGCCTNCACCA TTTTGCAGGTATGAAGATAACTTATNTATNCCCAGGNCTTNTNATGTCTGCTGGACANTA CATGGATGATAGCTATAATGCACATGNTTATGAATAAAAAACTAGNTTTTNCATTATATT TCTTAGGCATCACTGTTGAGTCAGGTAGCTTGTAGGATAAAA
<b>Restriction Sites:</b>	ECoRI-NOT
<b>ACCN:</b>	NM_005271
<b>Insert Size:</b>	3370 bp
<b>OTI Disclaimer:</b>	Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:custsupport@origene.com">custsupport@origene.com</a> or by calling 301.340.3188 option 3 for pricing and delivery.
	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<a href="#">NM_005271.1</a> , <a href="#">NP_005262.1</a>

RefSeq Size:	3051 bp
RefSeq ORF:	1677 bp
Locus ID:	2746
UniProt ID:	<a href="#">P00367</a>
Cytogenetics:	10q23.2
Domains:	GLFV_dehydrog, GLFV_dehydrog_N
Protein Families:	Druggable Genome
Protein Pathways:	Alanine, aspartate and glutamate metabolism, Arginine and proline metabolism, D-Glutamine and D-glutamate metabolism, Metabolic pathways, Nitrogen metabolism
Gene Summary:	<p>This gene encodes glutamate dehydrogenase, which is a mitochondrial matrix enzyme that catalyzes the oxidative deamination of glutamate to alpha-ketoglutarate and ammonia. This enzyme has an important role in regulating amino acid-induced insulin secretion. It is allosterically activated by ADP and inhibited by GTP and ATP. Activating mutations in this gene are a common cause of congenital hyperinsulinism. Alternative splicing of this gene results in multiple transcript variants. The related glutamate dehydrogenase 2 gene on the human X-chromosome originated from this gene via retrotransposition and encodes a soluble form of glutamate dehydrogenase. Related pseudogenes have been identified on chromosomes 10, 18 and X. [provided by RefSeq, Jan 2016]</p> <p>Transcript Variant: This variant (1) encodes the longest isoform (a).</p>