

Product datasheet for **SC117608**

Centrin 1 (CETN1) (NM_004066) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Centrin 1 (CETN1) (NM_004066) Human Untagged Clone
Tag:	Tag Free
Symbol:	Centrin 1
Synonyms:	CEN1; CETN
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL4</u>
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>OriGene ORF within SC117608 sequence for NM_004066 edited (data generated by NextGen Sequencing)

```
ATGGCTTCCGGCTTCAAGAAGCCCAGCGCTGCCTCCACCGCCAAAAGAGAAAGGTGGCA  
CCTAAGCCCGAGCTCACTGAGGATCAGAAGCAAGAAGTTCGGGAAGCATTGACCTCTTC  
GACGTGGACGGAAGTGGGACCATCGACGCGAAGGAGCTGAAGGTGGCCATGAGAGCGCTG  
GGCTTCGAACCCAGGAAGGAAGAGATGAAGAAAATGATCTCCGAGGTGGACAGGGAAGGC  
ACGGGGAAGATCAGCTTCAATGACTTCTGGCCGTGATGACGCAGAAGATGTCCGAGAAG  
GACACCAAAGAAGAAATCCTGAAGGCCTTCAGGCTCTTTGATGACGATGAGACCGGGAAG  
ATCTCGTTCAAAAACCTGAAGCGTGTGGCCAACGAGCTGGGGGAGAACCTCACGGATGAG  
GAGCTGCAGGAGATGATCGACGAAGCTGATCGGGATGGGGACGGCGAAGTGAACGAGGAG  
GAGTTCCTTCGGATCATGAAGAAGACCAGCCTTTACTGA
```

Clone variation with respect to NM_004066.1



[View online »](#)

5' Read Nucleotide Sequence:	>OriGene 5' read for NM_004066 unedited NGGGGGACTACGNGATTTGTTAAACGTTATTCACGTAAGGGNCGTGGCGCATAACTTCGT ATAGCATACATTATACGAAGTTATGGATCAGGCCAAATCGGCCGAGCTCGAATTCGTGCA GAGCGGGAATGAGAGCGCGGGCGGTGCCGTTGGGACCACGGCGGCCAGAGCGGCAGGAT GGCTTCCGGCTTCAAGAAGCCCAGCGCTGCCTCCACCGGCCAAAAGAGAAAGGTGGCACC TAAGCCCAGACTCACTGAGGATCAGAAGCAAGAAGTTCGGGAAGCATTGACCTCTTCGA CGTGGACGGAAGTGGGACCATCGACGCGAAGGAGCTGAAGGTGGCCATGAGAGCGCTGGG CTTTCAAGCCAGGAAGGAAGAGATGAAGAAAATGATCTCCGAGGTGGACAGGGAAGGCAC GGGGAAGATCAGCTTCAATGACTTCTGCGCGTATGACGCAGAAGATGTCGAGAAAGGA CACCAAAGAAGAAATCCTGAAGGCCTTCAGGCTCTTTGATGACGATGAGACCGGGAAGAT CTCGTTCAAAAACCTGAAGCGTGTGGCCAACGAGCTGGGGGAGAACCTCACGGATGAGGA GCTGCAGGAGATGATCGACGAAGCTGATCGGGATGGGGACGGCGAAGTGAACGAGGAGGA GTTCTTCGGATCATGAAGAAGACCAGCCTTTACTGAAGTCGGTTCAGAAGCTAAAGTGA CTCTCTGGGTTGCTGCTCCATTCTGTGAAACCTTAGAGGACAGCGGCTGCCTGTCCCT TCTTACCCCCTACCCCATAATTTGTCTAGATCTATTTCCATATCTCTAGTTCAATAA TAGAATTTGAAAGATGCTTGAATGATGAGTTTTGGGTTTTAATTCTCAAGATCACCTG GAGCACATTGAGGTAAACA
Restriction Sites:	Please inquire
ACCN:	NM_004066
OTI Disclaimer:	Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery. The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_004066.1 , NP_004057.1
RefSeq Size:	1161 bp
RefSeq ORF:	519 bp

Locus ID: 1068

UniProt ID: [Q12798](#)

Cytogenetics: 18p11.32

Protein Families: Druggable Genome

Gene Summary: The protein encoded by this gene plays important roles in the determination of centrosome position and segregation, and in the process of microtubule severing. This protein is localized to the centrosome of interphase cells, and redistributes to the region of the spindle poles during mitosis, reflecting the dynamic behavior of the centrosome during the cell cycle. [provided by RefSeq, Jan 2015]