

Product datasheet for **SC117660**

SOCS3 (NM_003955) Human Untagged Clone

Product data:

Product Type: Expression Plasmids
Product Name: SOCS3 (NM_003955) Human Untagged Clone
Tag: Tag Free
Symbol: SOCS3
Synonyms: ATOD4; CIS3; Cish3; SOCS-3; SSI-3; SSI3
Mammalian Cell Selection: None
Vector: pCMV6-XL6
E. coli Selection: Ampicillin (100 ug/mL)

Fully Sequenced ORF: >OriGene ORF sequence for NM_003955 edited
GGCGGTAGGCGTGTACGGTGGGAGGTCTATATAAGCAGAGCTCATTTAGGTGACACTATA
GAATACAAGCTACTTGTCTTTTTGCAGCGGCCGGAATTCGGCACGAGGGCTGCCGCTT
CGGCCCGCACGACGCCAGCCGCGCAGCCGCCCGCCCGGCCAGCTCCCGCCGCGGCCCT
TGCCGCGGTCCCTCTCCTGGTCCCTCCCGGTTGGTCCGGGGGTGCGCAGGGGGCAGGGC
GGGCGCCAGGGGAAGCTCGAGGGACGCGCGCGAAGGCTCCTTTGTGGACTTCACGGC
CGCCAACATCTGGGCGCAGCGGGGCCACCGCTGGCCGTCTCGCCGCCGCTGCGCTTGG
GGACCCGAGGGGGCTCAGCCCCAAGGACGGAGACTTCGATTGGGACCAGCCCCCGGA
TGCGGTAGCGGCCGCTGTGCGGAGGCCGGAAGCAGCTGCAGCCGCCCGCCGCGCAGATCC
ACGCTGGCTCCGTGCGCCATGGTCACCCACAGCAAGTTTCCCGCCCGGGATGAGCCGC
CCCCTGGACACCAGCCTGCGCCTCAAGACCTTCAGCTCCAAGAGCGAGTACCAGTGGTG
GTGAACGCACTGCGCAAGCTGCAGGAGAGCGGCTTCTACTGGAGCGCAGTGACCGCGGC
GAGGCGAACCTGCTGCTCAGTGCCGAGCCCGCCGCGCACCTTTCTGATCCGCGACAGCTCG
GACCAGGCCACTTCTTACGCTCAGCGTCAAGACCCAGTCTGGGACCAAGAACCTGCGC
ATCCAGTGTGAGGGGGCAGCTTCTCTGTCAGAGCGATCCCCGGAGCACGACGCCCGTG
CCCCGTTGACTGCGTGCTCAAGCTGGTGCACCACTACATGCCGCCCTGGAGCCCC
TCCTTCCCCTCGCCACCTACTGAACCTCCTCCGAGGTGCCGAGCAGCCGTCTGCCAG
CCTCCCTGGGAGTCCCCCAGAAGAGCCTATTACATCTACTCCGGGGGCGAGAAGATC
CCCCTGGTGTGAGCCGGCCCCCTCCTCCAACGTGGCCACTTTCAGCATCTCTGTGCG
AAGACCGTCAACGCGCCACTGGACTCCTATGAGAAAGTACCCAGCTGCCGGGGCCATT
CGGGAGTTCCTGGACCAGTACGATGCCCGCTTTAAGGGGTAAAGGGCGCAAAGGCGATG
GGTCCGGAGAGGGGACGACAGGCCCTCCTCCTGTCGACATGGCACAAGCACAAGAAGC
CAACCAGGAGAGTCTGTAGCTCTGGGGGAAAGAGGGCGGACAGGCCCTCCCTCTG
CCCTCTCCCTGCAGAATGTGGCAAGCGGACCTGGAATGTGTTGGAGGGAAGGGGGAGTAC
CACCTGAGTCTCCAGTCTCCGGAAGAGCCAGCTGTCTGGTGGGACGATAGCAACCAC
AAGTGGATTCTCCTTCAATTCTCAGCTTCCCCTCTG



[View online »](#)

5' Read Nucleotide Sequence:	>OriGene 5' read for NM_003955 unedited NNTTTCTTTCCCGCCCGTTGNCGCAAAGGGCGGTAGGCGTGTACGGTGGNGAGTCTAT ATAAGCAGAGCTCATTTAGGTGACACTATAGAATACAAGCTACTTGTCTTTTTGACGCG GCCGGAATTCGGCAGAGGGCTGCCGCTTCGGCCCCGCACGCAGCCAGCCGCCAGCCGC CCGCCCCGCCAGCTCCCGCCGGGCCCTTCCCGCGTCCCTCCTGGTCCCCTCCC GTTGGTCCGGGGTGCAGGGGGCAGGGCGGGCGCCAGGGGAAGCTCGAGGGACGCG GCGGAAGGCTCCTTTGTGGACTTCACGGCCGCCAACATCTGGGCGCAGCGCGGGCCACC GCTGGCCGTCTCGCCCGCGTGCCTTGGGGACCCGAGGGGGCTCAGCCCAAGGACGG AGACTTCGATTCCGGACAGCCCCCGGATGCGGTAGCGGCCGTGTGCGGAGGCCGCG AAGCAGCTGCAGCCGCCCGCGCAGATCCACGCTGGCTCCGTGCGCCATGGTCACCCAC AGCAAGTTTCCCGCCCGGGATGAGCCGCCCTGGACACCAGCCTGCGCCTAAGACC TTCAGCTCCAAGAGCGAGTACCAGCTGGTGGTGAACGAGTGCAGCAAGCTGCAGGAGAGC GGTTCTACTGGAGCGCAGTGACCGGGCGGAGGCGAACCTGCTGCTCAGTGCCGAGCCC GCCGGCACCTTTCTGATCCGCGACAGCTCGGACCAGCGCCACTTTCACGCTCAGCGTC AAGACCCAGTCTGGGACCAAGAACCTGCGCATCCAGTGTGGAGGGGGCAGCTTCTCTCT GCAGAGCGATCCCGGAGCAGCAGCCCGTCCCGCTTCGACTGCGTCAAGCTGGT GCACCAC
Restriction Sites:	NotI-NotI
ACCN:	NM_003955
Insert Size:	2900 bp
OTI Disclaimer:	Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.
	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_003955.3 , NP_003946.3
RefSeq Size:	2746 bp

RefSeq ORF:	678 bp
Locus ID:	9021
UniProt ID:	Q14543
Cytogenetics:	17q25.3
Domains:	SH2, SOCS
Protein Families:	Druggable Genome
Protein Pathways:	Adipocytokine signaling pathway, Insulin signaling pathway, Jak-STAT signaling pathway, Type II diabetes mellitus, Ubiquitin mediated proteolysis
Gene Summary:	<p>This gene encodes a member of the STAT-induced STAT inhibitor (SSI), also known as suppressor of cytokine signaling (SOCS), family. SSI family members are cytokine-inducible negative regulators of cytokine signaling. The expression of this gene is induced by various cytokines, including IL6, IL10, and interferon (IFN)-gamma. The protein encoded by this gene can bind to JAK2 kinase, and inhibit the activity of JAK2 kinase. Studies of the mouse counterpart of this gene suggested the roles of this gene in the negative regulation of fetal liver hematopoiesis, and placental development. [provided by RefSeq, Jul 2008]</p>