

Product datasheet for SC117803

DYNLL1 (NM_003746) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	DYNLL1 (NM_003746) Human Untagged Clone
Tag:	Tag Free
Symbol:	DYNLL1
Synonyms:	DLC1; DLC8; DNCL1; DNCLC1; hdlc1; LC8; LC8a; PIN
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL5</u>
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>OriGene ORF within SC117803 sequence for NM_003746 edited (data generated by NextGen Sequencing)

```
ATGTGCGACCGAAAGGCCGTGATCAAAAATGCGGACATGTCGGAAGAGATGCAACAGGAC
TCGGTGGAGTGCCTACTCAGGCCTGGAGAAATACAACATAGAGAAGGACATTGCGGCT
CATATCAAGAAGGAATTTGACAAGAAGTACAATCCCACCTGGCATTGCATCGTGGGGAGG
AACTTCGGTAGTTATGTGACACATGAAACCAAACACTTCTACTTCTACCTGGGCCAA
GTGGCCATTCTTCTGTTCAAATCTGGTTAA
```

Clone variation with respect to NM_003746.2

5' Read Nucleotide Sequence:

```
>OriGene 5' read for NM_003746 unedited
TTTGTATACGACTCACTATAGGGCGGCCGCAATTCGGCACGAGGGTTTCGGTAGCGACG
GTAGCTCTAGCCGGGCTGAGCTGTGCTAGCACCTCCCCAGGAGACCGTTGCAGTCGGC
CAGCCCCCTTCTCCACGGTAACCATGTGCGACCGAAAGGCCGTGATCAAAAATGCGGACA
TGTGGAAGAGATGCAACAGGACTCGGTGGAGTGCCTACTCAGGCGCTGGAGAAATACA
ACATAGAGAAGGACATTGCGGCTCATATCAAGAAGGAATTTGACAAGAAGTACAATCCCA
CCTGGCATTGCATCGTGGGGAGGAACCTTCGGTAGTTATGTGACACATGAAACCAAACACT
TCATCTACTTCTACCTGGGCCAAGTGGCCATTCTTCTGTTCAAATCTGGTTAAAAGCATG
GACTGTGCCACACACCCAGTGATCCATCAAAAACAAGGACTGCAGCCTAAATTCAAAAT
ACCAGAGACTGAAATTTTCAGCCTTGCTAAGGGAACATCTCGATGTTTGAACTTTGTTG
TGTTTTGTACAGGGCATTCTCTGACTAGTTTGTGCGTGTATAAAAAAATTAGCAGAAT
AGCCTACATTTGTATTTATTTCTATTCCATACTTCTGCCACGTTGTTTTCTCTCAAAA
TCCATTCCTTTAAAAAATAAATCTGATGCAGATGTGTAATAAAAAAAAAAAAAAAAAACTCGA
CTCTAGATTGCGGCCCGGTCATAGCTGTTTCTGAACAGATCCCGGGTGGCATCCCTGT
GACCCNTCCCAGTGCCTCTCCTGGCCCTGAAGTTGCCACTCCAGTGCCACCAGNCCTTG
TCTATAAAATTAAGTGCATCATTTTGTGACTAGGTGTCTT
```



[View online »](#)

3' Read Nucleotide Sequence:	>OriGene 3' read for NM_003746 unedited GAGTCGAGTTTTTTTTTTTTTTTTTTTACACATCTGCATCAGATTTATTTTTTAAAGGAA TGGATTTTGAGAGAAAACAACGTGGGCAGAAAGTATGGAATAGAAAATAAATACAAATGTA GGCTATTCTGCTAATTGTTTTATAACCACGACAACTAGTACAGAGAATGCCCTGTACAA AACACAACAAAGGTTCAAACATCGAGATGTTCCCTTAGCAAGGCTGAAAAATTCAGTCTC TGGTATTTGGAATTTAGGCTGCAGTCTTGTTTTTGGATGGATCACTGGGTGTGTGGCAC AGTCCATGCTTTTAACCAGATTTGAACAGAAGAATGGCCACTTGGCCCAGGTAGAAGTAG ATGAAGTGTTTGGTTTCATGTGTACATAACTACCGAAGTTCCTCCCCAGATGCAATGC CAGGTGGGATTGTAATTCTTGTCAAATTCCTTCTTGATATGAGCCGCAATGCCTTCTCT ATGTTGTATTTCTCCAGCGCCTGAGTAGCGCACTCCACCGAGTCTGTTGCATCTCTTCC GACATGTCGCATTTTTGATCACGGCCTTTTNGTCGCACATGGGTACCGTGGAGAAGNG GCTGGCCGACTGCACCGTCTCCTGGGGAAGTGCTACACAGCTAGGCCCGGCTGAGCTACG TCGCTACCGAACCTCGTGCCGAATTCGGCCGCCCTAAATGAGTCGTATACCAAATCCT TGACGTTCACTAACGAGCTCTGGTATATAGACCTCCACCGACACCCCTACCGGCATTTG CGTAACCGGGGCCGGGTTTTACCAAATTTGAAAGTCCGGTGGATTTTGGTGCCAAACAA CTTCCATGGACGCAATGGGGGAAACTGAAATCCCCTGAGTAAACCGCTTTCACCCCTT GGGTGTTGCCAAACCGATACCTGGTAAAACAGACTAACCTTAAGTCTGCCAATTGAAAG CCCCAAGGTATATTGGCTAATGCCAGGGGCCTTACGCTTGCCTATAAGGGCGGCTTGCT ATAACACTTAAT
Restriction Sites:	NotI-NotI
ACCN:	NM_003746
Insert Size:	700 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_003746.1</u> , <u>NP_003737.1</u>
RefSeq Size:	643 bp
RefSeq ORF:	270 bp
Locus ID:	8655
UniProt ID:	<u>P63167</u>
Cytogenetics:	12q24.31

Domains: Dynein_light

Gene Summary: Cytoplasmic dyneins are large enzyme complexes with a molecular mass of about 1,200 kD. They contain two force-producing heads formed primarily from dynein heavy chains, and stalks linking the heads to a basal domain, which contains a varying number of accessory intermediate chains. The complex is involved in intracellular transport and motility. The protein described in this record is a light chain and exists as part of this complex but also physically interacts with and inhibits the activity of neuronal nitric oxide synthase. Binding of this protein destabilizes the neuronal nitric oxide synthase dimer, a conformation necessary for activity, and it may regulate numerous biologic processes through its effects on nitric oxide synthase activity. Alternate transcriptional splice variants have been characterized. [provided by RefSeq, Jul 2008]

Transcript Variant: This variant (3) contains a distinct 5' UTR, including an alternate, downstream transcription initiation site. Variants 1, 2 and 3 encode the same protein.