

Product datasheet for SC118331

SMC5 (NM_015110) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	SMC5 (NM_015110) Human Untagged Clone
Tag:	Tag Free
Symbol:	SMC5
Synonyms:	SMC5L1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC118331 representing NM_015110. Blue=Insert sequence Red=Cloning site Green=Tag(s)

GCTCGTTTGTAGTAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTG
 GATCCGGTACCGAGGAGATCTGCCGCC**CGGATCGCC**
 ATGGCGACTCCGAGCAAGAAGACGTCAACTCCAAGCCCCAGCCTTCCAAGAGAGCTCTCCCGAGAGAC
 CCTTCGTCGGAGGTCCCGAGCAAGAGGAAGAATTCGGCCCCGAGCTGCCGCTGTTGCAGTCGTCCGGG
 CCTTCGTCGGAAGGCTCTATCGTCCGCATCTCGATGGAGAATTCTAACATATGATATTTGTGAAGTA
 TCTCCTGGACCCCACTTGAATATGATCGTTGGAGCCAATGGAACAGGGAAGTCGAGCATTGTGTGTGCC
 ATTTGCCTTGGTTTAGCTGGAACCTGCTTTCATGGGACGAGCAGATAAGGTTGGGTTTTTTGTGAAG
 AGAGGATGTTCTAGAGGCATGGTTGAAATTGAATTGTTCAAGGCTTCTGGAATCTTGAATCACCCGT
 GAGATTGATGTGGCAAAAATCAGTCCTTTGGTTTCATCAACAAAAATCTACAACCCAGAAAATAGTG
 GAAGAGAAAGTTGCAGCCTTAAATATTCAGTGGGGAATCTTTGCCAGTTTCTCCCTCAGGACAAAGTT
 GGAGAATTTGCTAAACTCAGCAAAATGAACTCCTCGAAGCCACTGAAAAGTCAATTGGTCCCCCAGAA
 ATGCACAAATATCACTGTGAACCAAACTTAAGGGAGAAAGAAAAACAGCTCGAGACCTCATGCAAA
 GAGAAACTGAGTATCTACAGAAAATGGTTCAGAGGAATGAAAGATATAAACAAGATGTGGAGAGTTT
 TATGAACGGAAGCGACATTTAGATTTAATTGAGATGCTTGAAGCAAAAAGGCCATGGGTGGAATATGAA
 AATGTTTCGTCAGGAATATGAAGAAGTAAACTAGTTCGTGACCGAGTGAAGGAAGAGGTCAGAAAACCT
 AAAGAAGGCGAGATTCCTGTAACATGTCGAATTGAAGAAATGGAACGAGCGTCACAATTTGGAGGCT
 CGAATCAAGAAAAAGGCAACAGATATTAAGGAGGCATCTCAAAAATGCAACAGAAAGCAAGATGTTATA
 GAAAGGAAAGATAAACATATTGAGGAACCTCAGCAGGCTTAAATAGTAAAGCAAAATGAAGAGCTTGAC
 CGACAGAGGAGAAATAGTAATACCCGCAAAATGATAGAGGATTTGCAAAATGAACTAAAGACCACGGAA
 AACTGCGAGAATCTTCAGCCCCAGATTGATGCCATTACAAATGATCTGAGACGGATTGAGATGAAAAG
 GCATTATGTGAAGGCGAAATAATTGATAAGCGAAGAGAGAGGGAACTCTAGAGAAGGAGAAAAAGAGT
 GTGGACGATCATATTGTACGTTTTGACAATCTTATGAATCAGAAGGAAGATAAGCTAAGACAGAGATTC
 CGTGACACGTATGATGCTGTTTTATGGCTAAGAAATAACAGAGACAAATTTAAACAAAGAGTCTGTGAG
 CCCATAATGCTCAGCATCAATATGAAAGATAATAAAAATGCCAAATATATTGAAAATCATATTCCATCA


[View online »](#)

```
AATGACTTAAGAGCCTTTGTATTTGAAAGTCAAGAAGATATGGAGTTTTCTCAAAGAGGTTTCGTGAC
AATAAAAAATTAAGAGTAAATGCTGTTATTGCTCCCAAGAGTTTCATATGCAGACAAAGCACCTTCAAGA
TCTTTGAATGAACCTTAACAATACGGATTTTCTCTTATTTGAGAGAATTATTTGATGCACCTGATCCT
GTAATGAGTTACCTTTGCTGTCAGTATCATATTCATGAAGTTCCTGTAGGAAGTAAAAGACCAGAGAA
AGAATTGAACGGGTAATACAAGAAACCCGATTAACAGAGTTTATACAGCAGAGAAAAGTATGTGGTG
AAAACCTCTTTTTATTCAAACAAAGTTATTTCTAGTAACACATCTCTAAAAGTAGCGCAGTTTCTCACT
GTCAGTGTGGACCTAGAGCAGAGAAAGACACTTAGAAGAACAGCTAAAGGAAATTCATAGAAAATTGCAA
GCAGTGGATTACGGGTTGATTGCCTTACGTGAAACAAGCAACATCTGGAGCACAAAGACAATGAACCTT
AGACAAAAGAAGAGGAGCTTCTTGAGAGAAAAACCAAGAAAAGACAACCTGGAACAAAAAATCAGTTCC
AACTAGGAAGTTTAAAGCTGATGGAACAGGATACTTGCAATCTTGAAGAGGAAGAGCGAAAAGCAAGT
ACCAAAATCAAAGAAATAAATGTTCAAAAAGCGAACTTGTTACCGAATTAACAAACCTAATAAGATT
TGTAATCTTTGTCATATACAAAAGTAGATTTAATTCTCCAAATACTACAGTATCTCTGAGAAGAAC
AAATTAGAATCAGATTATATGGCCGCATCTTCACAACCTCGTCTTACAGAGCAACATTTTATTGAATTG
GATGAAAATAGACAGAGATTATGCAGAAATGCAAGGAAGTATGAAAAGAGCTAGGCAAGTATGTAAC
CTGGGTGCAGAGCAGACTCTTCTCAAGAATACCAGACACAAGTACCCACCATTCCAAATGGACACAAC
TCCTCACTCCCATGGTTTTCCAAGACCTTCCAAACACATTGGATGAAATTGATGCTTTATTAACGTAA
GAAAGATCAAGAGCTTCTGCTTACGGGACTGAATCCTACAATTGTTTCAGGAATATACAAAAGAGAA
GAAGAAATAGAACAGTTAACTGAGGAAGTAAAGGGAAAGAAAGTTGAACTAGATCAATACAGGGAAGAC
ATTTACAGAGTAAAGAAAGGTGGCTTAATCCTTTAAAGAGCTGGTAGAAAAAATTAATGAAAAATTC
AGCAATTTTTTTAGTTCCATGCAGTGTGCTGGTGAAGTTGATCTCCATACAGAAAATGAGGAAGATTAT
GATAAATATGGAATTCGAATTAGAGTCAATTTGCAAGTAGTACTCAACTGCATGAATTAACCTCAT
CATCAAAGTGGAGGTGAAAGAAGTGTCTACCATGTTTACTTGATGGCACTTCAGGAGCTAAATAGA
TGTCATTCAGAGTAGTTGATGAAATCAATCAGGGAATGGACCAATCAATGAACGGAGAGTGTGTAAG
ATGGTTGTAAATACTGCCTGTAAAGAAAATACATCTCAATCTTTTTCATAACACCAAAGCTCCTGCAA
AATCTTCTTATTCTGAAAAGATGACAGTTTTGTTGTCTACAATGGCCCTCATATGCTGGAACCAAAC
ACATGGAATTTAAAGGCTTTCCAAAGGCGGCGCGCGCTATTACATTCCTCAACCTTCTTAAAG
AGCGGACCGACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGAT
ATCCTGGATTACAAGGATGACGACGATAAGGTTTAA
```

Chromatograms: https://cdn.origene.com/chromatograms/ja3792_e01.zip

Restriction Sites: SgfI-RsrII

ACCN: NM_015110

Insert Size: 3315 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_015110.1](#)

RefSeq Size: 5965 bp

RefSeq ORF: 3315 bp

Locus ID: 23137

UniProt ID: [Q8IY18](#)

Cytogenetics: 9q21.12

MW: 129.2 kDa

Gene Summary: Core component of the SMC5-SMC6 complex, a complex involved in repair of DNA double-strand breaks by homologous recombination. The complex may promote sister chromatid homologous recombination by recruiting the SMC1-SMC3 cohesin complex to double-strand breaks. The complex is required for telomere maintenance via recombination in ALT (alternative lengthening of telomeres) cell lines and mediates sumoylation of shelterin complex (telosome) components which is proposed to lead to shelterin complex disassembly in ALT-associated PML bodies (APBs). Required for recruitment of telomeres to PML nuclear bodies. Required for sister chromatid cohesion during prometaphase and mitotic progression; the function seems to be independent of SMC6. SMC5-SMC6 complex may prevent transcription of episomal DNA, such as circular viral DNA genome (PubMed:26983541).[UniProtKB/Swiss-Prot Function]