

Product datasheet for SC118343

UPF1 (NM_002911) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	UPF1 (NM_002911) Human Untagged Clone
Tag:	Tag Free
Symbol:	UPF1
Synonyms:	HUPF1; NORF1; pNORF1; RENT1; smg-2; UTF
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL4</u>
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>OriGene ORF within SC118343 sequence for NM_002911 edited (data generated by NextGen Sequencing)

```

ATGAGCGTGGAGCGTACGGGCCAGCTCGCAGACTCTACTTTCTGGACACGGAGGAG
GCCGAGCTGCTTGGCGCGACACACAGGGCTCCGAGTTCGAGTTCACCGACTTTACTCTT
CCTAGCCAGACGCAGACGCCCCCGCGGCCCGCGGCCGGCGGTGGCGGCGCGGGA
GGCCCGGGCGGCGGGCGGGCGCTGCGGGGACAGCTCGACGCGCAGGTTGGGCC
GAAGGCATCCTGCAGAACGGGGCTGTGGACGACAGTGTAGCCAAGACCAGCCAGTTGTTG
GCTGAGTTGAACTTCGAGGAAGATGAAGAAGACACCTATTACACGAAGGACCTCCCCATA
CACGCCTGCAGTTACTGTGGAATACACGATCCTGCCTGCGTGGTTTACTGTAATACCAGC
AAGAAGTGGTTCTGCAACGGACGTGAAATACTTCTGGCAGCCACATTGTAATCACCTT
GTGAGGGCAAAATGCAAAGAGGTGACCCTGCACAAGGACGGGCCCTGGGGGAGACAGTC
CTGGAGTGCTACAACGCGGCTGTCGCAACGTCTTCTCCTCGGCTTCATCCCGCCAAA
GCTGACTCAGTGGTGGTGTGTGTGCAGGCAGCCCTGTGCCAGCCAGAGCAGCCTCAAG
GACATCAACTGGGACAGCTCGCAGTGGCAGCCGCTGATCCAGGACCGCTGCTTCTGTCC
TGGCTGGTCAAGATCCCCCTCCGAGCAGGAGCAGCTGCGGGCAGCCAGATCACGGCACAG
CAGATCAACAAGCTGGAGGAGCTGTGGAAGGAAAACCTTCTGCCACGCTGGAGGACCTG
GAGAAGCCGGGGTGGACGAGGAGCCGCAGCATGTCCTCCTGCGGTACGAGGACGCTAC
CAGTACCAGAACATATTCGGGCCCTGGTCAAGCTGGAGGCCACTACGACAAGAAGCTG
AAGGAGTCCCAGACTCAAGATAACATCACTGTGAGTGGGACCTGGGCCCTTAACAAGAAG
AGAATCGCCTACTTCACTTTGCCCAAGACTGACTCTGACATGCGGCTCATGCAGGGGAT
GAGATATGCCTGCGGTACAAAGGGGACCTTGCGCCCTGTGAAAAGGGATCGGCCACGTC
ATCAAGGTCCCTGATAATTATGGCGATGAGATCGCCATTGAGCTGCGGAGCAGCGTGGGT
GCACCTGTGGAGGTGACTCACAACCTCCAGGTGGATTTTGTGTGGAAGTCGACCTCCTTT
GACAGGATGCAGAGCGCATTGAAAACGTTTGCCGTGGATGAGACCTCGGTGTCTGGCTAC
ATCTACCACAAGCTGTTGGGCCACGAGGTGGAGGACGTAATCATCAAGTGCCAGCTGCC
AAGCGCTTACGGCGCAGGGCCTCCCCGACCTCAACCACTCCCAGGTTTATGCCGTGAAG
ACTGTGCTGCAAAGACCACTGAGCCTGATCCAGGGCCCGCCAGGCACGGGAAGACGGTG

```



[View online »](#)

```

ACGTGGCCACCATCGTCTACCACCTGGCCCGCAAGGCAACGGGCCGGTGTGGTGTGT
GCTCCGAGCAACATCGCCGTGGACCAGCTAACGGAGAAGATCCACCAGACGGGGCTAAAG
GTCGTGCGCCTCTGCGCCAAGAGCCGTGAGGCCATCGACTCCCCGGTGTCTTTCTGGCC
CTGCACAACCAGATCAGGAACATGGACAGCATGCCTGAGCTGCAGAAGCTGCAGCAGCTG
AAAGACGAGACTGGGGAGCTGTCGTCTGCCGACGAGAAGCGGTACCGGCCTTGAAGCGC
ACCGCAGAGAGAGAGCTGCTGATGAACGCAGATGTCATCTGCTGCACATGTGTGGGGCC
GGTGACCCGAGGCTGGCCAAGATGCAGTTCGGCTCCATTTAATCGACGAAAGCACCCAG
GCCACCGAGCCGAGTGCATGGTTCCTCGGTGCTCGGGGCCAAGCAGCTGATCCTTGTA
GGCAGCACTGCCAGCTGGGCCAGTGGTGATGTGCAAGAAGGGGCCAAGGCCGGGCTG
TCACAGTCGCTCTTCGAGCGCCTGGTGGTGTGGGCATCCGGCCATCCGCTGCAGGTC
CAGTACCGGATGCACCCTGCACTCAGCGCCTCCCATCCAACATCTTCTACGAGGGCTCC
CTCCAGAATGGTGTCACTGCAGCGGATCGTGTGAAGAAGGGATTTGACTTCCAGTGGCC
CAACCCGATAAACCGATGTTCTTCTACGTGACCCAGGGCCAAGAGGAGATTGCCAGCTCG
GGCACCTCTACCTGAACAGGACCGAGGCTGCGAACGTGGAGAAGATCACCACGAAGTTG
CTGAAGGCAGGCCAAGCCGGACCAGATTGGCATTATCAGCCCTACGAGGGCCAGCGC
TCCTACCTGGTGCAGTACATGCAGTTCAGCGGCTCCCTGCACACCAAGCTTACCAGGAG
GTGGAGATCGCCAGTGTGGACGCCTTTCAGGGACGCGAGAAGGACTTCATCATCCTGTCC
TGTGTGGGGCCAACGAGCACCAAGGCATTGGCTTTTTAATGACCCAGGGCTGTGAAC
GTGGCCCTGACCAGAGCAAGGTATGGCGTCATATTGTGGGAACCCGAAGGCATATCA
AAGCAGCCGCTCTGGAACCACCTGCTGAACTACTATAAGGAGCAGAAGGTGCTGGTGGAG
GGGCCGCTCAACAACCTGCGTGAGAGCCTCATGCAGTTCAGCAAGCCACGGAAGCTGGTC
AACACTATCAACCCGGGAGCCCGCTTTCATGACCACAGCCATGTATGATGCCCGGGAGGCC
ATCATCCAGGCTCCGTCTATGATCGGAGCAGCCAGGGCCGGCCTTCCAGCATGTACTTC
CAGACCCATGACCAGATTGGCATGATCAGTGCCGCGCCTAGCCACGTGGCTGCCATGAAC
ATTCCCATCCCTTCAACCTGGTTCATGCCACCCATGCCACCGCCTGGCTATTTTGACAA
GCCAACGGCCCTGCTGCAGGGCAGGCACCCGAAAGGCAAGACTGGTCGTGGGGACGC
CAGAAGAACCCTTTGGCTTCTGGACCCAGCCAGACTAACCTCCCAACAGCCAAGCC
AGCCAGGATGTGGCGTCACAGCCCTTCTCAGGGCGCCTGACGCAGGGCTACATCTCC
ATGAGCCAGCCTTCCAGATGAGCCAGCCCGCCTTCCAGCCGGAGCTGTCCAGGAC
AGTTACCTTGGTACGAGTTAAATCACAATCGACGTGGCGCTCTCACAGGACTCCACG
TACCAGGAGAGCGGGCTTACCAGCATGGCGGGGTGACGGGGCTGTCCCAGTATTA
    
```

Clone variation with respect to NM_002911.3

5' Read Nucleotide Sequence:

```

>OriGene 5' read for NM_002911 unedited
CCGCGGAATTCGACGAGGCCGGGGCGGGCGGTTTGGTCTTTCCGGGCGCGGGGGCG
ACAGCGGACGACCCGAGGCTGCGGCCTAGGCCTCAGCGCGGCGGGGCTCGAGTGC
AGCGCGGAACCGCCGAGGGCCCTACCCGGAGGCACCATGAGCGTGGAGCGTACGGG
CCAGCTCGCAGACTCTCACTTCTCCTGGACACGGAGGAGCCGAGCTGCTTGGCGCCGACA
CACAGGGCTCCGAGTTCGAGTTCACCGACTTTACTCTTCTAGCCAGACGCAGACGCCCC
CCGGCGGCCCCGGCGGCCGGGGCGGTGGCGGCGGGAGGCCCGGGCGGCGGGCGCGG
GCGCTGCGGGGACAGCTCGACGCGCAGGTTGGGCCGAAGGCATCCTGCAGAACGGGG
CTGTGGACGACAGTGTAGCCAAGACCAGCCAGTTGTTGGCTGAGTTGAACTTCGAGGAAG
ATGAAGAAGACACCTATTACACGAAGGACCTCCCATAACAGCCTGCAGTTACTGTGGAA
TACACGATCCTGCCTGCGTGGTTTACTGTAATACCAGCAAGAAGTGGTTTGCACCGGAC
GTGGAAATACTTCTGGCAGCCACATTGTAATCACCTTGTGAGGGCAAAATGCAAAGAGG
TGACCCTGCACAAGGACGGGGCCCTGGGGGAGACAGTCCCTGGAGTGCTACAACCTGGCG
GCTGTGCAACGTCTTCTCCTCGGCTTATCCCGGGCAAGCTGACTCAATGGGTGGGG
GCTGCTGTGACGGCAACCCTGTGCCAACCCGAGCAGCCTCAAAGGACATAACTGGGACA
ACTCGCAGTGGCAGACCGGTGATCCAGGAACGCGGGTTCCTGTCTGGGTGGGCAAGA
ACCCA
    
```

3' Read Nucleotide Sequence:	>OriGene 3' read for NM_002911 unedited AACGTAGGGGAAACAGGTATCCGTTTTTTTTTATTTTTATTACCCAGNATAAGATGCTG ATGGACTAAGCCACGTTGCTTAGCTCTCCGCCGCCACCTTTAATACTGGGACAGCCCC GTCACCCCGCCATGCTGGTAAGCCCGCTCTCCCTGGTACGTGGAGTCCTGTGAGAGCGCC ACGTGCGATTTGTATTTAACTCGTCACCAAGGTAAGTGTCTGGGACAGCTCCGGCTGG GAGAGGCCGGGCTGGCTCATCTGGGAAGGCTGGCTCATGGAGATGTAGCCCTGCGTCAGG GCGCCCTGAGAGAAGGGCTGTGACGCCACATCCTGGCTGGCTTGGCTGTTGGGGAGGTTA GTCTGGCTGGGTCCAGGAAGCCCAAAGCGTTCTTCTGGCGTCCCCACGACCAGTCTTG CCTTTCGGGGTGCTCGCCCTGCAGCAGGCCCGTTGGCTTGTCAAAATAGCCAGGCGGT GGCATGGGTGGCATGACCAGGTTGAAGGGGATGGGAATGTTTCATGGCAGCCACGTGGCTA GGGCCGGCACTGATCATGCCAATCTGGTCATGGGTCTGGAAGTACATGCTGGAAGGCCGG CCCTGGCTGCTCCGATCATAGACGGAGCCTGGGATGATGGCTCCCGGGCATCATAATG GCTGTGGTCATGAAGCGGGCTCCCGTTGATAGTGTGACCAGCTTCCGTGGCTTGCTGA ACTGCATGAGGCTTTCACCGCAGTTGTTGAGCGGGCCCTTCAACAGCACCTTTTGTTC TTATAGTAGTTACAGCAGGTGGGTTTCAGAGCCGGCTGCTTGTAAAGTCTCTCGGTTGC CCCAATGATGAACCCCTAACCTTGCTCTGGTCAGGGCCACCCTCAACCCCTTGGGTTA TTTTAAAAAACCATGGCTCTGGGCTTCTTGCCCCACAACGGGAAGGT
Restriction Sites:	ECORI-NOT
ACCN:	NM_002911
Insert Size:	4000 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_002911.2 , NP_002902.2
RefSeq Size:	5300 bp
RefSeq ORF:	3357 bp
Locus ID:	5976
UniProt ID:	Q92900
Cytogenetics:	19p13.11
Protein Families:	Druggable Genome

Gene Summary:

This gene encodes a protein that is part of a post-splicing multiprotein complex involved in both mRNA nuclear export and mRNA surveillance. mRNA surveillance detects exported mRNAs with truncated open reading frames and initiates nonsense-mediated mRNA decay (NMD). When translation ends upstream from the last exon-exon junction, this triggers NMD to degrade mRNAs containing premature stop codons. This protein is located only in the cytoplasm. When translation ends, it interacts with the protein that is a functional homolog of yeast Upf2p to trigger mRNA decapping. Use of multiple polyadenylation sites has been noted for this gene. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jul 2014]

Transcript Variant: This variant (2) uses an alternate in-frame splice site in the 5' coding region, compared to variant 1. It encodes isoform 2, which is shorter than isoform 1.